



US00D859944S

(12) **United States Design Patent** (10) **Patent No.:** **US D859,944 S**
Kukucka et al. (45) **Date of Patent:** **** Sep. 17, 2019**

(54) **MULTI GRIP STAR BIT** 8,448,547 B2 * 5/2013 Whitehead B25B 27/18
81/441
(71) Applicant: **GRIP HOLDINGS LLC**, Brandon, FL 8,955,415 B2 * 2/2015 Lin B25B 27/18
(US) 81/441
(72) Inventors: **Paul Kukucka**, Brandon, FL (US); D759,343 S * 6/2016 Kimura D1/126
Thomas Stefan Kukucka, Brandon, FL D776,505 S 1/2017 Doroslovac
(US) D784,106 S 4/2017 Doroslovac
D794,405 S 8/2017 Doroslovac et al.
(73) Assignee: **GRIP HOLDINGS LLC**, Brandon, FL D829,069 S * 9/2018 Doroslovac D8/29
(US) 10,081,094 B2 9/2018 Doroslovac et al.

(**) Term: **15 Years**

(21) Appl. No.: **29/670,265**

(22) Filed: **Nov. 14, 2018**

Related U.S. Application Data

(63) Continuation-in-part of application No. 16/107,842, filed on Aug. 21, 2018, and a continuation-in-part of application No. 15/882,787, filed on Jan. 29, 2018, and a continuation-in-part of application No. 15/601,864, filed on May 22, 2017.

(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/29; D8/86**

(58) **Field of Classification Search**
USPC D8/29; 81/60, 177.1, 177.85, 121.1, 81/124.3, 165-170, 110.1, 176.2, 124.6, 81/176.1, 176.15, 177.2, 186, 86; 16/110.1
CPC B25B 13/06; B25B 13/065
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,314,846 B1 * 11/2001 Winick B25B 23/142
81/477
7,413,693 B2 * 8/2008 Goacher, Sr. B25B 13/5091
264/148

* cited by examiner

Primary Examiner — Randall H Gholson


(57) **CLAIM**

The ornamental design for a multi grip star bit, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a multi grip star bit showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right-side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left-side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a lateral view thereof;
FIG. 9 is a lateral view thereof, rotated 45 degrees from the position in FIG. 8;
FIG. 10 is a lateral view thereof, rotated 45 degrees from the position in FIG. 9;
FIG. 11 is a lateral view thereof, rotated 45 degrees from the position in FIG. 10; and,
FIG. 12 is a lateral view thereof, rotated 45 degrees from the position in FIG. 11.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12