



US00D859945S

(12) **United States Design Patent** (10) **Patent No.:** **US D859,945 S**
Kukucka et al. (45) **Date of Patent:** **** Sep. 17, 2019**

(54) **TWIN CAVITY HEX BIT**

(56) **References Cited**

(71) Applicant: **GRIP HOLDINGS LLC**, Brandon, FL (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Paul Kukucka**, Brandon, FL (US);
Thomas Stefan Kukucka, Brandon, FL (US)

6,314,846	B1 *	11/2001	Winick	B25B 23/142
				81/477
7,413,693	B2 *	8/2008	Goacher, Sr.	B25B 13/5091
				264/148
8,448,547	B2 *	5/2013	Whitehead	B25B 27/18
				81/441
8,955,415	B2 *	2/2015	Lin	B25B 27/18
				81/441
D759,343	S *	6/2016	Kimura	D1/126
D776,505	S	1/2017	Doroslovac	
D784,106	S	4/2017	Doroslovac	
D794,405	S	8/2017	Doroslovac et al.	
D829,069	S *	9/2018	Doroslovac	D8/29
10,081,094	B2	9/2018	Doroslovac et al.	

(73) Assignee: **GRIP HOLDINGS LLC**, Brandon, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/673,024**

* cited by examiner

(22) Filed: **Dec. 11, 2018**

Primary Examiner — Randall H Gholson

Related U.S. Application Data

(57) **CLAIM**

(63) Continuation-in-part of application No. 29/670,265, filed on Nov. 14, 2018, and a continuation-in-part of application No. 16/107,842, filed on Aug. 21, 2018, and a continuation-in-part of application No. 15/882,787, filed on Jan. 29, 2018, and a continuation-in-part of application No. 15/601,864, filed on May 22, 2017.

The ornamental design for a twin cavity hex bit, as shown and described.

DESCRIPTION

(60) Provisional application No. 62/451,491, filed on Jan. 27, 2017.


(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/29; D8/86**

(58) **Field of Classification Search**
USPC D8/29; 81/60, 177.1, 177.85, 121.1, 81/124.3, 165-170, 110.1, 176.2, 124.6, 81/176.1, 176.15, 177.2, 186; 16/110.1
CPC B25B 13/06; B25B 13/065
See application file for complete search history.

FIG. 1 is a perspective view of a twin cavity hex bit showing our new design;
FIG. 2 is a front perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right-side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left-side elevational view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a lateral view thereof;
FIG. 10 is a lateral view thereof, rotated 45 degrees from the position in FIG. 9;
FIG. 11 is a lateral view thereof, rotated 45 degrees from the position in FIG. 10;
FIG. 12 is a lateral view thereof, rotated 45 degrees from the position in FIG. 11; and,
FIG. 13 is a lateral view thereof, rotated 45 degrees from the position in FIG. 12.

1 Claim, 13 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13