



US00D860131S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,131 S**
Siminoff et al. (45) **Date of Patent:** **** Sep. 17, 2019**

(54) **BATTERY PACK**

H01M 2250/40; H02J 7/00; H02J 7/0003;
H02J 7/0011; H02J 7/0013; H02J 7/0054;
H02J 7/0055; H02J 7/0057

(71) Applicant: **AMAZON TECHNOLOGIES, INC.**,
Seattle, WA (US)

See application file for complete search history.

(72) Inventors: **James Siminoff**, Pacific Palisades, CA
(US); **Spiro Sacre**, Los Angeles, CA
(US); **Mark Siminoff**, Mountain View,
CA (US); **John Modestine**, Los
Angeles, CA (US); **Matthew J**
England, Santa Monica, CA (US);
Christopher Loew, Palo Alto, CA (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D356,776	S	*	3/1995	Yoshii	D13/103
D377,477	S	*	1/1997	Harata	D13/103
D400,494	S	*	11/1998	Blase	D13/103
D417,187	S	*	11/1999	Maeyama	D13/103
D417,188	S	*	11/1999	Maeyama	D13/103
D417,861	S	*	12/1999	Maeyama	D13/103
D426,513	S	*	6/2000	Toops	D13/103

(Continued)

(73) Assignee: **Amazon Technologies, Inc.**, Seattle,
WA (US)

Primary Examiner — Rosemary K Tarcza

(**) Term: **15 Years**

Assistant Examiner — Christy M Nemeth

(21) Appl. No.: **29/662,627**

(74) *Attorney, Agent, or Firm* — Lathrop Gage LLP

(22) Filed: **Sep. 6, 2018**

(57) **CLAIM**

Related U.S. Application Data

The ornamental design for a battery pack, as shown and described.

(63) Continuation of application No. 29/610,432, filed on
Jul. 12, 2017, now Pat. No. Des. 830,966.

DESCRIPTION

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/102–110, 118, 119, 184, 199;
D14/356, 432

CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M
2/1061; H01M 2/1022; H01M 2/1055;
H01M 2/1066; H01M 2/105; H01M 2/20;
H01M 2/202; H01M 2/204; H01M 2/206;
H01M 2/02; H01M 2/022; H01M 2/0202;
H01M 2/0207; H01M 2/0212; H01M
10/44; H01M 10/46; H01M 10/465;
H01M 10/482; H01M 10/4257; H01M
10/0436; H01M 10/48; H01M 2250/30;

FIG. 1 is a front perspective view of the battery pack
according to the present design;

FIG. 2 is a front elevational view of the battery pack of FIG.
1;



FIG. 3 is a rear elevational view of the battery pack of FIG.
1;

FIG. 4 is a right-side elevational view of the battery pack of
FIG. 1, which is a mirror image of the left-side elevational
view;

FIG. 5 is a top plan view of the battery pack of FIG. 1; and,
FIG. 6 is a bottom plan view of the battery pack of FIG. 1.

The broken line showing in the figures illustrates portions of
the battery pack that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D428,384	S	*	7/2000	Maeyama	D13/103
D437,579	S	*	2/2001	Toops	D13/103
D491,888	S	*	6/2004	Lee	D13/103
D512,018	S	*	11/2005	Matsuda	D13/103
D522,451	S	*	6/2006	Hayes	D13/103
D580,852	S	*	11/2008	Heinzen	D13/103
D588,058	S	*	3/2009	Obata	D13/103
D592,131	S	*	5/2009	Heinzen	D13/103
D592,595	S	*	5/2009	Heinzen	D13/119
D654,021	S	*	2/2012	Sweeney	D13/110
D665,340	S	*	8/2012	Obata	D13/103
D719,095	S	*	12/2014	Oota	D13/103
D759,587	S	*	6/2016	Santos	D13/103
D759,592	S	*	6/2016	Santos	D13/119
D830,966	S	*	10/2018	Siminoff	D13/103

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6