



US00D860134S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,134 S**  
**Narita et al.** (45) **Date of Patent:** **\*\* Sep. 17, 2019**

(54) **ELECTRODE FOIL FOR CAPACITOR**

(71) Applicant: **NIPPON CHEMI-CON CORPORATION**, Tokyo (JP)

(72) Inventors: **Yoshiyuki Narita**, Tokyo (JP);  
**Kazuhiro Nagahara**, Tokyo (JP);  
**Atsushi Tanaka**, Tokyo (JP); **Shoji Ono**, Tokyo (JP)

(73) Assignee: **NIPPON CHEMI-CON CORPORATION**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/631,456**

(22) Filed: **Dec. 29, 2017**

(30) **Foreign Application Priority Data**

Jul. 10, 2017 (JP) ..... 2017-014886

(51) **LOC (12) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/121**; D13/182

(58) **Field of Classification Search**  
USPC ..... D13/101, 110, 121, 133, 182, 199;  
118/500, 728, 729; 156/345.51, 345.52,  
156/345.53; D5/53, 60  
CPC ..... H01L 21/68707; H01L 21/68721; H01L  
21/68728; H01L 21/68735; H01L  
21/68785; H01L 21/67144; H01L  
21/67309; C23C 16/45565; C23C  
16/4557; H01M 10/0525; H01M 10/0431;  
H01M 10/0436

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D268,961 S \* 5/1983 Erickson ..... D5/53  
D414,345 S \* 9/1999 Barnholtz ..... D5/53

D490,988 S \* 6/2004 Delaney ..... D5/53  
D510,327 S \* 10/2005 Smith ..... D13/182  
D516,821 S \* 3/2006 Wu ..... D5/53  
D572,018 S \* 7/2008 Bridges ..... D5/30  
D577,691 S \* 9/2008 Ohsawa ..... D13/182  
D615,927 S \* 5/2010 Kuriki ..... D13/133  
8,076,027 B2 \* 12/2011 Honda ..... H01M 2/16  
29/623.5

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2013-153024 A 8/2013

*Primary Examiner* — Derrick E Holland

*Assistant Examiner* — Jennifer O King

(74) *Attorney, Agent, or Firm* — Cermak Nakajima & McGowan LLP; Tomoko Nakajima

(57) **CLAIM**

The ornamental design for an electrode foil for capacitor, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an electrode foil for capacitor showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a rear elevational view thereof; and


FIG. 6 is a bottom plan view thereof.

FIG. 7 is a partially enlarged top plan view thereof taken along lines 7-7 and 7'-7' of FIG. 2; and,

FIG. 8 is a partially enlarged cross sectional view thereof taken along lines 8-8 and 8'-8' of FIG. 7.

The broken lines shown represent portions of the electrode foil for capacitor that form no part of the claim. Where the dot-dash broken lines about the shaded surface it is understood that those broken lines represent an unclaimed boundary between claimed and unclaimed surfaces. None of the broken lines form any part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

8,530,081 B2 \* 9/2013 Hayashida ..... H01M 4/0404  
429/122  
D696,029 S \* 12/2013 Seyler ..... D5/1  
D701,182 S \* 3/2014 Plant ..... D13/182  
8,986,882 B2 \* 3/2015 Ito ..... H01M 4/66  
427/58  
D725,916 S \* 4/2015 Haverfield ..... D5/60  
D818,721 S \* 5/2018 Delaney ..... D5/53  
2002/0149902 A1 \* 10/2002 Yamazaki ..... H01G 9/055  
361/509  
2006/0076243 A1 \* 4/2006 Aoyama ..... C25D 5/44  
205/153  
2006/0134501 A1 \* 6/2006 Lee ..... H01M 8/0204  
429/457

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG.4



**FIG. 5**




FIG.6






FIG.7




FIG.8