



US00D860274S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,274 S**
Doty (45) **Date of Patent:** **** Sep. 17, 2019**

(54) **RIGID PUNCH TOOL**
(71) Applicant: **Omnitool, Inc.**, Minneapolis, MN (US)
(72) Inventor: **Eric Doty**, Champlin, MN (US)
(73) Assignee: **Omnitool, Inc.**, Minneapolis, MN (US)
(**) Term: **15 Years**

5,140,879 A 8/1992 Haj-Ali-Ahmadi
D336,304 S * 6/1993 Robinson D15/29
5,816,130 A 10/1998 Aukerman
5,957,826 A 9/1999 Bohn
6,267,036 B1 7/2001 Lani
6,298,761 B1 10/2001 Houser
9,878,461 B2 1/2018 Doty
10,179,421 B2 * 1/2019 Doty B26D 7/2614
2002/0117026 A1 8/2002 Chang
(Continued)

(21) Appl. No.: **29/631,672**
(22) Filed: **Jan. 2, 2018**

Related U.S. Application Data

(63) Continuation of application No. 15/847,629, filed on Dec. 19, 2017, now Pat. No. 10,179,421, which is a continuation of application No. 15/156,266, filed on May 16, 2016, now Pat. No. 9,878,461.

(51) **LOC (12) Cl.** **15-09**
(52) **U.S. Cl.**
USPC **D15/139**

(58) **Field of Classification Search**
USPC D8/29, 139, 70, 98; D15/28, 29; D32/46
CPC . B26D 7/2614; B26F 1/14; B26F 1/18; B26F 1/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,654,987 A * 10/1953 Mills A01D 34/18
29/891.2
3,146,570 A * 9/1964 Otten A01D 34/18
56/311
4,165,669 A 8/1979 Brown
4,519,142 A * 5/1985 Parker G01B 5/061
33/628
D279,476 S * 7/1985 Nja D15/29
D279,568 S * 7/1985 Nja D15/29
D279,786 S * 7/1985 Nja D15/29
4,945,752 A 8/1990 Stursberg

OTHER PUBLICATIONS

“Spares ISO-View 14,” Freeman, www.freemancompany.com, Jan. 17, 2013, 1 pp.
(Continued)

Primary Examiner — Philip S Hyder
(74) *Attorney, Agent, or Firm* — Grumbles Law PLLC; Brittany Nanzig


(57) **CLAIM**

The ornamental design for a rigid punch tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of a rigid punch tool showing my new design.
FIG. 2 is a front elevational view of the rigid punch tool.
FIG. 3 is a rear elevational view of the rigid punch tool.
FIG. 4 is a top plan view of the rigid punch tool.
FIG. 5 is a bottom plan view of the rigid punch tool.
FIG. 6 is a right side elevational view of the rigid punch tool; the left side elevational view is a mirror image of the right side elevational view; and,
FIG. 7 is a perspective top view of a rigid punch tool shown in its environment.
The broken lines of the rigid punch tool are for the purposes of illustrating environment and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0084997 A1 5/2003 Wu
2005/0050740 A1 3/2005 Lin
2005/0081695 A1 4/2005 Lee
2005/0132856 A1 6/2005 Geffros
2005/0257594 A1 11/2005 Hutchison
2007/0031211 A1 2/2007 Schmidkonz
2007/0062357 A1 3/2007 Pedrys
2007/0172535 A1 7/2007 Fridley
2011/0278060 A1 11/2011 Rajvanshi
2014/0116218 A1 5/2014 Kwarta
2014/0121085 A1 5/2014 Kwarta
2014/0338510 A1 11/2014 Lee
2015/0000485 A1 1/2015 Piro
2016/0193746 A1 7/2016 Hu
2016/0288353 A1 10/2016 McCracken
2016/0332318 A1* 11/2016 Doty B26F 1/18

OTHER PUBLICATIONS

“Image 1,” Freeman, www.freemancompany.com, 2002, 1 pp.

“Image 2,” Freeman, www.freemancompany.com, 2002, 1 pp.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7