



US00D860469S

(12) **United States Design Patent**
Wattu

(10) **Patent No.:** **US D860,469 S**
(45) **Date of Patent:** **** Sep. 17, 2019**

- (54) **HORSE SELF-MASSAGE DEVICE**
- (71) Applicant: **Ronald Wattu**, Silver Springs, FL (US)
- (72) Inventor: **Ronald Wattu**, Silver Springs, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/654,560**
- (22) Filed: **Jun. 26, 2018**
- (51) **LOC (12) Cl.** **28-03**
- (52) **U.S. Cl.**
USPC **D24/211**
- (58) **Field of Classification Search**
USPC 601/15, 18, 19, 46, 47, 48, 52, 99, 112,
601/113, 118, 125, 129, 134, 135, 137,
601/DIG. 12, DIG. 14, DIG. 15, DIG. 16,
601/DIG. 17; D24/133, 193-199, 200,
D24/211, 212, 213, 214, 215; 600/38,
600/39, 40, 41; D30/160; D3/229, 257
CPC A61H 2015/0014; A61H 15/00; A61H
7/001; A61H 1/008; A63B 23/0233;
A01K 15/026; C11D 17/047
See application file for complete search history.

- D435,661 S * 12/2000 Chen D24/211
- D438,975 S * 3/2001 Chen D24/211
- 6,299,585 B1 * 10/2001 Yoo A61H 7/001
601/118
- D462,487 S * 9/2002 Axelrod D30/160
- D470,277 S * 2/2003 Tu D30/160
- D478,947 S * 8/2003 Lu D21/662
- D497,457 S * 10/2004 Willinger A01K 15/026
D24/211
- D499,186 S * 11/2004 Chien D24/211
- D499,810 S * 12/2004 Chien D24/211
- D501,256 S * 1/2005 Roehrig D24/194
- D521,191 S * 5/2006 Berger D29/122
- D542,418 S * 5/2007 Chen D24/211

(Continued)

OTHER PUBLICATIONS

Amazon, "SPRI Balance Pods Hedgehog Stability Balance Trainer Dots . . .", May 30, 2013. https://www.amazon.com/SPRI-Balance-Hedgehog-Stability-Trainer/dp/B0015SBRCG/ref=cm_cr_arp_d_product_top?ie=UTF8. Shown on p. 1. (Year: 2013).*

Primary Examiner — Susan E Krakower
Assistant Examiner — Michael A Maharajh
(74) *Attorney, Agent, or Firm* — Sven W Hanson

(57) **CLAIM**

The ornamental design for a horse self-massage device, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a horse self-massage device illustrating the new design.
FIG. 2 is a bottom perspective view thereof.
FIG. 3 is a front elevation view thereof.
FIG. 4 is a back elevation view thereof.
FIG. 5 is a right side elevation view thereof.
FIG. 6 is a left side elevation view thereof.
FIG. 7 is a top plan view thereof; and,
FIG. 8 is bottom plan view thereof.

1 Claim, 8 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D245,856 S * 9/1977 Grube D23/223
- 4,191,178 A * 3/1980 Wisnieski A61H 7/001
601/131
- D280,664 S * 9/1985 Ishida D24/211
- D337,398 S * 7/1993 Axelrod D30/160
- D344,591 S * 2/1994 Zhuang D24/211
- 5,413,551 A * 5/1995 Wu A61H 15/00
601/131
- D376,449 S * 12/1996 Axelrod D30/160
- D396,904 S * 8/1998 Leu D21/713
- D418,920 S * 1/2000 Chen D24/211
- D419,680 S * 1/2000 Chen D24/211
- D419,681 S * 1/2000 Chen D24/211
- D435,660 S * 12/2000 Yoo D24/211






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8