



US00D860739S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,739 S**
Brouillac (45) **Date of Patent:** **** Sep. 24, 2019**

(54) **CORKSCREW**

(71) Applicant: **PSP, Quingey (FR)**

(72) Inventor: **Nicolas Brouillac, Quingey (FR)**

(73) Assignee: **PSP, Quingey (FR)**

(**) Term: **15 Years**

(21) Appl. No.: **29/639,395**

(22) Filed: **Mar. 6, 2018**

(30) **Foreign Application Priority Data**

Sep. 6, 2017 (EM) 004244739-0006

(51) **LOC (12) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D8/43**

(58) **Field of Classification Search**
USPC D8/18, 33-43
CPC B67B 7/00; B67B 7/0441; B67B 7/12;
B67B 7/14; B67B 7/16; B67B 7/18;
B67B 7/24; B67B 7/30; B67B 7/34;
B67B 7/40; B67B 7/406; B67B 7/44
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,753,026 A * 4/1930 Rosati B67B 7/0441
81/3.37
2,115,289 A * 4/1938 Smythe B67B 7/44
294/106
D146,833 S * 5/1947 Peterson D8/42
D184,613 S * 3/1959 Gemelli D8/38
4,063,473 A * 12/1977 Bozzo B67B 7/0441
29/434
4,097,980 A * 7/1978 Bozzo B67B 7/0441
29/434
D358,744 S * 5/1995 Entwistle 81/3.29
D359,213 S * 6/1995 Entwistle 81/3.29

D364,324 S * 11/1995 Entwistle D8/42
D366,198 S * 1/1996 Laib D8/42
D389,712 S * 1/1998 Usbeck D8/40
D397,010 S * 8/1998 Usbeck 7/155
D412,094 S * 7/1999 Weibel D8/42
D429,981 S * 8/2000 So D8/42
D430,469 S * 9/2000 Thuma D8/39
D455,622 S * 4/2002 Tse D8/42
6,431,028 B2 * 8/2002 So B67B 7/0441
81/3.29
D471,778 S * 3/2003 Federighi D8/42

(Continued)

Primary Examiner — Elizabeth A. Albert

(74) *Attorney, Agent, or Firm* — Craft Chu PLLC;
Andrew W. Chu


(57) **CLAIM**

The ornamental design for a corkscrew, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of the corkscrew showing my design with the arms in a down position;
FIG. 2 is upper perspective view thereof, showing the arms in an up position;
FIG. 3 is another upper perspective view thereof, showing the arms in the down position;
FIG. 4 is another front elevation view thereof, a back elevation view being a mirror image thereof, showing the arms in the up position;
FIG. 5 is a side elevation view, an opposite side elevation view being a mirror image thereof, showing the arms in the up position;
FIG. 6 is a bottom plan view thereof with portions in broken lines, showing the arms in the up position; and,
FIG. 7 is a top plan view thereof, showing the arms in the up position.
The broken line portions in FIG. 6 are environment and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,546,831	B2 *	4/2003	So	B67B 7/0441
				81/3.29
D475,261	S	6/2003	Lee	
6,739,215	B2 *	5/2004	Lozeau	B67B 7/0447
				7/155
D491,429	S *	6/2004	Simons	D8/42
D498,651	S *	11/2004	Bates	D8/42
D502,069	S *	2/2005	Bates	D8/42
D517,882	S	3/2006	Kushner	
D582,231	S *	12/2008	Caroca	D8/42
D621,675	S *	8/2010	Molina	D8/38
D635,424	S *	4/2011	Morgan	D8/42
D660,114	S	5/2012	Mauffette	
D718,106	S	11/2014	Lauzet	
D719,803	S *	12/2014	Agarwal	D8/42
8,915,167	B2 *	12/2014	Ratajac	B67B 7/0441
				81/3.29
9,272,890	B2 *	3/2016	Lawlor	B67B 7/0405
D814,895	S *	4/2018	Malaspino	D8/40
D814,896	S *	4/2018	Bodum	D8/42
10,173,877	B2 *	1/2019	Kim	B67B 7/18
2011/0100164	A1 *	5/2011	Mantilla	B67B 7/0447
				81/3.45
2017/0043989	A1 *	2/2017	Kwak	B67B 7/0441
2019/0127195	A1 *	5/2019	Savatier	B67B 7/0447

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7