



US00D860748S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,748 S**
Patterson (45) **Date of Patent:** **** Sep. 24, 2019**

(54) **BUFFING PAD WITH COLLAPSED CELL STRUCTURE**

7,691,167 B2 * 4/2010 Tokumaru B01D 46/2418
264/628

D628,267 S * 11/2010 Dittmann D23/209
7,906,051 B2 3/2011 McLain

(Continued)

(71) Applicant: **Lake Country Manufacturing Inc.,**
Oconomowoc, WI (US)

(72) Inventor: **David Patterson,** Waukesha, WI (US)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Harness, Dickey &
Pierce, P.L.C.

(73) Assignee: **Lake Country Manufacturing, Inc.,**
Oconomowoc, WI (US)

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a buffing pad with collapsed cell structure, substantially, as shown and described.

(21) Appl. No.: **29/624,227**

DESCRIPTION

(22) Filed: **Oct. 31, 2017**

(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/70**

(58) **Field of Classification Search**
USPC D8/20, 61, 62, 63, 70; D15/5, 124, 125,
D15/126, 132, 138, 139, 140; D23/209,
D23/341, 364, 365, 354, 358, 363, 386;
D32/31

CPC B24D 9/08; B24B 55/102
See application file for complete search history.

FIG. 1 is a top perspective view of a buffing pad with collapsed cell structure showing my new design in accordance to a first embodiment;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a side elevation view thereof; and
FIG. 6 is a cross-sectional view thereof taken along line 6-6 in FIG. 2.

FIG. 7 is a top perspective view of a buffing pad with collapsed cell structure showing my new design in accordance to a second embodiment;
FIG. 8 is a top plan view thereof;
FIG. 9 is a bottom plan view thereof;
FIG. 10 is a front elevation view thereof;
FIG. 11 is a side elevation view thereof; and,
FIG. 12 is a cross-sectional view thereof taken along line 12-12 in FIG. 8.


The even broken lines in the drawings illustrate portions of the buffing pad with collapsed cell structure that form no part of the claimed design. The short dash-long dash broken lines in the drawings illustrate boundaries between portions of the buffing pad that form part and do not form part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,466,986 A * 9/1969 Theodor E01C 9/083
404/41
D255,153 S * 5/1980 Meurer D23/209
D414,281 S * 9/1999 Sassenberg D25/152
D442,704 S * 5/2001 Lee E01C 9/004
D25/118
D501,566 S * 2/2005 Yang D25/139
6,972,045 B2 * 12/2005 Itoh B01J 35/04
264/177.12
D553,932 S * 10/2007 Boler, Jr. D8/70
D554,813 S * 11/2007 Boler, Jr. D32/25
7,648,549 B2 * 1/2010 Gargano B01D 46/0086
55/385.3

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D669,647 S * 10/2012 Arnold D32/25
D684,611 S * 6/2013 Umbrell D15/126
D684,739 S * 6/2013 Arnold D32/25
D685,924 S * 7/2013 Lee D25/118
D732,650 S * 6/2015 Yamada D23/365
D733,277 S * 6/2015 Yamada D23/365
D738,998 S * 9/2015 Laver D23/365
D740,405 S * 10/2015 Yamaguchi D23/355
D742,491 S * 11/2015 Yamaguchi D23/355
D763,427 S * 8/2016 Miyairi F01N 3/035
D23/365
D763,428 S * 8/2016 Uesaka D23/365
D763,429 S * 8/2016 Mori D23/365
D764,040 S * 8/2016 Cho D23/365
D772,389 S * 11/2016 Ogata D23/365
D803,651 S * 11/2017 Umbrell D8/70
D803,652 S * 11/2017 Umbrell D8/70
D804,923 S * 12/2017 Umbrell D8/70
D804,925 S * 12/2017 Umbrell D8/70
9,987,582 B2 * 6/2018 Mori B01D 46/2455
10,118,121 B2 * 11/2018 Mori B01D 46/2455
D837,419 S * 1/2019 Martin B44F 7/00
D25/158
D840,206 S * 2/2019 Umbrell D8/70
D844,272 S * 3/2019 Anderson D32/40
2010/0068981 A1 3/2010 McLain

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12