



US00D860807S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,807 S**  
**Sill** (45) **Date of Patent:** **\*\* Sep. 24, 2019**

(54) **TAMPER EVIDENT BAG**  
(71) Applicant: **Inno-Pak, LLC**, Delaware, OH (US)  
(72) Inventor: **Jonathan D. Sill**, Delaware, OH (US)  
(73) Assignee: **Inno-Pak, LLC**, Delaware, OH (US)  
(\*\*) Term: **15 Years**

5,096,113 A 3/1992 Focke  
5,226,941 A 7/1993 Uibel et al.  
5,711,751 A 1/1998 Harmanoglu  
(Continued)

FOREIGN PATENT DOCUMENTS

GB 487330 A 6/1938

OTHER PUBLICATIONS

<http://www.pppmi.com/seal-2-go-paper-bags/>.

*Primary Examiner* — Abraham Bahta  
(74) *Attorney, Agent, or Firm* — Ward and Smith, P.A.;  
Ryan K. Simmons

(21) Appl. No.: **29/644,521**  
(22) Filed: **Apr. 18, 2018**  
(51) **LOC (12) Cl.** ..... **09-05**  
(52) **U.S. Cl.**  
USPC ..... **D9/704**  
(58) **Field of Classification Search**  
USPC ..... D9/702-714, 719, 738-740, 517-518,  
D9/522, 416, 435, 444, 460, 455, 414,  
D9/499, 431-432; D7/560-562;  
206/434, 426-427, 429-430, 485, 485.1,  
206/499, 508, 431, 418-422, 588-594;  
229/117.3, 185, 121, 122, 200, 207, 236,  
229/87.01; 220/23.83; 150/100-118;  
294/137, 152; 383/6, 10, 14, 20, 40, 33,  
383/104-105, 117, 108, 120, 93, 121.1,  
383/127; 428/34.3  
CPC ..... B65D 33/00; B65D 33/06; B65D 33/065;  
B65D 33/14; B65D 33/1683; B65D  
33/12; B65D 31/00; B65D 31/04; B65D  
31/10; A45C 3/04; A45C 3/10  
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a tamper evident bag, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a tamper evident bag showing a new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a rear elevation view thereof;  
FIG. 4 is a right side elevation view thereof;  
FIG. 5 is a left side elevation view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is another perspective view of the tamper evident bag of FIG. 1 showing it in a closed configuration;  
FIG. 9 is a front elevation view thereof;  
FIG. 10 is a rear elevation view thereof;  
FIG. 11 is a right side elevation view thereof;  
FIG. 12 is a left side elevation view thereof;  
FIG. 13 is a top plan view thereof; and,  
FIG. 14 is a bottom plan view thereof.  
In FIGS. 1 and 2 the broken lines are for the purpose of illustrating environment and form no part of the claimed design.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

1,537,956 A 5/1925 Meyers  
2,934,255 A 4/1960 McDuffie  
3,770,188 A 11/1973 Bressickello  
4,243,171 A 1/1981 Jean-Claude  
4,276,982 A 7/1981 Sibrava et al.  
4,723,300 A 2/1988 Aranow  
4,790,670 A 12/1988 Barbaro  
4,955,981 A 9/1990 Provost

**1 Claim, 12 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D501,134	S *	1/2005	Takahashi .....	D9/703
6,913,389	B2	7/2005	Kannankeril et al.	
7,033,077	B2	4/2006	Taylor	
7,427,161	B2	9/2008	Sill et al.	
8,033,447	B2	10/2011	Katoh	
D739,766	S	9/2015	Glass et al.	
9,434,513	B2	9/2016	Lux et al.	
D801,826	S *	11/2017	O'Connor .....	D9/649
D811,896	S *	3/2018	Wigman .....	D9/703
D812,490	S *	3/2018	Wigman .....	D9/703
D821,223	S *	6/2018	Tan .....	D9/705
D828,763	S *	9/2018	Tan .....	D9/705
D830,849	S *	10/2018	Tan .....	D9/705
2013/0315507	A1	11/2013	Teixido	
2015/0360821	A1	12/2015	Greenwood	
2016/0264304	A1	9/2016	Korinek et al.	

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14