

US00D860839S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,839 S**
Misaizu et al. (45) **Date of Patent:** **** Sep. 24, 2019**

(54) **STRAIN GAUGE**

(71) Applicant: **MINEBEA MITSUMI Inc.**, Nagano (JP)

(72) Inventors: **Eiji Misaizu**, Kanagawa (JP); **Akiyo Yuguchi**, Shizuoka (JP); **Shigeyuki Adachi**, Shizuoka (JP); **Toshiaki Asakawa**, Shizuoka (JP); **Atsushi Kitamura**, Shizuoka (JP)

(73) Assignee: **MINEBEA MITSUMI Inc.**, Nagano (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/655,710**

(22) Filed: **Jul. 6, 2018**

(30) **Foreign Application Priority Data**

Jan. 16, 2018 (JP) 2018-000631

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/83**

(58) **Field of Classification Search**
USPC D10/83
CPC G01B 7/16; G01L 1/22; A61B 5/00; B25J 19/02; G06F 3/03

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,008,109 A * 11/1961 Starr G01B 7/16
338/2
D671,433 S * 11/2012 Yaron D10/83
D673,063 S * 12/2012 Yaron D10/83
D673,064 S * 12/2012 Yaron D10/83
D673,065 S * 12/2012 Yaron D10/83

OTHER PUBLICATIONS

U.S. Appl. No. 29/655,705, filed Jul. 6, 2018, Minebea Mitsumi Inc.

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — IPUSA, PLLC

(57) **CLAIM**

The ornamental design for a strain gauge, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a strain gauge, showing our new design;



FIG. 2 is a rear view thereof;

FIG. 3 is a right side view thereof; and,

FIG. 4 is a left side view thereof.

The broken lines and the uneven-length broken lines shown in the drawings represent portions of the strain gauge that form no part of the claimed design. All sides not shown form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4