



US00D860897S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,897 S**
Morse et al. (45) **Date of Patent:** **** Sep. 24, 2019**

(54) **BICYCLE RIM WITH SURFACE INDICIA**

(71) Applicant: **SRAM, LLC**, Chicago, IL (US)

(72) Inventors: **David Morse**, Indianapolis, IN (US);
Michael Hall, Indianapolis, IN (US);
Ruan Trouw, Mooresville, IN (US)

(73) Assignee: **SRAM, LLC**, Chicago, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/630,488**

(22) Filed: **Dec. 21, 2017**

(51) **LOC (12) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/208**

(58) **Field of Classification Search**
USPC D12/204–213, 133, 111, 113
CPC B60B 7/00; B60B 7/02; B60B 7/04; B60B
7/01; B60B 7/06; B60B 3/02; B60B 3/04;
B60B 3/06; B60B 3/10; B60B 11/06;
B60B 9/06; B60B 9/26; B60B 1/00;
B60B 1/08; B60B 1/10; B60B 1/12;
B60B 1/003; B60B 1/04; B60B 1/02;
B60B 1/041; B60B 21/02; B29C 70/543
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D277,953 S * 3/1985 Hess D12/208
D281,967 S * 12/1985 Hashimoto D12/208
D458,202 S * 6/2002 Passarotto D12/205

D462,042 S * 8/2002 Bernardi D12/205
D472,507 S * 4/2003 Passarotto D12/205
7,377,595 B1 * 5/2008 Okajima B60B 1/041
301/58
D626,050 S * 10/2010 Spahr D12/205
D650,731 S * 12/2011 Chen D12/208
D669,832 S * 10/2012 Lee D12/208
D673,091 S * 12/2012 Li D12/208
9,149,992 B2 * 10/2015 Yu B60B 21/02
D775,572 S * 1/2017 Magnusson D12/205
9,833,954 B2 * 12/2017 Kybelund B29C 70/543
D806,627 S * 1/2018 Lee D12/211

* cited by examiner

Primary Examiner — Stacia A Cadmus


(57) **CLAIM**

The ornamental design for a bicycle rim with surface indicia, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a bicycle rim with surface indicia;
FIG. 2 is an isometric view of a front and right side of a bicycle rim, to which the surface indicia of FIG. 1 is applied; and,
FIG. 3 is an isometric view of a rear and left side of the bicycle rim of FIG. 2.
It is understood that the surface indicia repeats around the circumference of the bicycle rim. The broken lines are included for the purpose of illustrating portions of the bicycle rim that form no part of the claimed design. The dash-dot-dash lines are included for the purpose of illustrating boundary lines and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3