



US00D860906S

(12) **United States Design Patent**
Valencia Pollex(10) **Patent No.:** **US D860,906 S**
(45) **Date of Patent:** **** Sep. 24, 2019**(54) **VEHICLE WHEEL RIM**

- (71) Applicant: **AUDI AG**, Ingolstadt (DE)
- (72) Inventor: **Andreas Valencia Pollex**, Ingolstadt (DE)
- (73) Assignee: **AUDI AG**, Ingolstadt (DE)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/655,080**
- (22) Filed: **Jun. 29, 2018**

(30) **Foreign Application Priority Data**

- Feb. 16, 2018 (EM) 004 710 804
- (51) LOC (12) Cl. **12-16**
- (52) U.S. Cl. **D12/209**

(58) **Field of Classification Search**

USPC D12/204-213
CPC B60B 7/00; B60B 7/02; B60B 7/04; B60B 7/01; B60B 7/06; B60B 3/02; B60B 3/04; B60B 3/06; B60B 3/10; B60B 1/00; B60B 1/08; B60B 1/10; B60B 1/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D460,037 S * 7/2002 Takechi D12/211
D477,262 S * 7/2003 Koch D12/209
D515,491 S * 2/2006 Elmitt D12/209
D522,432 S * 6/2006 Pfeiffer D12/209

D563,305 S	*	3/2008	Schweizer	D12/211
D580,842 S	*	11/2008	Kim	D12/211
D590,314 S	*	4/2009	Hettler	D12/209
D631,813 S	*	2/2011	Nissl	D12/209
D651,550 S	*	1/2012	Elmitt	D12/209
D654,006 S	*	2/2012	Baum	D12/209
D658,101 S	*	4/2012	Nissl	D12/209
D686,554 S	*	7/2013	Pollmann	D12/209
D703,603 S	*	4/2014	Tirado	D12/211
D740,192 S	*	10/2015	Buck	D12/209
D744,398 S	*	12/2015	Nissl	D12/209
D746,755 S	*	1/2016	Mielke	D12/211
D748,033 S	*	1/2016	Carter	D12/211
D758,943 S	*	6/2016	Elmitt	D12/209
D769,166 S	*	10/2016	Juergens	D12/211
D775,574 S	*	1/2017	Maher	D12/209
D789,859 S	*	6/2017	Peat	D12/209
D807,806 S	*	1/2018	Peat	D12/209
D819,539 S	*	6/2018	Badstuebner	D12/211
D826,824 S	*	8/2018	Platto	D12/209
D828,800 S	*	9/2018	Valencia Pollex	D12/209
D834,488 S	*	11/2018	Smith	D12/209

* cited by examiner

Primary Examiner — Stacia A Cadmus

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP;
Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,
FIG. 2 is a front, side perspective view thereof.

1 Claim, 2 Drawing Sheets







Fig. 1




Fig. 2