



US00D860925S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,925 S**
Nguyen et al. (45) **Date of Patent:** **** *Sep. 24, 2019**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Lac An Nguyen, Wadsworth, OH (US); Jillian Grace Roth, Akron, OH (US)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/622,198**

(22) Filed: **Oct. 16, 2017**

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/588**

(58) **Field of Classification Search**
USPC D12/586, 587, 588, 589, 590, 591, 595, D12/601, 900
CPC B60C 11/032; B60C 11/0388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D419,115 S	1/2000	Weber et al.	D12/146
D419,928 S	2/2000	Blankenship	D12/147
D421,584 S	3/2000	Lovell et al.	D12/147
D422,246 S	4/2000	Fierro et al.	D12/146
D426,178 S	6/2000	Weber et al.	D12/146
D458,897 S	6/2002	Weber et al.	D12/588
D560,600 S	1/2008	Dixon et al.	D12/588
D586,733 S	2/2009	Shinohara	D12/588
D593,936 S	6/2009	Maxwell	D12/587
D619,958 S	7/2010	Maxwell	D12/586
D712,343 S	9/2014	Wakishima	D12/588

D713,325 S	9/2014	Maxwell et al.	D12/521
D713,330 S	9/2014	Tomida et al.	D12/588
D728,463 S	5/2015	Lindner et al.	D12/588
D736,697 S	8/2015	Leocadio et al.	D12/601
D756,295 S	5/2016	Pingenat et al.	D12/588
D756,900 S	5/2016	Kristen	D12/587
D757,641 S	5/2016	Kristen	D12/588
D758,288 S	6/2016	Kristen	D12/564

(Continued)

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;


FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D758,957 S	6/2016	Kuriyama	D12/588
D761,196 S	7/2016	Dixon et al.	D12/601
D765,585 S *	9/2016	Fujii	D12/588
D772,794 S *	11/2016	Dixon	D12/588
D780,678 S	3/2017	Maxwell et al.	D12/595
D792,322 S	7/2017	Taniguchi	D12/521
D813,148 S *	3/2018	Umstot	D12/588
D813,149 S *	3/2018	Dixon	D12/588
D828,289 S *	9/2018	Fox	D12/588

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6