



US00D860939S

(12) **United States Design Patent** (10) **Patent No.:** **US D860,939 S**
Cline (45) **Date of Patent:** **** Sep. 24, 2019**

(54) **PORTABLE ISOLATION POWER SUPPLY**

(71) Applicant: **David W. Cline**, Alexandria, KY (US)

(72) Inventor: **David W. Cline**, Alexandria, KY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/630,491**

(22) Filed: **Dec. 21, 2017**

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**

USPC D13/107–110, 118–119, 184,
D13/139.5–135.6, 152; D14/251, 253,
D14/432, 434

CPC Y02E 60/12; Y02T 90/14; Y02T 90/122;
Y02T 90/128; Y02T 90/163; H02J 7/025;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0003; H01F 38/14; H01M 2/1022;
H01M 2/1055; H01M 10/44; H01M
10/46; H01M 10/425; B60L 11/182

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D177,699 S * 5/1956 Schultz D10/103
D405,986 S * 2/1999 Hoyle D13/184
D455,398 S * 4/2002 Frank D13/110
D476,172 S * 6/2003 Bourne, Sr. D19/90
6,937,461 B1 * 8/2005 Donahue, IV H01R 13/514
174/50
D517,507 S * 3/2006 Johnson D13/184

7,511,451 B2 * 3/2009 Pierce H01M 2/10
312/351.11
8,599,536 B1 * 12/2013 Jorgensen H02B 1/52
361/623
8,616,661 B2 * 12/2013 Takata H02B 1/28
312/140
D736,198 S * 8/2015 Merbeth D14/300
D762,568 S * 8/2016 Arends D13/107
D762,569 S * 8/2016 Arends D13/107
10,079,506 B2 * 9/2018 Kolsky H05B 37/0263

* cited by examiner

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Russ Weinzimmer
Associates, P.C.

(57) **CLAIM**


The ornamental design for a portable isolation power supply,
as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a portable isolation
power supply showing my new design;
FIG. 2 is a top rear perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a left side elevation view thereof; and,
FIG. 8 is a rear elevation view thereof.

The broken lines in the figures depict portions of the portable
isolation power supply which form no part of the claimed
design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8