



US00D861051S

(12) **United States Design Patent** (10) **Patent No.:** **US D861,051 S**
Koskinen (45) **Date of Patent:** **** Sep. 24, 2019**

(54) **DRILL BIT**
 (71) Applicant: **Mika Koskinen**, Tampere (FI)
 (72) Inventor: **Mika Koskinen**, Tampere (FI)
 (73) Assignee: **ROBIT OYJ**, Lempaala (FI)
 (**) Term: **15 Years**
 (21) Appl. No.: **29/642,907**
 (22) Filed: **Apr. 3, 2018**

D496,948 S * 10/2004 Charland D15/139
 D504,141 S 4/2005 Charland
 6,883,624 B2 4/2005 McDonough
 6,929,079 B2 8/2005 McDonough
 D514,416 S 2/2006 Watson
 7,117,939 B1 * 10/2006 Hawley E21B 10/36
 166/99
 7,237,628 B2 7/2007 Desai
 7,290,626 B2 * 11/2007 Terlet E21B 10/38
 175/296
 D574,403 S 8/2008 Brady
 D611,512 S * 3/2010 Sundin D15/139
 D611,970 S * 3/2010 Sundin D15/139
 D674,422 S 1/2013 Hall

(Continued)

(30) **Foreign Application Priority Data**

Mar. 13, 2018 (EM) 004752954-0001
 (51) **LOC (12) Cl.** **15-09**
 (52) **U.S. Cl.**
 USPC **D15/139**
 (58) **Field of Classification Search**
 USPC D8/6; D15/28, 131, 132, 138, 139
 CPC E21B 10/36; E21B 10/38; E21B 10/46;
 E21B 10/56
 See application file for complete search history.

FOREIGN PATENT DOCUMENTS

JP 2003166390 6/2003
 KR 20150014276 6/2015
 WO 9813575 4/1998

OTHER PUBLICATIONS

U.S. Office Action, U.S. Appl. No. 29/642,910 dated Apr. 10, 2019.
Primary Examiner — Patricia A Palasik
 (74) *Attorney, Agent, or Firm* — Thompson Hine LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,918,538 A * 11/1975 Bender E21B 10/26
 175/417
 4,716,976 A 1/1988 Isakov
 4,919,221 A * 4/1990 Pascale E21B 10/36
 173/132
 5,839,519 A 11/1998 Spedale, Jr.
 5,890,551 A * 4/1999 Liljebrand E21B 10/56
 175/414
 6,035,953 A 3/2000 Rear
 6,039,127 A * 3/2000 Myers E21B 10/38
 175/425
 6,435,288 B1 * 8/2002 Dobran E21B 10/38
 175/393


(57) **CLAIM**

The ornamental design for a drill bit, as shown.

DESCRIPTION

FIG. 1 is an end view of the design;
 FIG. 2 is a side view of the design of FIG. 1;
 FIG. 3 is a first perspective view of the design of FIG. 1; and,
 FIG. 4 is a second perspective view of the design of FIG. 1.
 The broken lines in the drawings depict portions of the drill
 bit that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D678,368 S	3/2013	Hall		D837,845 S	1/2019	Jones	
D682,325 S	5/2013	Monyak		D837,846 S	1/2019	Ogata	
D682,326 S	5/2013	Monyak		D837,847 S	1/2019	Min	
D705,827 S *	5/2014	Hammargren	D15/139	D838,566 S	1/2019	Moss	
8,936,109 B2	1/2015	Stowe, II		D838,754 S	1/2019	Wang	
D725,164 S	3/2015	Guerrero		D840,449 S	2/2019	Wang	
D750,674 S	3/2016	Dunnahoe		D841,425 S	2/2019	Moss	
D818,152 S	5/2018	Stevens		10,207,342 B2	2/2019	Mura	
D823,908 S	7/2018	Osterholm		2002/0153174 A1 *	10/2002	Linden	E21B 10/56
D828,415 S	9/2018	Ota					175/426
D828,416 S	9/2018	Ota		2004/0040752 A1 *	3/2004	Brandenberg	B22D 19/06
D831,714 S *	10/2018	Osterholm	D15/139				175/420.1
D832,318 S	10/2018	Ota		2006/0060389 A1 *	3/2006	Hadin	E21B 10/38
D833,490 S	11/2018	Defougeres					175/415
D834,074 S	11/2018	Palushaj		2006/0162965 A1 *	7/2006	Hadin	E21B 10/36
D835,167 S	12/2018	Sakai					175/296
				2007/0137900 A1 *	6/2007	Bjork	E21B 10/38
							175/414

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4