



US00D861205S

(12) **United States Design Patent** (10) **Patent No.:** **US D861,205 S**
Badstuebner et al. (45) **Date of Patent:** **** Sep. 24, 2019**

(54) **HEADLIGHT FOR A VEHICLE**

OTHER PUBLICATIONS

(71) Applicant: **Daimler AG**, Stuttgart (DE)

Mandarin-language Search Report issued in counterpart Taiwanese Application No. 107303528 dated Feb. 15, 2019 with partial English translation (5 pages).

(72) Inventors: **Achim-Dietrich Badstuebner**, Munich (DE); **Marco Cartarius**, Weil im Schoenbuch (DE); **Stefan Handt**, Stuttgart (DE); **Robert Lesnik**, Leonberg (DE); **Andreas Rommel**, Sindelfingen (DE); **Frederic Seemann**, Stuttgart (DE); **Gorden Wagener**, Gaeufelden (DE); **Juergen Wiesen**, Aidlingen (DE)

Primary Examiner — Marcus A Jackson

(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(73) Assignee: **Daimler AG**, Stuttgart (DE)

(57) **CLAIM**

The ornamental design for a headlight for a vehicle, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/654,087**

This application contains subject matter related to the following co-pending U.S. design patent application: Application Ser. No. 29/643,266, filed Apr. 6, 2018 and entitled "Vehicle, Toy, and/or Replicas Thereof."

(22) Filed: **Jun. 21, 2018**

FIG. 1 is a right, front perspective view of a first embodiment of a headlight for a vehicle according to the design;

(30) **Foreign Application Priority Data**

Dec. 22, 2017 (WO) DM/100698

FIG. 2 is a front view thereof;

(51) **LOC (12) Cl.** **26-06**

FIG. 3 is a rear view thereof;

(52) **U.S. Cl.**
USPC **D26/28**

FIG. 4 is a left side view thereof;

(58) **Field of Classification Search**
USPC D26/28-36, 139

FIG. 5 is a right side view thereof;

(Continued)

FIG. 6 is a top view thereof; and

(56) **References Cited**

U.S. PATENT DOCUMENTS

D544,114 S * 6/2007 Ohta D26/28
D560,291 S * 1/2008 Koyama D26/28

FIG. 7 is a bottom view thereof.

(Continued)

FIG. 8 is a front perspective view of a second embodiment of a headlight for a vehicle, with the headlight for a vehicle from the opposite side being depicted in the first embodiment thereof;

FOREIGN PATENT DOCUMENTS

TW D172030 S 11/2015

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a right side view thereof;


FIG. 12 is a left side view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

The broken lines in the drawings illustrate environmental subject matter only and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(58) **Field of Classification Search**

CPC F21S 48/00; F21S 48/10; F21S 48/115;
F21S 48/225; F21S 48/1233; F21S
48/1266; F21S 48/1388; F21S 48/2268;
F21V 21/04; F21V 29/004

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D561,357 S *	2/2008	Leclercq	D26/28
D561,358 S *	2/2008	Tachibana	D26/28
D707,860 S	6/2014	Futschik et al.	
D717,974 S	11/2014	Futschik et al.	
D757,967 S	5/2016	Kim et al.	
D840,572 S *	2/2019	Perkins	D26/28

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14