



US00D861316S

(12) **United States Design Patent** (10) **Patent No.:** **US D861,316 S**  
**Prochmann** (45) **Date of Patent:** **\*\* Oct. 1, 2019**

- (54) **SHOE SIDE**
- (71) Applicant: **Dynasty Footwear, Ltd.**, El Segundo, CA (US)
- (72) Inventor: **Jose Prochmann**, Los Angeles, CA (US)
- (73) Assignee: **Dynasty Footwear, Ltd.**, El Segundo, CA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/672,023**
- (22) Filed: **Dec. 2, 2018**

- D283,990 S 5/1986 Davidson
- D287,782 S 1/1987 Palacio
- 5,136,726 A 8/1992 Kellin et al.
- D333,031 S 2/1993 Devezin
- D342,819 S 1/1994 Sema
- D345,448 S 3/1994 Selbiger
- D351,934 S 11/1994 Devoe
- D394,140 S 5/1998 Loverin
- D394,822 S 6/1998 Swenson et al.
- D403,848 S 1/1999 Collias
- D420,504 S 2/2000 Avar
- D426,943 S 6/2000 Hernandez
- D428,550 S 7/2000 Hernandez
- D428,687 S 8/2000 Hernandez
- D434,214 S 11/2000 Burns
- D446,837 S \* 8/2001 Tate ..... D21/794
- D460,857 S 7/2002 Milroy
- D482,853 S 12/2003 Peabody
- D482,983 S \* 12/2003 Philcox ..... D11/40

(Continued)

**Related U.S. Application Data**

- (62) Division of application No. 29/630,641, filed on Dec. 21, 2017, now Pat. No. Des. 839,577, which is a division of application No. 29/528,490, filed on May 28, 2015, now Pat. No. Des. 809,280.
- (51) **LOC (12) Cl.** ..... **02-04**
- (52) **U.S. Cl.**  
USPC ..... **D2/972**; D2/910; D2/919; D2/920
- (58) **Field of Classification Search**  
USPC ..... D6/601, 607, 610, 611; D11/200-237, D11/77, 97; D2/896-900, 909-912, 919, D2/920, 946, 969-972, 976  
CPC ..... A44B 1/14; A43B 3/0078; A43B 23/24; A43B 7/20; A43B 3/08  
See application file for complete search history.

**OTHER PUBLICATIONS**

Prosecution history of U.S. Appl. No. 29/528,490 (U.S. Pat. No. D. 809,280).

(Continued)

*Primary Examiner* — Rashida C. Walshon  
(74) *Attorney, Agent, or Firm* — Joseph G Swan, PC

(57) **CLAIM**

The ornamental design for a shoe side, as shown and described.

**DESCRIPTION**


The drawing is an elevational view of the shoe side according to the present invention. The circles shown in broken lines within the solid-line circular design elements form no part of the claimed design. The other broken lines illustrate environment and also form no part of the claimed design.

**1 Claim, 1 Drawing Sheet**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 895,522 A 8/1908 Weil
- 1,640,665 A 8/1927 Muscente
- D84,116 S 3/1931 Smith
- D206,146 S 11/1966 Hendershot
- D273,625 S \* 5/1984 Marterie ..... D2/920



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D520,905 S *	5/2006	Andrews .....	D11/133
D535,810 S	1/2007	Simpson et al.	
D547,034 S	7/2007	Choi	
D552,006 S *	10/2007	Philcox .....	D11/40
D573,329 S	7/2008	Loverin	
D591,037 S	4/2009	Ghee	
D615,289 S *	5/2010	Hatfield .....	D2/972
D639,700 S *	6/2011	Adams .....	D11/95
D644,417 S *	9/2011	Ma .....	D2/920
D648,927 S	11/2011	Wolff	
D649,340 S	11/2011	Plekker et al.	
D677,045 S	3/2013	Voskuil	
D689,672 S *	9/2013	Shoham .....	D2/920
D707,435 S *	6/2014	Ng .....	D2/911
D715,527 S	10/2014	Goldman	
D730,637 S	6/2015	Maddocks	
D743,160 S	11/2015	Wise et al.	
D744,226 S	12/2015	Wise et al.	
D746,039 S	12/2015	Kolumber	
D751,281 S	3/2016	Nickel et al.	
D756,098 S *	5/2016	Todd .....	D2/912
D781,178 S	3/2017	Harpole	
D783,242 S *	4/2017	Arzegar .....	D2/923
D801,664 S *	11/2017	Small .....	D2/969
D808,133 S *	1/2018	Denney .....	D2/910
D851,382 S *	6/2019	Durflinger .....	D2/972

OTHER PUBLICATIONS

Prosecution history of U.S. Appl. No. 29/630,641 (U.S. Pat. No. D. 839,577).

\* cited by examiner

