



US00D861323S

(12) **United States Design Patent**
Kietzmann et al.

(10) **Patent No.:** **US D861,323 S**

(45) **Date of Patent:** **** Oct. 1, 2019**

(54) **CONTAINER FOR INJECTION DEVICES**

5/002; A61M 5/008; B65F 1/141; B65F
1/10; B01L 9/06; G01N 2001/005; B65A
83/10; B65D 43/16

(71) Applicant: **Sanofi-Aventis Deutschland GMBH**,
Frankfurt am Main (DE)

See application file for complete search history.

(72) Inventors: **Hardy Kietzmann**, Frankfurt am Main
(DE); **Fred Luck**, Frankfurt am Main
(DE); **Stefan Riebel**, Frankfurt am
Main (DE)

(56) **References Cited**

(73) Assignee: **Sanofi-Aventis Deutschland GMBH**,
Frankfurt am Main (DE)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

(21) Appl. No.: **29/670,723**

(22) Filed: **Nov. 19, 2018**

4,850,484 A *	7/1989	Denman	A61M 5/008 206/366
4,928,849 A *	5/1990	Khozai	A47F 1/08 221/45
5,103,997 A *	4/1992	Shillington	B65F 1/141 206/366
5,154,345 A *	10/1992	Shillington	A61M 5/3205 206/366
5,190,169 A *	3/1993	Sincock	A61M 5/3213 206/366
5,277,312 A *	1/1994	Vumbaca	A61M 5/3205 206/365
5,419,435 A *	5/1995	Perzan	B65F 1/141 206/366

Related U.S. Application Data

(62) Division of application No. 29/565,192, filed on May
18, 2016, now Pat. No. Des. 835,901.

(Continued)

(30) **Foreign Application Priority Data**

Nov. 18, 2015 (EM) 002864397

(51) **LOC (12) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/203.1**

(58) **Field of Classification Search**

USPC D3/20, 201, 203.1, 203.2, 203.3, 273,
D3/274, 212, 293-295; D9/756, 737;
D24/131, 103, 231; D34/7, 8, 10, 11;
D19/102, 106, 685; 206/364-366;
220/254.1, 254.3, 810, 786; 211/70.6;
128/852; 604/356; 232/44, 47
CPC A61B 50/362; A61B 10/0096; A61B
2050/006; A61B 19/0288; A61B 19/10;
A61B 2050/0051; A61B 2050/0057;
A61B 2050/364; A61M 5/3205; A61M

Primary Examiner — Cathron C Brooks

Assistant Examiner — W. A. Teddy Falloway

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.


(57) **CLAIM**

The ornamental design for a container for injection devices,
substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container for injection
devices of our new design, including a short hanger;
FIG. 2 is a top view of the container of FIG. 1;
FIG. 3 is a bottom view of the container of FIG. 1;
FIG. 4 is a front view of the container of FIG. 1;
FIG. 5 is a back view of the container of FIG. 1;
FIG. 6 is a right side view of the container of FIG. 1; and,
FIG. 7 is a left side view of the container of FIG. 1.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,250,465	B1 *	6/2001	Daniels	B65F 1/10 206/366
6,279,743	B1 *	8/2001	Ballard	A61M 5/3213 128/852
D451,195	S *	11/2001	Daniels	D24/131
6,361,746	B1 *	3/2002	Wlodarski	B01L 7/00 200/500
6,409,705	B1 *	6/2002	Kondo	A61M 5/3202 604/192
7,028,839	B2 *	4/2006	Belloli	B65B 21/242 206/443
7,104,400	B2 *	9/2006	Kiehne	A61M 5/002 206/366
D560,489	S *	1/2008	Satnick	D3/293
8,727,162	B2 *	5/2014	Finnestad	A61B 50/362 220/254.1
D775,463	S *	1/2017	Shieh	D3/215
D804,223	S *	12/2017	Lovelace	D6/673
D807,504	S *	1/2018	Pena	D24/131
10,052,633	B2 *	8/2018	Kantor	B01L 9/06
10,071,846	B2 *	9/2018	Yao	B65D 83/0829
D835,901	S *	12/2018	Kietzmann	D3/203.1
2018/0256812	A1 *	9/2018	Kietzmann	A61M 5/002

* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7