



US00D861460S

(12) **United States Design Patent**
Ronge

(10) **Patent No.:** **US D861,460 S**

(45) **Date of Patent:** **** Oct. 1, 2019**

- (54) **DOOR HANDLE ESCUTCHEON**
- (71) Applicant: **Assa Abloy AB**, Albstadt (DE)
- (72) Inventor: **Christof Ronge**, Albstadt (DE)
- (73) Assignee: **Assa Abloy AB**, Stockholm (SE)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/653,968**
- (22) Filed: **Jun. 20, 2018**

D553,953 S *	10/2007	Roberts	D8/330
D588,439 S *	3/2009	Lin	D8/330
D592,936 S *	5/2009	Douglas	D8/330
D593,399 S *	6/2009	Douglas	D8/330
D637,472 S *	5/2011	Singtoroj	D8/330
D637,474 S *	5/2011	Schneider	D8/330
7,984,631 B2 *	7/2011	Case	E05B 15/02 70/278.1
D645,726 S *	9/2011	Lu	D8/330
D682,656 S *	5/2013	Cramer	D8/331
D684,842 S *	6/2013	Chan	D8/331
D706,516 S *	6/2014	Caglia	D1/105
D729,610 S *	5/2015	Gao	D8/331
D733,522 S *	7/2015	Kim	D8/331

(Continued)

(30) **Foreign Application Priority Data**

Dec. 21, 2017 (EM) 004559078-0002

(51) **LOC (12) Cl.** **11-05**

(52) **U.S. Cl.**
USPC **D8/353; D8/331**

(58) **Field of Classification Search**
USPC D8/330, 331, 334, 300, 301, 302,
D8/350-353; 70/14, 20-22, 57, 57.1,
70/284-286, 314, DIG. 44; 340/5.21,
340/5.54, 5.65, 5.73, 5.81, 5.85
CPC . E05C 9/004; E05B 9/002; E05B 9/00; E05B
9/02; E05B 37/00; E05B 1/00; E05B
3/00; E05B 47/00; E05B 47/06; E05B
49/00; E05B 15/02; E05B 15/00; E05B
13/103; Y10T 70/8324; Y10T 70/8459;
Y10T 70/8514; Y10T 70/8568

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D271,374 S *	11/1983	Butts	D8/353
D429,142 S *	8/2000	Monge	D8/350
D437,771 S *	2/2001	Barnes	D8/352
D494,841 S *	8/2004	Moon	D8/352
D508,393 S *	8/2005	Gao	D8/352
D513,469 S *	1/2006	Gao	D8/350

Primary Examiner — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield & Sacks, P.C.

(57) **CLAIM**


The ornamental design for a door handle escutcheon, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left side perspective view of an embodiment of a door handle escutcheon;
FIG. 2 is a front elevation view of FIG. 1;
FIG. 3 is a rear elevation view of FIG. 1;
FIG. 4 is a left side elevation view of FIG. 1;
FIG. 5 is a right side elevation view of FIG. 1;
FIG. 6 is a top plan view of FIG. 1; and,
FIG. 7 is a bottom plan view of FIG. 1.

The dash-dash broken lines show portions of the exit device that form no part of the claimed design. The dot-dash broken lines represent boundaries of the claimed design and form no part of the claimed design. Any broken line illustration of environmental structure in the drawing is not part of the design sought to be patented. The solid black surface shading is used to represent the color black or color contrast.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D735,016	S	*	7/2015	Kim	D8/331
D736,590	S	*	8/2015	Roberts, III	D8/330
D736,591	S	*	8/2015	Groleski	D8/330
D737,657	S	*	9/2015	Nadgouda	D8/331
D737,661	S	*	9/2015	Chan	D8/330
D738,186	S	*	9/2015	Nadgouda	D8/331
D755,036	S	*	5/2016	Lu	D8/331
D756,196	S	*	5/2016	Huang	D8/330
D756,748	S	*	5/2016	Lu	D8/331
D760,062	S	*	6/2016	Groleski	D8/331
D761,079	S	*	7/2016	Groleski	D8/331
D761,082	S	*	7/2016	Lu	D8/331
D767,365	S	*	9/2016	Yu	D8/330
D767,972	S	*	10/2016	Huang	D8/330
D768,463	S	*	10/2016	Kraus	D8/330
D773,281	S	*	12/2016	Meyerhoffer	D8/331
D774,875	S	*	12/2016	Yu	D8/353
D778,138	S	*	2/2017	Meyerhoffer	D8/334
D782,284	S	*	3/2017	Chiang	D8/331
D790,319	S	*	6/2017	Schneider	D8/331
D790,320	S	*	6/2017	Schneider	D8/331
D790,321	S	*	6/2017	Hsu	D8/331
D790,950	S	*	7/2017	Kraus	D8/330
D791,569	S	*	7/2017	Chen	D8/331
D802,397	S	*	11/2017	Schneider	D8/331
D812,448	S	*	3/2018	Schneider	D8/331

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7