



US00D861535S

(12) **United States Design Patent**
Venables

(10) **Patent No.:** **US D861,535 S**
(45) **Date of Patent:** **** Oct. 1, 2019**

- (54) **SNAP FASTENER ASSEMBLY**
- (71) Applicant: **World Tour Enterprises, Ltd.**,
Farmingdale, NJ (US)
- (72) Inventor: **Brian Venables**, Farmingdale, NJ (US)
- (73) Assignee: **WORLD TOUR ENTERPRISES,**
LTD., Farmingdale, NJ (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/669,130**
- (22) Filed: **Nov. 6, 2018**

D301,566 S	6/1989	Heiberger	
D301,567 S	6/1989	Burke	
D311,653 S	10/1990	Lindauer	
D329,605 S	9/1992	Crawford	
D341,323 S	11/1993	Cazaudehore	
D369,553 S	5/1996	Heinz	
D386,673 S	11/1997	Thompson	
D386,971 S	12/1997	Lecoule	
D403,952 S	1/1999	Podell	
D404,997 S	2/1999	Podell	
D408,741 S	4/1999	Mohary	
D413,282 S	8/1999	Aoki	
D426,491 S	6/2000	Chan	
D430,483 S	9/2000	Wah	
D438,451 S	3/2001	Reiter	
D438,490 S	3/2001	Akashi	
D450,625 S	11/2001	Khromachou	
D452,644 S	* 1/2002	Morita	D11/220
D464,562 S	10/2002	Reiter	
D466,439 S	12/2002	Wagner	
D467,182 S	12/2002	Pelusi	
D475,632 S	6/2003	Cooper	
D479,133 S	9/2003	Quintero	
D487,567 S	* 3/2004	Matsui	D11/220
D489,292 S	5/2004	Matsui	
D498,665 S	11/2004	Mansau	
D504,317 S	4/2005	Mansau	
D517,947 S	3/2006	Hollingworth	
D539,698 S	4/2007	Choi	
D555,496 S	11/2007	Osgerby	
D570,202 S	6/2008	Katoh	
D617,644 S	6/2010	Leventhal	
D623,088 S	* 9/2010	Schiebl	D11/220
D630,520 S	1/2011	Yu	
D631,364 S	1/2011	Da Vinci	
D640,137 S	6/2011	Martone	
D642,089 S	* 7/2011	Chan	D11/220
D646,573 S	10/2011	Kubicek	
D649,471 S	11/2011	Guglielmo	
D652,310 S	1/2012	Hartford	
D664,891 S	* 8/2012	Takeda	D11/220
D665,304 S	8/2012	Takeda	
D674,288 S	1/2013	Gieske	
D676,331 S	2/2013	Hartford	
D678,816 S	* 3/2013	Chan	D11/220
D680,877 S	4/2013	Ghandour	
D684,865 S	6/2013	Petronio	
D689,369 S	9/2013	Dumas	
D695,126 S	12/2013	Versace	
D696,136 S	12/2013	Gieske	
D701,768 S	4/2014	Baker	
D727,742 S	4/2015	Jacobs	
D742,787 S	11/2015	Schoenbeck	



Related U.S. Application Data

- (62) Division of application No. 29/661,549, filed on Aug. 28, 2018, now Pat. No. Des. 837,096.
- (51) **LOC (12) Cl.** **11-01**
- (52) **U.S. Cl.**
USPC **D11/220**
- (58) **Field of Classification Search**
USPC D11/220, 222, 226, 218; D8/382
CPC . A44B 17/00; A44B 17/0005; A44B 17/0011;
A44B 17/0017; A44B 17/0023; A44B
17/0029; A44B 17/0035; A44B 17/0041;
A44B 17/0047; A44B 17/0052; A44B
17/0058; A44B 17/0064; A44B 17/007;
A44B 17/0076; A44B 17/0082; A44B
17/0088; A44B 17/0094
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D56,687 S	11/1920	Baum	
D67,959 S	8/1925	Javal	
D169,111 S	3/1953	Smith	
D184,611 S	3/1959	Du Pree	
D189,698 S	1/1961	Du Pree	
4,099,303 A	* 7/1978	Parera	A44B 17/0011 24/640
D261,232 S	10/1981	Grip	
D277,934 S	3/1985	Beckrot	



D748,489 S	2/2016	Ricci	
D759,497 S	6/2016	Versace	
D763,701 S	8/2016	Hayek	
D779,929 S	2/2017	Matus	
D785,460 S	5/2017	Larminaux	
D786,686 S	5/2017	Robin-Prevallee	
D792,781 S	7/2017	Shaver	
D798,186 S *	9/2017	Palko-Corona D11/87
D815,541 S	4/2018	Harris	
D815,542 S	4/2018	Harris	
D818,370 S	5/2018	Harris	
D818,393 S	5/2018	Chen	

* cited by examiner

Primary Examiner — Zenia I Bennett
(74) Attorney, Agent, or Firm — Hodgson Russ LLP

(57) **CLAIM**

The ornamental design for a snap fastener assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a female piece according to a first embodiment of a snap fastener assembly;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a right side elevation view thereof;
 FIG. 5 is a left side elevation view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a cross-sectional view thereof, taken along 8-8 of FIG. 6;
 FIG. 9 is a perspective view of a male piece according to a first embodiment of a snap fastener assembly;
 FIG. 10 is a front elevation view thereof;
 FIG. 11 is a rear elevation view thereof;
 FIG. 12 is a right side elevation view thereof;
 FIG. 13 is a left side elevation view thereof;
 FIG. 14 is a top plan view thereof;
 FIG. 15 is a bottom plan view thereof;
 FIG. 16 is a cross-sectional view thereof, taken along 16-16 of FIG. 14;
 FIG. 17 is a right side view thereof, showing the male piece mated with the female piece;
 FIG. 18 is a top view thereof;
 FIG. 19 is a cross-sectional view thereof, taken along 19-19 of FIG. 18;
 FIG. 20 is a perspective of a female piece according to a second embodiment of a snap fastener assembly;
 FIG. 21 is a front elevation view thereof;
 FIG. 22 is a rear elevation view thereof;
 FIG. 23 is a right side elevation view thereof;
 FIG. 24 is a left side elevation view thereof;
 FIG. 25 is a top plan view thereof;
 FIG. 26 is a bottom plan view thereof;
 FIG. 27 is a cross-sectional view thereof, taken along 27-27 of FIG. 25;
 FIG. 28 a perspective view of a male piece according to a second embodiment of a snap fastener assembly;
 FIG. 29 is a front elevation view thereof;
 FIG. 30 is a rear elevation view thereof;
 FIG. 31 is a right side elevation view thereof;
 FIG. 32 is a left side elevation view thereof;

FIG. 33 is a top plan view thereof;
 FIG. 34 is a bottom plan view thereof;
 FIG. 35 is a cross-sectional view thereof, taken along 35-35 of FIG. 33;
 FIG. 36 is a right side view thereof, showing the male piece mated with the female piece;
 FIG. 37 is a top view thereof;
 FIG. 38 is a cross-sectional view thereof, taken along 38-38 of FIG. 37;
 FIG. 39 is a perspective view of a female piece according to a third embodiment of a snap fastener assembly;
 FIG. 40 is a front elevation view thereof;
 FIG. 41 is a rear elevation view thereof;
 FIG. 42 is a right side elevation view thereof;
 FIG. 43 is a left side elevation view thereof;
 FIG. 44 is a top plan view thereof;
 FIG. 45 is a bottom plan view thereof;
 FIG. 46 is a cross-sectional view thereof, taken along 46-46 of FIG. 44;
 FIG. 47 is a perspective view of a male piece according to a third embodiment of a snap fastener assembly;
 FIG. 48 is a front elevation view thereof;
 FIG. 49 is a rear elevation view thereof;
 FIG. 50 is a right side elevation view thereof;
 FIG. 51 is a left side elevation view thereof;
 FIG. 52 is a top plan view thereof;
 FIG. 53 is a bottom plan view thereof;
 FIG. 54 is a cross-sectional view thereof, taken along 54-54 of FIG. 52;
 FIG. 55 is a right side view thereof, showing the male piece mated with the female piece;
 FIG. 56 is a top view thereof;
 FIG. 57 is a cross-sectional view thereof, taken along 57-57 of FIG. 56;
 FIG. 58 is a perspective view of a female piece according to a fourth embodiment of a snap fastener assembly;
 FIG. 59 is a front elevation view thereof;
 FIG. 60 is a rear elevation view thereof;
 FIG. 61 is a right side elevation view thereof;
 FIG. 62 is a left side elevation view thereof;
 FIG. 63 is a top plan view thereof;
 FIG. 64 is a bottom plan view thereof;
 FIG. 65 is a cross-sectional view thereof, taken along 65-65 of FIG. 63;
 FIG. 66 is a perspective view of a male piece according to a fourth embodiment of a snap fastener assembly;
 FIG. 67 is a front elevation view thereof;
 FIG. 68 is a rear elevation view thereof;
 FIG. 69 is a right side elevation view thereof;
 FIG. 70 is a left side elevation view thereof;
 FIG. 71 is a top plan view thereof;
 FIG. 72 is a bottom plan view thereof;
 FIG. 73 is a cross-sectional view thereof, taken along 73-73 of FIG. 71;
 FIG. 74 is a right side view thereof, showing the male piece mated with the female piece;
 FIG. 75 is a top view thereof; and
 FIG. 76 is a cross-sectional view thereof, taken along 76-76 of FIG. 75.
 The dashed lines in the figures illustrate portions of the snap fastener assembly that form no part of the claimed design.




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 18




FIG. 17




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23





FIG. 24



27 ←
FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37






FIG. 38






FIG. 39



FIG. 40



FIG. 41




FIG. 42





FIG. 43



46 ←
FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56





FIG. 57






FIG. 58




FIG. 59



FIG. 60




FIG. 61





FIG. 62



65 ←

65 ←

FIG. 63




FIG. 64




FIG. 65




FIG. 66




FIG. 67




FIG. 68




FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 75




FIG. 73




FIG. 74




FIG. 76