



US00D861583S

(12) **United States Design Patent**  
**Zimmerman et al.**

(10) **Patent No.:** **US D861,583 S**  
(45) **Date of Patent:** **\*\* Oct. 1, 2019**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(72) Inventors: **Ryan Eugene Zimmerman**, Deerfield, OH (US); **Nicholas Thomas Schoeppner**, Cuyahoga Falls, OH (US); **Vivek Dason**, Copley, OH (US); **Shannon Joseph Hughes**, Rootstown, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/633,093**

(22) Filed: **Jan. 12, 2018**

(51) **LOC (12) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/588**

(58) **Field of Classification Search**  
USPC ..... D12/586, 588, 590, 601, 604  
CPC .. B60C 11/04; B60C 11/12; B60C 2011/0388  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D377,330 S	1/1997	Kakegawa et al. ....	D12/147
D381,944 S	8/1997	Regallis et al. ....	D12/147
D422,246 S	4/2000	Fierro et al. ....	D12/146
D427,551 S	7/2000	Weber .....	D12/141
D450,019 S	11/2001	Himuro et al. ....	D12/147
D473,513 S	* 4/2003	Welbes .....	D12/588

(Continued)

FOREIGN PATENT DOCUMENTS

JP 1371721 S 10/2009  
JP 1394825 S 8/2010

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/591,683, filed Jan. 23, 2017.

(Continued)

*Primary Examiner* — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D483,007 S	12/2003	Brayer et al. ....	D12/588
D492,247 S	6/2004	Schmalix et al. ....	D12/588
D498,460 S	11/2004	Himuro .....	D12/601
D560,599 S	1/2008	Dixon et al. ....	D12/587
D560,600 S	1/2008	Dixon et al. ....	D12/588
D579,865 S *	11/2008	Matsuyama .....	D12/586
D581,346 S	11/2008	Shondel et al. ....	D12/521
D585,364 S	1/2009	Shondel et al. ....	D12/600
D586,733 S	2/2009	Shinohara .....	D12/588
D593,937 S	6/2009	Maxwell et al. ....	D12/588
D595,220 S	6/2009	Maxwell .....	D12/590
D596,111 S	7/2009	Miyazaki .....	D12/601
D600,635 S	9/2009	Finnell et al. ....	D12/601
D606,925 S	12/2009	Shavers et al. ....	D12/521
D610,962 S	3/2010	Allison et al. ....	D12/532
D613,238 S	4/2010	Harvey et al. ....	D12/586
D619,958 S *	7/2010	Maxwell .....	D12/586
D631,001 S	1/2011	Hughes et al. ....	D12/601
D642,975 S	8/2011	Givens et al. ....	D12/601
D649,109 S	11/2011	Harris et al. ....	D12/601
D649,110 S	11/2011	Hutz et al. ....	D12/601
D668,601 S	10/2012	Brown et al. ....	D12/588
D669,024 S *	10/2012	Oji .....	D12/590
D710,295 S	8/2014	Bortolet et al. ....	D12/601

D712,343 S *	9/2014	Wakishima .....	D12/588
D735,643 S	8/2015	Fu .....	
D736,697 S *	8/2015	Leocadio .....	D12/588
D757,642 S *	5/2016	Kwak .....	D12/588
D764,392 S *	8/2016	Fu .....	D12/585
D765,585 S *	9/2016	Fujii .....	D12/588
D780,678 S	3/2017	Maxwell et al. ....	D12/595
D780,679 S	3/2017	Curtis et al. ....	D12/595
D792,839 S	7/2017	Maxwell et al. ....	D12/595
D796,423 S	9/2017	Scheifele .....	D12/521

FOREIGN PATENT DOCUMENTS

JP	1509125 S	10/2014
JP	1593967 S	12/2017
JP	1607214 S	6/2018
JP	1608594	7/2018
WO	095404	9/2017

OTHER PUBLICATIONS

U.S. Appl. No. 29/603,990, filed May 15, 2017.  
 U.S. Appl. No. 29/622,199, filed Oct. 16, 2017.  
 Japanese Decision to Grant dated Oct. 23, 2018, and received by Applicant Nov. 5, 2018.

\* cited by examiner






FIG - 1






FIG - 2




FIG - 3






FIG - 4






FIG - 5






FIG - 6