



US00D861585S

(12) **United States Design Patent** (10) **Patent No.:** **US D861,585 S**
Ropars (45) **Date of Patent:** **** Oct. 1, 2019**

(54) **TIRE** 4,397,344 A * 8/1983 Goergen B60C 11/0311
152/209.12
(71) Applicant: **COMPAGNIE GENERALE DES** D350,093 S 8/1994 Fukushima
ETABLISSEMENTS MICHELIN, D409,955 S 5/1999 de Barsy
Clermont-Ferrand (FR) D412,302 S 7/1999 Rayman et al.
D419,929 S * 2/2000 Maxwell D12/576
D420,630 S 2/2000 De Coninck
D475,343 S 6/2003 Motta
D483,718 S 12/2003 Hutz et al.
D500,285 S 12/2004 Ikeda
D530,265 S 10/2006 Hutz et al.
(72) Inventor: **Olivier Ropars,** Clermont-Ferrand (FR) D586,731 S * 2/2009 Neubauer D12/579
D597,022 S 7/2009 Pringiers
D606,928 S 12/2009 Song
D606,929 S 12/2009 Song
D609,629 S 2/2010 Takada
D612,800 S 3/2010 Lundgren
D619,532 S * 7/2010 Bao D12/599
D620,428 S 7/2010 Rayman
D624,008 S 9/2010 Shan
(**) Term: **15 Years**
(21) Appl. No.: **29/648,803**
(22) Filed: **May 24, 2018**
(30) **Foreign Application Priority Data**
Nov. 24, 2017 (FR) 2017-5380
(51) **LOC (12) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/599**
(58) **Field of Classification Search**
USPC D12/502, 579, 599, 600
CPC B60C 11/03; B60C 2011/0351; B60C
2011/0358; B60C 2011/0374
See application file for complete search history.
(Continued)

Primary Examiner — Robert M. Spear
(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the tire of my design;
FIG. 2 is a front elevation view of the tire of my design;
FIG. 3 is a side elevation view of the tire of my design;
FIG. 4 is a side elevation view of the tire of my design, taken
from the opposite side of that shown in FIG. 3; and,
FIG. 5 is an enlarged, partial view of the tire of FIG. 1, as
indicated by the break lines.


The broken line disclosure in the drawings depicts environ-
mental subject matter forming no part of the claimed design.
The dash-dot-dot-dash lines define the peripheral boundaries
of the claim. The tread pattern repeats over the circumfer-
ence of the tire.

1 Claim, 5 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D43,348 S 12/1912 Shaw
D57,125 S 2/1921 Githens
D97,750 S * 12/1935 Yelm et al. D12/599
D98,897 S 3/1936 Storrs
D112,993 S 1/1939 Hardeman
D141,885 S 7/1945 Walker
D168,022 S 10/1952 Detzell
D189,228 S * 11/1960 Rice et al. 152/209.12
D190,985 S * 7/1961 Blankenship et al. D12/599



(56) **References Cited**

U.S. PATENT DOCUMENTS

D633,859 S	3/2011	Shan	
D634,266 S	3/2011	Shan	
D634,701 S	3/2011	Shan	
D642,114 S	7/2011	Sugimoto	
D642,116 S	7/2011	Pringiers	
D648,261 S	11/2011	Rayman	
D652,372 S *	1/2012	Rayman	D12/599
D666,966 S	9/2012	Chauvin et al.	
D672,710 S	12/2012	Chauvin et al.	
D700,130 S	2/2014	Chen	
D701,825 S	4/2014	Larregain et al.	
D722,014 S	2/2015	Larregain et al.	
D731,959 S	6/2015	Larregain et al.	
D780,677 S	3/2017	Ropars	
D795,168 S *	8/2017	Hixson	D12/579
D815,019 S *	4/2018	Wang	D12/579

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5