



US00D861609S

(12) **United States Design Patent**
Kato et al.

(10) **Patent No.:** **US D861,609 S**
(45) **Date of Patent:** **** Oct. 1, 2019**

(54) **CONTROLLER FOR SERVOMOTORS**

(71) Applicant: **Mitsubishi Electric Corporation,**
Tokyo (JP)

(72) Inventors: **Shinichi Kato,** Tokyo (JP); **Tsutomu Tanaka,** Tokyo (JP); **Masaaki Kadoyanagi,** Tokyo (JP); **Shotaro Hirako,** Tokyo (JP)

(73) Assignee: **Mitsubishi Electric Corporation,**
Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/663,146**

(22) Filed: **Sep. 12, 2018**

Related U.S. Application Data

(62) Division of application No. 29/599,943, filed on Apr. 7, 2017, now Pat. No. Des. 845,238.

(30) **Foreign Application Priority Data**

Nov. 15, 2016 (JP) 2016-024807
Nov. 15, 2016 (JP) 2016-024808
Nov. 15, 2016 (JP) 2016-024809

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/123; D13/162**

(58) **Field of Classification Search**
USPC D13/110, 123, 158, 160, 162, 162.1;
D14/188
CPC .. G05D 3/1409; G05D 3/1418; G05D 3/1427;
H02H 3/253
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D478,061 S * 8/2003 Abe D14/188
D479,219 S * 9/2003 Abe D14/188

D621,350 S * 8/2010 Huang D13/110
D621,351 S * 8/2010 Huang D13/110
D623,592 S * 9/2010 Huang D13/110
D631,436 S * 1/2011 Huang D13/110
D724,051 S * 3/2015 Nakahira D13/110
D724,052 S * 3/2015 Nakahira D14/188
D737,242 S * 8/2015 Nakahira D13/110

(Continued)

FOREIGN PATENT DOCUMENTS

JP 1477024 S 8/2013

OTHER PUBLICATIONS

An Office Action; "Notification of Reasons for Refusal" issued by the Japanese Patent Office on Apr. 4, 2017, which corresponds to Japanese Patent Application No. 2016-024809 and is related to U.S. Appl. No. 29/599,943; with English language translation.

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Stuebaker & Brackett
PC



(57) **CLAIM**

The ornamental design for the controller for servomotors, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and right side perspective view of controller for servomotors showing our new design; FIG. 2 is a rear, bottom, and left side perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a top side view thereof; FIG. 6 is a bottom side view thereof; FIG. 7 is a left side view thereof; and, FIG. 8 is a right side view thereof. The parts shown in the broken lines is for the purpose of illustrating portions of the article and do not form part of the claimed designs.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|------|-------|---------|
| D758,969 S | * | 6/2016 | Kato | | D13/123 |
| D797,672 S | * | 9/2017 | Nada | | D13/123 |
| D812,019 S | * | 3/2018 | Kato | | D13/162 |
| D829,181 S | * | 9/2018 | Kato | | D13/162 |
| D829,672 S | * | 10/2018 | Kato | | D13/162 |

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

