



US00D861666S

(12) **United States Design Patent** (10) **Patent No.:** **US D861,666 S**
Mao (45) **Date of Patent:** **** Oct. 1, 2019**

(54) **BATTERY CASE**

(71) Applicant: **Yuli Mao**, Leshan (CN)

(72) Inventor: **Yuli Mao**, Leshan (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/690,069**

(22) Filed: **May 5, 2019**

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**

USPC **D14/250**; D13/103; D13/108

(58) **Field of Classification Search**

USPC D13/103, 107–108, 118–119, 184, 199;
D14/250, 251, 253; D3/269, 298

CPC H04B 1/3888; H04M 1/0283; H04M
1/0202; A45C 1/06; A45C 2011/002;
A45C 11/00; A45C 13/02; A45F
2005/026; A45F 2200/0525; A45F
2200/0516

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D535,252	S	*	1/2007	Sandnes		D13/108
D616,361	S	*	5/2010	Huang		D13/103
D618,230	S	*	6/2010	Brown		D14/250
D626,539	S	*	11/2010	Brown		D14/250
D626,540	S	*	11/2010	Brown		D14/250
D663,263	S	*	7/2012	Gupta		D13/103
D670,689	S	*	11/2012	Wang		D14/250
D671,493	S	*	11/2012	Hasbrook		D13/108
D707,671	S	*	6/2014	Paugh		D14/250
D709,439	S	*	7/2014	Ferber		D13/103
D710,795	S	*	8/2014	Gupta		D13/103
D711,312	S	*	8/2014	Tien		D13/103
D711,863	S	*	8/2014	Wen		D14/250
D716,784	S	*	11/2014	Wen		D14/250
D718,230	S	*	11/2014	To		D13/103
D718,754	S	*	12/2014	To		D14/250

D721,685	S	*	1/2015	Hasbrook		D14/250
D721,687	S	*	1/2015	To		D14/250
D722,043	S	*	2/2015	Requa		D13/108
D723,530	S	*	3/2015	Namminga		D14/250
D727,883	S	*	4/2015	Brand		D14/250
D728,468	S	*	5/2015	Ferber		D13/103
D756,343	S	*	5/2016	Wall		D14/250
D756,911	S	*	5/2016	Gupta		D13/103
D766,227	S	*	9/2016	Wu		
D767,485	S	*	9/2016	To		D13/103
D784,975	S	*	4/2017	Ballou		D14/250
D789,346	S	*	6/2017	Akana		D14/250
D797,092	S	*	9/2017	To		D14/250
D797,093	S	*	9/2017	To		D14/250
D803,823	S	*	11/2017	Feng		
D819,621	S	*	6/2018	Diebel		D14/250
D819,622	S	*	6/2018	Wright		D14/250
D820,822	S	*	6/2018	Wright		D14/250

(Continued)

Primary Examiner — Rosemary K Tarcza

(57) **CLAIM**

The ornamental design for a battery case, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a battery case, showing my new design;

FIG. 2 is a back perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a back view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top view thereof;


FIG. 8 is a bottom view thereof;

FIG. 9 is an exploded front perspective view thereof; and,

FIG. 10 is an exploded rear perspective view thereof.

The broken lines shown in the drawings are for the purpose of depicting portions of the battery case which form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D824,892	S	*	8/2018	Altschul		D14/250
D829,201	S	*	9/2018	Kim		D14/250
D831,630	S	*	10/2018	Altschul		D14/250
D831,632	S	*	10/2018	Jung		D14/250
D832,833	S	*	11/2018	Kim		D14/250
D836,096	S	*	12/2018	Altschul		D14/250
D839,860	S	*	2/2019	Kim		D14/250
D841,639	S	*	2/2019	Liao		D14/250
D847,129	S	*	4/2019	To		D14/250
D848,366	S	*	5/2019	Lian		D13/108
D850,373	S	*	6/2019	Zhang		D13/108
D850,433	S	*	6/2019	Luo		D14/250

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10