



US00D861689S

(12) **United States Design Patent**
Nishizawa

(10) **Patent No.:** **US D861,689 S**
(45) **Date of Patent:** **** Oct. 1, 2019**

(54) **COORDINATE INPUT INSTRUMENT**

D837,214 S * 1/2019 Yasutomi D14/411
D839,271 S * 1/2019 King-Murrey D14/432
D845,301 S * 4/2019 Chu D14/411

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

* cited by examiner

(72) Inventor: **Naoya Nishizawa**, Setagaya-ku (JP)

Primary Examiner — Austin Murphy

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/638,668**

The ornamental design for a coordinate input instrument, as shown and described.

(22) Filed: **Feb. 28, 2018**

DESCRIPTION

(30) **Foreign Application Priority Data**

Aug. 29, 2017 (JP) 2017-018471

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/411**

(58) **Field of Classification Search**
USPC D14/372, 496, 432, 371, 125, 126, 129,
D14/299, 411; D16/300-342; 351/158,
351/153, 144; 345/7-9, 905; 455/344;
348/115, 53, 121, 739
CPC G02B 27/017; G06F 3/016; G06F 3/033;
G06F 3/0317; G06F 3/03545; G06F
3/041; G06K 9/222
See application file for complete search history.


FIG. 1 is a top-front-right perspective view of a representative embodiment of a coordinate input instrument according to my new design, wherein a rear portion of the coordinate input instrument is in a first position;
FIG. 2 is a bottom-rear-left perspective view thereof;
FIG. 3 is a right side elevational view thereof, wherein the left side elevational view is a mirror image of the right side elevational view;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a front elevational view thereof;
FIG. 7 is a rear elevational view thereof;
FIG. 8 is a top-front-right perspective view of thereof, wherein the rear portion of the coordinate input instrument is in a second position;
FIG. 9 is a bottom-rear-left perspective view thereof;
FIG. 10 is a right side elevational view thereof, wherein the left side elevational view is a mirror image of the right side elevational view;
FIG. 11 is a top plan view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a front elevational view thereof; and,
FIG. 14 is a rear elevational view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D590,883 S 4/2009 Dong
D710,360 S * 8/2014 Hu D14/411
D743,396 S * 11/2015 Wade D14/411
D763,260 S * 8/2016 Wade D14/411
D800,119 S * 10/2017 Nishizawa D14/411
D800,729 S * 10/2017 Nishizawa D14/411

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D861,689 S
APPLICATION NO. : 29/638668
DATED : October 1, 2019
INVENTOR(S) : N. Nishizawa


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Column 2 Description, “view of thereof” should read --view thereof--
Line 13

Signed and Sealed this
Twelfth Day of May, 2020



Andrei Iancu
Director of the United States Patent and Trademark Office