



US00D861903S

(12) **United States Design Patent**
Cryan et al.

(10) **Patent No.:** **US D861,903 S**

(45) **Date of Patent:** **** Oct. 1, 2019**

(54) **APPARATUS FOR TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION**

(71) Applicant: **Neurometrix, Inc.**, Waltham, MA (US)

(72) Inventors: **Marc Cryan**, Maynard, MA (US);
Bonniejean Boettcher, Maynard, MA (US); **Elizabeth P. Goodrich**, Roslindale, MA (US); **Evan Williams**, Boston, MA (US)

(73) Assignee: **Neurometrix, Inc.**, Waltham, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/647,747**

(22) Filed: **May 15, 2018**

(51) **LOC (12) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/200**



(58) **Field of Classification Search**
USPC D24/200, 189, 186, 187, 168, 214–215
CPC A61N 1/04; A61N 1/0456; A61N 1/0404;
A61N 1/0452; A61N 1/36021; A61N 1/36042; A61N 1/3606; A61N 1/36057;
A61N 1/3605; A61N 1/36014; A61N 1/36; A61N 1/3625; A61N 1/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,327,874 A	8/1943	Jong
D243,417 S	2/1977	Allen et al.
4,033,356 A	7/1977	Hara
4,121,573 A	10/1978	Crovella et al.
D255,938 S	7/1980	Hawke et al.
4,419,998 A	12/1983	Heath
4,503,863 A	3/1985	Katims
4,605,010 A	8/1986	McEwen
4,630,483 A	12/1986	Engdahl
4,738,250 A	4/1988	Fulkerson et al.
D299,746 S	2/1989	Guldalian, Jr.
5,010,896 A	4/1991	Westbrook
5,063,929 A	11/1991	Bartelt et al.

5,125,100 A	6/1992	Katznelson
5,169,384 A	12/1992	Bosniak et al.
D342,571 S *	12/1993	Givens, Sr. D24/186
5,327,902 A	7/1994	Lemmen
5,350,414 A	9/1994	Kolen
5,487,759 A	1/1996	Bastyr et al.
5,562,718 A	10/1996	Palermo
5,755,750 A	5/1998	Petruska et al.
5,797,902 A	8/1998	Netherly
5,806,522 A	9/1998	Katims
5,851,191 A	12/1998	Gozani
D407,822 S	4/1999	Davis et al.
5,948,000 A	9/1999	Larsen et al.
5,991,355 A	11/1999	Dahlke
6,132,386 A	10/2000	Gozani et al.
6,141,587 A	10/2000	Mower
6,146,335 A	11/2000	Gozani
6,161,044 A	12/2000	Silverstone
6,266,558 B1	7/2001	Gozani et al.
6,298,255 B1	10/2001	Cordero et al.
6,312,392 B1	11/2001	Herzon
6,430,450 B1	8/2002	Bach-y-Rita et al.
6,456,884 B1	9/2002	Kenney
D475,138 S	5/2003	Baura et al.
6,662,051 B1	12/2003	Eraker et al.
7,459,984 B2	12/2008	Wang et al.
D598,114 S	8/2009	Cryan
D600,352 S	9/2009	Cryan
D609,353 S	2/2010	Cryan
7,668,598 B2	2/2010	Herregraven et al.
7,720,548 B2	5/2010	King
7,725,193 B1	5/2010	Chu
7,760,428 B2	7/2010	Sieckmann
7,844,325 B2	11/2010	Takehara
7,917,201 B2	3/2011	Gozani et al.
D638,131 S	5/2011	Buckels et al.
8,108,049 B2	1/2012	King
8,121,702 B2	2/2012	King
8,131,374 B2	3/2012	Moore et al.
D669,186 S	10/2012	Gozani
D669,187 S	10/2012	Gozani
8,320,988 B2	11/2012	Axelgaard
8,421,642 B1	4/2013	McIntosh et al.
8,825,175 B2	9/2014	King
8,862,238 B2	10/2014	Rahimi et al.
8,948,876 B2	2/2015	Gozani et al.
9,168,375 B2	10/2015	Rahimi et al.
9,173,581 B2	11/2015	Boettcher et al.
9,220,431 B2	12/2015	Holzacker
D746,987 S	1/2016	Okuda et al.
D754,355 S	4/2016	Ganapathy et al.
D760,395 S	6/2016	Barbaric et al.
9,452,287 B2	9/2016	Rosenbluth et al.



US D861,903 S

9,474,898	B2	10/2016	Gozani et al.
9,656,070	B2	5/2017	Gozani et al.
9,675,801	B2	6/2017	Kong et al.
9,730,606	B2	8/2017	Bianchi
9,731,126	B2	8/2017	Ferree et al.
9,827,420	B2	11/2017	Ferree et al.
10,076,662	B2 *	9/2018	Tuan A61N 1/36021
D834,719	S *	11/2018	Theriot D24/200
D837,394	S *	1/2019	Cryan D24/200
2002/0010497	A1	1/2002	Merfeld et al.
2002/0173828	A1	11/2002	Gozani
2003/0023192	A1	1/2003	Foxlin
2003/0035506	A1	2/2003	Tybinkowski et al.
2003/0074037	A1	4/2003	Moore et al.
2003/0093006	A1	5/2003	Wells et al.
2003/0114892	A1	6/2003	Nathan et al.
2003/0208246	A1	11/2003	Kotlik et al.
2004/0017895	A1	1/2004	Suzuki et al.
2004/0231772	A1	11/2004	Leonard et al.
2005/0059903	A1	3/2005	Izumi
2005/0080463	A1	4/2005	Stahmann et al.
2005/0083527	A1	4/2005	Flaherty et al.
2005/0234525	A1	10/2005	Phillips
2006/0020291	A1	1/2006	Gozani et al.
2006/0052788	A1	3/2006	Thelen et al.
2006/0085049	A1	4/2006	Cory et al.
2006/0095088	A1	5/2006	De Ridder
2006/0173507	A1	8/2006	Mrva et al.
2006/0190057	A1	8/2006	Reese
2007/0041507	A1	2/2007	Kendall et al.
2007/0060922	A1	3/2007	Dreyfuss
2007/0129771	A1	6/2007	Kurtz et al.
2007/0149892	A1	6/2007	Guldalian
2007/0185409	A1	8/2007	Wu et al.
2007/0219441	A1	9/2007	Carlin et al.
2007/0276449	A1	11/2007	Gunter et al.
2008/0077192	A1	3/2008	Harry et al.
2008/0146980	A1	6/2008	Rousso et al.
2008/0147146	A1	6/2008	Wahlgren et al.
2008/0288026	A1	11/2008	Cross et al.
2008/0306400	A1	12/2008	Takehara
2008/0312551	A1	12/2008	Fadem
2008/0312709	A1	12/2008	Volpe et al.
2009/0030476	A1	1/2009	Hargrove
2009/0105795	A1	4/2009	Minogue et al.
2009/0112214	A1	4/2009	Philippon et al.
2009/0131993	A1	5/2009	Rousso et al.
2009/0209840	A1	8/2009	Axelgaard
2009/0240303	A1	9/2009	Wahlstrand et al.
2009/0264789	A1	10/2009	Molnar et al.
2009/0270947	A1	10/2009	Stone et al.
2009/0326604	A1	12/2009	Tyler et al.
2010/0004715	A1	1/2010	Fahey
2010/0042180	A1	2/2010	Mueller et al.
2010/0057149	A1	3/2010	Fahey
2010/0087903	A1	4/2010	Van Herk et al.
2010/0094103	A1	4/2010	Kaplan et al.
2010/0114257	A1	5/2010	Torgerson
2010/0128851	A1	5/2010	Bailey et al.
2010/0131028	A1	5/2010	Hsu et al.
2010/0198124	A1	8/2010	Bhugra
2010/0217349	A1	8/2010	Fahey
2010/0241464	A1	9/2010	Amigo et al.
2011/0066209	A1	3/2011	Bodlaender et al.
2011/0106214	A1	5/2011	Carbunaru et al.
2011/0224665	A1	9/2011	Crosby et al.
2011/0257468	A1	10/2011	Oser et al.
2011/0264171	A1	10/2011	Torgerson
2011/0276107	A1	11/2011	Simon et al.
2011/0282164	A1	11/2011	Yang et al.
2012/0010680	A1	1/2012	Wei et al.
2012/0016259	A1	1/2012	Odderson
2012/0108998	A1	5/2012	Molnar et al.
2012/0226186	A1	9/2012	Baars et al.
2013/0096641	A1	4/2013	Strother et al.
2013/0158627	A1	6/2013	Gozani et al.
2014/0039450	A1	2/2014	Green et al.
2014/0107729	A1	4/2014	Sumners et al.
2014/0163444	A1	6/2014	Ingvarsson et al.

2014/0276549	A1	9/2014	Osorio
2014/0296934	A1	10/2014	Gozani et al.
2014/0296935	A1	10/2014	Ferree et al.
2014/0309709	A1	10/2014	Gozani et al.
2014/0336730	A1	11/2014	Simon et al.
2014/0379045	A1	12/2014	Rahimi et al.
2015/0038873	A1	2/2015	Boettcher et al.
2015/0045853	A1	2/2015	Alatans et al.
2015/0148865	A1	5/2015	Gozani et al.
2015/0174402	A1	6/2015	Thomas et al.
2015/0306387	A1	10/2015	Kong et al.
2015/0321000	A1	11/2015	Rosenbluth et al.
2015/0328467	A1	11/2015	Demers et al.
2015/0335288	A1	11/2015	Toth et al.
2016/0120425	A1	5/2016	Boettcher et al.
2016/0271413	A1	9/2016	Vallejo et al.
2017/0036015	A1	2/2017	Gozani et al.
2017/0056643	A1	3/2017	Herb et al.
2017/0209693	A1 *	7/2017	An A61N 1/36021
2017/0312515	A1	11/2017	Ferree et al.
2017/0368345	A1	12/2017	Kong et al.
2018/0015285	A1	1/2018	Gozani et al.
2018/0028808	A1	2/2018	Ferree et al.

FOREIGN PATENT DOCUMENTS

CN	1919139 A	2/2007
CN	101626804	1/2010
CN	102355847	2/2012
CN	102740919	10/2012
DE	102010052710	5/2012
JP	60-41851	3/1985
JP	S60-194933	10/1985
JP	61-171943	10/1986
JP	4-347140	12/1992
JP	9-117453	5/1997
JP	2000-167067	6/2000
JP	2005-34402	2/2005
JP	2005-81068	3/2005
JP	2006-68300	3/2006
JP	4185846	9/2008
WO	WO 97/42999	11/1997
WO	WO 99/64105	12/1999
WO	WO 00/09999	2/2000
WO	WO 2003/051453	6/2003
WO	WO 2004/078132	9/2004
WO	WO 2007/061746	5/2007
WO	WO 2008/079757	7/2008
WO	WO 2008/088985	7/2008
WO	WO 2011/075179	6/2011
WO	WO 2011/137193	11/2011
WO	WO 2012/037527	3/2012
WO	WO 2012/116407	9/2012
WO	WO 2013/074809	5/2013
WO	WO 2014/161000	10/2014
WO	WO 2014/172381	10/2014
WO	WO 2016/111863	7/2016

OTHER PUBLICATIONS

Ancoli-Israel, S. et al., The Role of Actigraphy in the Study of Sleep and Circadian Rhythms, *Sleep*, 2003, 26(3), p. 342-392.

Barbarisi, Manlio et al., Pregabalin and Transcutaneous Electrical Nerve Stimulation for Postherpetic Neuralgia Treatment, *The Clinical Journal of Pain*, Sep. 2010;26(7):567-572.

Bjordal JM et al., Transcutaneous electrical nerve stimulation (TENS) can reduce postoperative analgesic consumption. A meta-analysis with assessment of optimal treatment parameters for post-operative pain, *European Journal of Pain*, 2003, vol. 7(2): 181-188.

Bloodworth DM et al., Comparison of stochastic vs. conventional transcutaneous electrical stimulation for pain modulation in patients with electromyographically documented radiculopathy. *American Journal of Physical Medicine & Rehabilitation*, 2004, vol. 83(8): 584-591.

Chandran P et al., Development of opioid tolerance with repeated transcutaneous electrical nerve stimulation administration, *Pain*, 2003, vol. 102: 195-201.

- Chen CC et al., A comparison of transcutaneous electrical nerve stimulation (TENS) at 3 and 80 pulses per second on cold-pressor pain in healthy human participants, *Clinical Physiology and Functioning Imaging*, 2010, vol. 30(4): 260-268.
- Chen CC et al., An investigation into the effects of frequency-modulated transcutaneous electrical nerve stimulation (TENS) on experimentally-induced pressure pain in healthy human participants, *The Journal of Pain*, 2009, vol. 10(10): 1029-1037.
- Chen CC et al., Differential frequency effects of strong nonpainful transcutaneous electrical nerve stimulation on experimentally induced ischemic pain in healthy human participants, *The Clinical Journal of Pain*, 2011, vol. 27(5): 434-441.
- Chen CC et al., Does the pulse frequency of transcutaneous electrical nerve stimulation (TENS) influence hypoalgesia? A systematic review of studies using experimental pain and healthy human participants, *Physiotherapy*, 2008, vol. 94: 11-20.
- Claydon LS et al., Dose-specific effects of transcutaneous electrical nerve stimulation on experimental pain, *Clinical Journal of Pain*, 2011, vol. 27(7): 635-647.
- Cole, R.J. et al., Automatic Sleep/Wake Identification From Wrist Activity, *Sleep*, 1992, 15(5), p. 461-469.
- Cruccu G. et al., EFNS guidelines on neurostimulation therapy for neuropathic pain, *European Journal of Neurology*, 2007, vol. 14: 952-970.
- Davies Hto et al., Diminishing returns or appropriate treatment strategy?—an analysis of short-term outcomes after pain clinic treatment, *Pain*, 1997, vol. 70: 203-208.
- Desantana JM et al., Effectiveness of transcutaneous electrical nerve stimulation for treatment of hyperalgesia and pain, *Curr Rheumatol Rep*. 2008, vol. 10(6): 492-499.
- Dubinsky RM et al., Assessment: Efficacy of transcutaneous electric nerve stimulation in the treatment of pain in neurologic disorders (an evidence-based review): Report of the therapeutics and technology assessment subcommittee of the american academy of neurology, *Neurology*, 2010, vol. 74: 173-176.
- Fary RE et al., Monophasic electrical stimulation produces high rates of adverse skin reactions in healthy subjects, *Physiotherapy Theory and Practice*, 2011, vol. 27(3): 246-251.
- Fishbain, David A. et al. Does Pain Mediate the Pain Interference with Sleep Problem in Chronic Pain? Findings from Studies for Management of Diabetic Peripheral Neuropathic Pain with Duloxetine, *Journal of Pain Symptom Management*, Dec. 2008;36(6):639-647.
- Fishbain, David A. et al., Transcutaneous Electrical Nerve Stimulation (TENS) Treatment Outcome in Long-Term Users, *The Clinical Journal of Pain*, Sep. 1996;12(3):201-214.
- Food and Drug Administration, Draft Guidance for Industry and Staff: Class II Special Controls Guidance Document: Transcutaneous Electrical Nerve Stimulator for Pain Relief, Apr. 5, 2010.
- Garrison DW et al., Decreased activity of spontaneous and noxiously evoked dorsal horn cells during transcutaneous electrical nerve stimulation (TENS), *Pain*, 1994, vol. 58: 309-315.
- Gilron, I. et al., Chronobiological Characteristics of Neuropathic Pain: Clinical Predictors of Diurnal Pain Rhythmicity, *The Clinical Journal Of Pain*, 2013.
- Hori, T. et al., Skin Potential Activities and Their Regional Differences During Normal Sleep in Humans, *The Japanese Journal of Physiology*, 1970, vol. 20, p. 657-671.
- Jelinek HF et al., Electric pulse frequency and magnitude of perceived sensation during electrocutaneous forearm stimulation, *Arch Phys Med Rehabil*, 2010, vol. 91; 1372-1382.
- Jin DM et al., Effect of transcutaneous electrical nerve stimulation: on symptomatic diabetic peripheral neuropathy: a meta-analysis of randomized controlled trials, *Diabetes Research and Clinical Practice*, 2010, vol. 89: 10-15.
- Johnson MI et al., Analgesic effects of different frequencies of transcutaneous electrical nerve stimulation on cold-induced pain in normal subjects, *Pain*, 1989, vol. 39: 231-236.
- Johnson MI et al., Transcutaneous Electrical Nerve Stimulation (TENS) and TENS-like devices: do they provide pain relief?, *Pain Reviews*, 2001, vol. 8: 7-44.
- Johnson MI et al., Transcutaneous electrical nerve stimulation for the management of painful conditions: focus on neuropathic pain, *Expert Review of Neurotherapeutics*, 2011, vol. 11(5): 735-753.
- Johnson, M.I. et al., An in-depth study of long-term users of transcutaneous electrical nerve stimulation (TENS). Implications for clinical use of TENS. *Pain*. Mar. 1991;44(3):221-229.
- Kaczmarek, Kurt A. et al.. Electrotactile and Vibrotactile Displays for Sensory Substitution Systems. *IEEE Trans. Biomed. Eng.* Jan. 1991;38 (1):1-16.
- Kantor G et al., The effects of selected stimulus waveforms on pulse and phase characteristics at sensory and motor thresholds, *Physical Therapy*, 1994, vol. 74(10): 951-962.
- Keller, Thierry et al., Electrodes for transcutaneous (surface) electrical stimulation. *J. Automatic Control*; University of Belgrade. 2008,18(2):35-45.
- Koumans, A. J. R. et al., Electrodermal Levels and Fluctuations During Normal Sleep, *Psychophysiology*, 1968, 5(3), p. 300-306.
- Kripke, D.F. et al., Wrist Actigraphic Scoring for Sleep Laboratory Patients: Algorithm Development, *Journal of Sleep Research*, 2010, 19(4), p. 612-619.
- Law PPW et al., Optimal stimulation frequency of transcutaneous electrical nerve stimulation on people with knee osteoarthritis, *J Rehabil Med*, 2004, vol. 36: 220-225.
- Leonard G et al., Deciphering the role of endogenous opioids in high-frequency TENS using low and high doses of naloxone, *Pain*, 2010, vol. 151: 215-219.
- Levy et al., A comparison of two methods for measuring thermal thresholds in diabetic neuropathy, *Journal of Neurology, Neurosurgery, and Psychiatry*, 1989, vol. 52: 1072-1077.
- Lykken, D.T., Properties of Electrodes Used in Electrodermal Measurement. *J. Comp. Physiol. Psychol.* Oct. 1959;52:629-634.
- Lykken, D.T., Square-Wave Analysis of Skin Impedance. *Psychophysiology*. Sep. 1970;7(2):262-275.
- Melzack R et al., Pain mechanisms: A New Theory, *Science*, 1965, vol. 150(3699): 971-979.
- Moran F et al., Hypoalgesia in response to transcutaneous electrical nerve stimulation (TENS) depends on stimulation intensity, *The Journal of Pain*, 2011, vol. 12(8): 929-935.
- Oosterhof, Jan et al., Outcome of transcutaneous electrical nerve stimulation in chronic pain: short-term results of a double-blind, randomised, placebo-controlled trial. *J. Headache Pain*. Sep. 2006;7(4):196-205.
- Oosterhof, Jan et al., The long-term outcome of transcutaneous electrical nerve stimulation in the treatment for patients with chronic pain: a randomized, placebo-controlled trial. *Pain Pract*. Sep. 2012;12(7):513-522.
- Pantaleao MA et al., Adjusting pulse amplitude during transcutaneous electrical nerve stimulation (TENS) application produces greater hypoalgesia, *The Journal of Pain*, 2011, vol. 12(5): 581-590.
- Paquet, J. et al., Wake Detection Capacity of Actigraphy During Sleep, *Sleep*, 2007, 30(10), p. 1362-1369.
- Pieber K et al., Electrotherapy for the treatment of painful diabetic peripheral neuropathy: a review, *Journal of Rehabilitation Medicine*, 2010, vol. 42: 289-295.
- Raskin, J. et al., A Double-Blind, Randomized Multicenter Trial Comparing Duloxetine with Placebo in the Management of Diabetic Peripheral Neuropathic Pain, *Pain Medicine*, 2005, 6(5), p. 346-356.
- Sadeh, A., The Role and Validity of Actigraphy in Sleep Medicine: An Update, *Sleep Medicine Reviews*, 2011, vol. 15, p. 259-267.
- Sadosky, A. et al., Burden of Illness Associated with Painful Diabetic Peripheral Neuropathy Among Adults Seeking Treatment in the US: Results from a Retrospective Chart Review and Cross-Sectional Survey, *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 2013, vol. 6, p. 79-92.
- Scherder, E. J. A. et al., Transcutaneous Electrical Nerve Stimulation (TENS) Improves the Rest-Activity Rhythm in Midstage Alzheimer's Disease, *Behavioral Brain Research*, 1999, vol. 101, p. 105-107.
- Tryon, W. W., Issues of Validity in Actigraphic Sleep Assessment, *Sleep*, 2004, 27(1), p. 158-165.
- Tsai, Y. et al., Impact of Subjective Sleep Quality on Glycemic Control in Type 2 Diabetes Mellitus, *Family Practice*, 2012, vol. 29, p. 30-35.
- Van Boxtel, A., Skin resistance during square-wave electrical pulses of 1 to 10 mA. *Med. Biol. Eng. Comput*, Nov. 1977;15(6):679-687.

Van Someren, E. J. W. et al., Gravitational Artefact in Frequency Spectra of Movement Acceleration: Implications for Actigraphy in Young and Elderly Subjects. *Journal of Neuroscience Methods*, 1996, vol. 65, p. 55-62.

Webster, J. B. et al., An Activity-Based Sleep Monitor System for Ambulatory Use, *Sleep*, 1982, 5(4), p. 389-399.

Zelman, D. C. et al., Sleep Impairment in Patients With Painful Diabetic Peripheral Neuropathy, *The Clinical Journal Of Pain*, 2006, 22(8), p. 681-685.

Aurora, R. et al., The Treatment of Restless Legs Syndrome and Periodic Limb Movement Disorder in Adults—An Update for 2012: Practice Parameters with an Evidence-Based Systematic Review and Meta-Analyses, *Sleep*, 2012, vol. 35, No. 8, p. 1039-1062.

Bonnet, M. et al., Recording and Scoring Leg Movements, *Sleep*, 1993, vol. 16, No. 8, p. 748-759.

Boyle, J. et al., Randomized, Placebo-Controlled Comparison of Amitriptyline, Duloxetine, and Pregabalin in Patients With Chronic Diabetic Peripheral Neuropathic Pain, *Diabetes Care*, 2012, vol. 35, p. 2451-2458.

Kovacevic-Ristanovic, R. et al., Nonpharmacologic Treatment of Periodic Leg Movements in Sleep, *Arch. Phys. Med. Rehabil.*, 1991, vol. 72, p. 385-389.

Lopes, L. et al., Restless Legs Syndrome and Quality of Sleep in Type 2 Diabetes, *Diabetes Care*, 2005, vol. 28, No. 11, p. 2633-2636.

Nightingale, S., The neuropathic pain market. *Nature Reviews*, 2012, vol. 11, p. 101-102.

Zucconi, M. et al., The official World Association of Sleep Medicine (WASM) standards for recording and scoring periodic leg movements in sleep (PLMS) and wakefulness (PLMW) developed in collaboration with a task force from the International Restless Legs Syndrome Study Group (IRLSSG), *Sleep Medicine*, 2006, vol. 7, p. 175-183.

Dailey D.L. et al., Transcutaneous Electrical Nerve Stimulation Reduces Pain, Fatigue and Hyperalgesia while Restoring Central Inhibition in Primary Fibromyalgia, *Pain*, Nov. 2013, vol. 154, No. 11, pp. 2554-2562.

* cited by examiner

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — Pandiscio & Pandiscio

(57) **CLAIM**

The ornamental design for an apparatus for transcutaneous electrical nerve stimulation, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment the apparatus for transcutaneous electrical nerve stimulation;

FIG. 2 is a rear perspective view of the first embodiment of the apparatus for transcutaneous electrical nerve stimulation;

FIG. 3 is a front view of the first embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 1;

FIG. 4 is a rear view of the first embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 1;

FIG. 5 is a top view, in elevation, of the top side of the first embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 1;

FIG. 6 is a bottom view, in elevation, of the bottom side of the first embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 1;

FIG. 7 is a side view, in elevation, of the left side of the first embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 1;

FIG. 8 is a side view, in elevation, of the right side of the first embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 1;

FIG. 9 is a front perspective view of a second embodiment the apparatus for transcutaneous electrical nerve stimulation;

FIG. 10 is a rear perspective view of the second embodiment of the apparatus for transcutaneous electrical nerve stimulation;

FIG. 11 is a front view of the second embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 9;

FIG. 12 is a rear view of the second embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 9;

FIG. 13 is a top view, in elevation, of the top side of the second embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 9;

FIG. 14 is a bottom view, in elevation, of the bottom side of the second embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 9;

FIG. 15 is a side view, in elevation, of the left side of the second embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 9;

FIG. 16 is a side view, in elevation, of the right side of the second embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 9;

FIG. 17 is a front perspective view of a third embodiment the apparatus for transcutaneous electrical nerve stimulation;

FIG. 18 is a rear perspective view of the third embodiment of the apparatus for transcutaneous electrical nerve stimulation;

FIG. 19 is a front view of the third embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 17;

FIG. 20 is a rear view of the third embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 17;

FIG. 21 is a top view, in elevation, of the top side of the third embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 17;

FIG. 22 is a bottom view, in elevation, of the bottom side of the third embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 17;

FIG. 23 is a side view, in elevation, of the left side of the third embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 17; and,

FIG. 24 is a side view, in elevation, of the right side of the third embodiment of the apparatus for transcutaneous electrical nerve stimulation, taken from the frame of reference of FIG. 17.

The broken lines are included for the purpose of illustrating unclaimed portions of the apparatus for transcutaneous electrical nerve stimulation and form no part of the claimed design.

1 Claim, 12 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20



FIG. 21



FIG. 22




FIG. 23




FIG. 24