

US00D861913S

(12) **United States Design Patent** (10) **Patent No.:** **US D861,913 S**
Stamm et al. (45) **Date of Patent:** **** Oct. 1, 2019**

(54) **FLUID TESTING DEVICE**(56) **References Cited**(71) Applicant: **bioMerieux, Inc.**, Durham, NC (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Perry D. Stamm**, Dardenne Prairie, MO (US); **Gregory R. Maes**, Fenton, MO (US); **Jack R. Hoffmann, Jr.**, St. Louis, MO (US); **Walter J. Clynes**, O'Fallon, MO (US); **Leonard H. Schleicher, Jr.**, St. Charles, MO (US); **Christopher George Kocher**, St. Louis, MO (US); **Brian David Peterson**, Wentzville, MO (US); **Marc William Hunter**, Highland, IL (US); **Benjamin Cooper Priess**, Saint Charles, MO (US)

D431,867 S	10/2000	Maynard et al.	
D474,278 S	5/2003	Niedbala et al.	
D493,232 S	7/2004	Wohlstadter et al.	
D706,945 S *	6/2014	Chan	D24/216
D720,466 S	12/2014	Edding	
D739,031 S	9/2015	Golden et al.	
D748,814 S	2/2016	Han et al.	
D789,550 S *	6/2017	Ludlow	D24/230
D800,912 S	10/2017	Uzri et al.	
D805,650 S	12/2017	Hsiung et al.	

(Continued)

Primary Examiner — Anhdao Doan(74) *Attorney, Agent, or Firm* — Alston & Bird LLP(73) Assignee: **BIOMERIEUX, INC.**, Durham, NC (US)(57) **CLAIM**

The ornamental design for a fluid testing device, as shown and described.

(**) Term: **15 Years****DESCRIPTION**(21) Appl. No.: **29/622,783**(22) Filed: **Oct. 19, 2017****Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/601,267, filed on Apr. 20, 2017.

(51) **LOC (12) Cl.** **24-01**(52) **U.S. Cl.**
USPC **D24/216**(58) **Field of Classification Search**USPC D24/107, 169, 185, 186, 216–219,
D24/231–234; D10/81CPC G01N 1/28; G01N 33/50; G01N 35/025;
G01N 2035/00306; G01N 2035/00326;
G01N 2035/00336; G01N 2030/027;
G01N 21/76

See application file for complete search history.

FIG. 1 is a front perspective view of a fluid testing device according to our new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front elevation view of thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a right side elevation view thereof;


FIG. 7 is a top elevation view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a rear perspective view thereof shown with a first environment; and,

FIG. 10 is a front perspective view thereof shown with a second environment.

The broken lines immediately adjacent the shaded areas represent the bounds of the claim, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 10 Drawing Sheets

(56) **References Cited**

 U.S. PATENT DOCUMENTS

D812,246	S	3/2018	Hommel et al.
D814,045	S	3/2018	Kamees et al.
D819,829	S	6/2018	Osmus et al.
2006/0066858	A1	3/2006	Jaunakais et al.
2006/0088895	A1	4/2006	Wanders et al.

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10