



US00D862100S

(12) **United States Design Patent** (10) **Patent No.:** **US D862,100 S**
Bekas (45) **Date of Patent:** **** Oct. 8, 2019**

- (54) **VEHICLE SEAT**
- (71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
- (72) Inventor: **Mariusz Bekas**, Coventry (GB)
- (73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/685,095**
- (22) Filed: **Mar. 26, 2019**

Related U.S. Application Data

- (62) Division of application No. 29/624,957, filed on Nov. 6, 2017, now Pat. No. Des. 843,746.

(30) **Foreign Application Priority Data**

May 12, 2017 (EM) 003997105

- (51) **LOC (12) Cl.** **06-04**

- (52) **U.S. Cl.**
USPC **D6/356**

- (58) **Field of Classification Search**
USPC D6/356, 360, 364, 365; D21/521, 533, D21/548
CPC A61H 2201/0149; B60N 2/06; B60N 2/20; B60N 2/22; B60N 2/58; B60N 2/68; B60N 2/80; B60N 2/643; B60N 2/888; B60N 2/859; B60N 2/1615; B60N 2/7035; B60N 2/42745; B60N 2002/0272; B60N 2205/35

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D396,152 S * 7/1998 Beermann D6/356
- D453,078 S * 1/2002 Yamazaki D6/356

- D574,619 S * 8/2008 Maezono D6/356
- D587,025 S * 2/2009 Juraschek D6/356
- D591,964 S * 5/2009 Pohanka D6/356
- D591,965 S * 5/2009 Pohanka D6/356
- 8,100,472 B2 * 1/2012 Humer B60N 2/4228
297/216.12
- D657,579 S * 4/2012 Klein D6/356
- D685,597 S * 7/2013 Zhou D6/366
- D696,035 S * 12/2013 Hatter D6/356
- D748,926 S * 2/2016 Henstridge D6/356
- D749,333 S * 2/2016 Henstridge D6/356
- D771,399 S * 11/2016 Buffery D6/356
- 9,637,035 B2 * 5/2017 Abe B60N 2/646
- D799,225 S * 10/2017 Callum D6/356
- D804,205 S * 12/2017 Godard D6/356
- D805,313 S * 12/2017 Varga D6/356
- D812,388 S * 3/2018 Sondell D6/356
- 9,987,959 B2 * 6/2018 Hayashi B60N 2/5816

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP


(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a vehicle seat according to the present invention.
 FIG. 2 is a front left perspective view of the seat shown in FIG. 1.
 FIG. 3 is a rear left perspective view thereof.
 FIG. 4 is a rear right perspective view thereof.
 FIG. 5 is a front view thereof.
 FIG. 6 is a rear view thereof.
 FIG. 7 is a left side view thereof.
 FIG. 8 is a right side view thereof; and,
 FIG. 9 is a top view thereof.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

10,106,068	B2 *	10/2018	Line	B60N 2/882
D837,551	S *	1/2019	Whyte	D6/356
D839,620	S *	2/2019	Lauter	D6/356
D841,349	S *	2/2019	Pinder	D6/356
D841,350	S *	2/2019	Smith	D6/356
10,202,057	B2 *	2/2019	Makita	A47C 31/02

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8




FIG. 9