

US00D862110S

(12) **United States Design Patent** (10) **Patent No.:** **US D862,110 S**  
**Roldan-Posada et al.** (45) **Date of Patent:** **\*\* Oct. 8, 2019**

(54) **PAPER PRODUCT DISPENSER**

(56) **References Cited**

(71) Applicant: **Kimberly-Clark Worldwide, Inc.**,  
Neenah, WI (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Carlos E. Roldan-Posada**, Medellin  
(CO); **Andrea F. Peruso**, Sao Paulo  
(BR); **David F. Gonzalez**, Medellin  
(CO); **Jorge A. Rendon Herrera**,  
Medellin (CO)

D472,413	S	*	4/2003	Haas	.....	D6/522
D563,219	S	*	3/2008	Okin	.....	D9/423
D658,413	S	*	5/2012	Renzelman	.....	D6/520
8,534,493	B2		9/2013	Decker et al.		
D735,488	S	*	8/2015	Page	.....	D6/518
2010/0258580	A1	*	10/2010	Decker	.....	A47K 10/421 221/45

(73) Assignee: **Kimberly-Clark Worldwide, Inc.**,  
Neenah, WI (US)

*Primary Examiner* — Wan Laymon  
*Assistant Examiner* — Mark Booker

(\*\*) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a paper product dispenser, as shown and described.

(21) Appl. No.: **29/603,182**

**DESCRIPTION**

(22) Filed: **May 8, 2017**

(51) **LOC (12) Cl.** ..... **23-02**


(52) **U.S. Cl.**  
USPC ..... **D6/520**

(58) **Field of Classification Search**  
USPC ..... D6/520, 513, 512, 515, 518, 522;  
D3/201, 205, 315, 901; D7/601, 602,  
D7/631, 641; D9/414, 424, 430, 431,  
D9/730, 734; D24/121, 128; 206/205,  
206/210, 216, 233, 389, 395, 581, 812;  
221/33, 36, 45, 46, 47, 52, 199, 255, 259,  
221/305, 309  
CPC ..... B65D 85/00; B65D 81/00; B65D 81/22;  
B65D 83/0805; A47K 2010/3266; A47K  
10/42; A47K 10/426; G07F 11/00

FIG. 1 is a front perspective view of a first embodiment of a paper product dispenser having a removable, cut-out section showing our new design; FIG. 2 is a front view of the dispenser shown in FIG. 1; FIG. 3 is a back view of the dispenser shown in FIG. 1; FIG. 4 is a right side view of the dispenser shown in FIG. 1; FIG. 5 is a left view of the dispenser shown in FIG. 1; FIG. 6 is a top side view of the dispenser shown in FIG. 1; and, FIG. 7 is a bottom view of the dispenser shown in FIG. 1. The short broken lines are used to show visible environmental structures forming no part of the claimed design and dash-dot-dot lines define the bounds of a claimed design. Long dashed lines represent score/pre-cut lines for the removable, cut-out section.

See application file for complete search history.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7