



US00D862155S

(12) **United States Design Patent** (10) **Patent No.:** **US D862,155 S**
Dai (45) **Date of Patent:** **** Oct. 8, 2019**

(54) **LID**

(71) Applicant: **ShenZhen YiHong Technology Co., LTD**, ShenZhen, Guangdong (CN)

(72) Inventor: **Yi Dai**, ShenZhen (CN)

(73) Assignee: **SHENZHEN YIHONG TECHNOLOGY CO., LTD**,
ShenZhen, GuangDong Province (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/696,164**

(22) Filed: **Jun. 25, 2019**

(51) **LOC (12) Cl.** **07-02**

(52) **U.S. Cl.**
USPC **D7/391**

(58) **Field of Classification Search**

USPC D7/391, 392, 392.1, 393, 397, 601–602,
D7/605, 629–630, 538–542; D9/414,
D9/424–432, 435, 451–452
CPC A47G 19/02; A47J 36/027; A47J 36/06;
A47J 37/10; A47J 37/101; B29C 45/0025;
B29C 45/0081; B65D 21/0209; B65D
25/04; B65D 43/00; B65D 43/02; B65D
43/0206; B65D 43/0218; B65D 43/022;
B65D 43/161; B65D 43/162; B65D
45/00; B65D 45/16; B65D 45/18; B65D
45/20; B65D 51/16; B65D 51/1683;
B65D 51/1688; B65D 51/1694; B65D
53/00; B65D 2251/00; B65F 1/1615

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,415,947 B1 * 7/2002 Kim B29C 45/0025
220/326
D481,910 S * 11/2003 Kim D7/629

D549,519 S * 8/2007 Moon D7/391
D651,477 S 1/2012 Nie
D651,479 S * 1/2012 Nie D7/629
D675,057 S * 1/2013 Harvey D7/391
D677,116 S * 3/2013 Smyers D7/391
D677,117 S * 3/2013 Smyers D7/391
D692,281 S * 10/2013 George D7/629
D700,010 S * 2/2014 Duvigneau D7/391
D722,832 S * 2/2015 Ra D7/602
D722,834 S * 2/2015 Beckman D7/629
D763,629 S * 8/2016 Swartz D7/629
D796,266 S * 9/2017 Croft D7/538
D800,494 S * 10/2017 Peng D7/391
D803,631 S * 11/2017 Min D7/605
D820,636 S * 6/2018 Zhang D7/392.1
D825,284 S * 8/2018 Morales D7/629
D828,083 S * 9/2018 Zhang D7/392.1
D828,084 S * 9/2018 Zhang D7/392.1
D828,716 S * 9/2018 Zhang D7/392.1
D828,717 S 9/2018 Zhang

(Continued)

Primary Examiner — Ricky Pham

(74) Attorney, Agent, or Firm — Jeanette Meng
Nakagawa

(57)

CLAIM



The ornamental design for a lid, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view from above of a lid showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a back view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a left side view thereof; and,
FIG. 8 is a perspective view of the lid positioned over a container.

Broken lines in FIGS. 8 are for the purpose of illustrating the lid in use, and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



References Cited

2004/0084464	A1 *	5/2004	Koo	B65D 43/0218 220/784
2012/0024856	A1 *	2/2012	Smyers	A47G 19/02 220/324
2012/0267369	A1 *	10/2012	Duvigneau	B29C 45/0081 220/203.01
2013/0233854	A1 *	9/2013	Smyers	B65D 53/00 220/240
2014/0103033	A1 *	4/2014	Beckman	B65D 25/04 220/4.01
2016/0332785	A1 *	11/2016	Sexton	B65D 45/20

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8