

US00D862419S

(12) **United States Design Patent** (10) **Patent No.:** **US D862,419 S**
Eshelman et al. (45) **Date of Patent:** **** Oct. 8, 2019**

(54) **INTERACTIVE DEVICE HOLDER**

(71) Applicant: **360 Electrical, L.L.C.**, Salt Lake City, UT (US)

(72) Inventors: **Brandon Eshelman**, Salt Lake City, UT (US); **Cameron Bigler**, Lehi, UT (US); **Adam Boushley**, Midvale, UT (US)

(73) Assignee: **360 Electrical, L.L.C.**, Salt Lake City, UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/608,848**

(22) Filed: **Jun. 26, 2017**

(51) **LOC (12) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/217**

(58) **Field of Classification Search**
USPC D14/217, 432, 433, 434, 341-347, 371, D14/426, 427; D11/3; D10/30-39, 128; D13/107, 108
CPC A61M 16/0488; A61M 16/04; A61M 16/0415; A61M 16/0418; A61M 16/0434; A61M 16/0479; A61M 16/0486; A61M 16/0493; A61M 16/0497; A61M 2025/022; A61M 2205/32; A61M 25/02; H04W 4/008; H04W 4/027
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D233,385 S * 10/1974 Friedman D14/253
- D320,992 S * 10/1991 Jondelius D14/253
- D573,947 S * 7/2008 Kishimoto D13/119
- D582,399 S * 12/2008 Venier H04R 1/025
- D14/224
- D634,315 S * 3/2011 Nousiainen D14/253

- D686,629 S * 7/2013 Trinh D14/447
- D707,662 S * 6/2014 Okita D14/229
- D712,394 S * 9/2014 Booth D14/253
- D745,495 S * 12/2015 Fereday D14/229
- D753,643 S * 4/2016 Kim D14/253
- D765,064 S * 8/2016 Wengreen D14/238.1
- D775,534 S * 1/2017 Turksu D10/31
- D777,167 S * 1/2017 Wengreen D14/447

(Continued)

Primary Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — Lauff Law PLLC


(57) **CLAIM**

The ornamental design for a interactive device holder, substantially as shown and described.

DESCRIPTION

FIG. 1 is a left front upper perspective view of the interactive device holder shown holding an interactive device depicted in broken lines;
 FIG. 2 is a right front lower perspective view thereof;
 FIG. 3 is a right rear upper perspective view of the interactive device holder;
 FIG. 4 is a left front upper perspective view thereof;
 FIG. 5 is a right elevation view thereof;
 FIG. 6 is a right rear lower perspective view thereof;
 FIG. 7 is a left front lower perspective view thereof;
 FIG. 8 is a front elevation view thereof;
 FIG. 9 is rear elevation view thereof;
 FIG. 10 is an upper plan view thereof;
 FIG. 11 is a lower plan view thereof;
 FIG. 12 is a right front upper perspective view thereof;
 FIG. 13 is a left rear upper perspective view thereof;
 FIG. 14 is a left elevation view thereof;
 FIG. 15 is a right front lower perspective view thereof; and,
 FIG. 16 is a left rear lower perspective view thereof.
 In the drawings, the broken lines are for the purpose of illustrating environment only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D790,528 S *	6/2017	Lindloff	D14/253
D811,334 S *	2/2018	Weng	D13/133
D823,841 S *	7/2018	Marini	D14/238
D847,789 S *	5/2019	Virhia	D14/217
D848,412 S *	5/2019	Greve	D14/253

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16