



US00D862689S

(12) **United States Design Patent** (10) **Patent No.:** **US D862,689 S**
(45) **Date of Patent:** ** *Oct. 8, 2019(54) **INJECTION DEVICE**(71) Applicant: **SANOFI-AVENTIS DEUTSCHLAND GMBH**, Frankfurt am Main (DE)(72) Inventors: **James Leslie Rhodri Jones**, Carmarthenshire (GB); **Andrew Mitchell**, Warwickshire (GB)(73) Assignee: **Sanofi-Aventis Deutschland GMBH**, Frankfurt am Main (DE)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**(21) Appl. No.: **29/605,154**(22) Filed: **May 24, 2017****Related U.S. Application Data**

(62) Division of application No. 29/520,011, filed on Mar. 10, 2015, now Pat. No. Des. 799,026.

Foreign Application Priority Data

Oct. 17, 2014 (EM) 002559617

(51) LOC (12) Cl. **24-02**

(52) U.S. Cl.

USPC **D24/113****Field of Classification Search**

USPC D24/127–131, 112–114, 133, 186; 606/181, 185; 604/264, 523–528, 272, 604/187, 158, 164.01–164.11, 181, 184, 604/227; 600/101, 139, 143; 128/200.24, 207.14, 207.15

CPC A61M 5/178; A61M 5/20; A61M 5/31; A61M 5/3129

See application file for complete search history.

(56)

References Cited**U.S. PATENT DOCUMENTS**

D479,600	S	*	9/2003	Bainton	D24/112
D479,601	S	*	9/2003	Tyce	D19/164
D479,602	S	*	9/2003	Bainton	D19/164
D479,747	S	*	9/2003	Bainton	D19/164
D479,748	S	*	9/2003	Tyce	D19/164
D505,490	S	*	5/2005	Tyce	D19/164

(Continued)

Primary Examiner — David Muller*(74) Attorney, Agent, or Firm* — Fish & Richardson P.C.

(57)

CLAIM


The ornamental design for the injection device, as shown and described.

DESCRIPTION

The file of this patent contains at least one color drawing. Copies of this patent with color drawings will be provided by the Office upon request and payment of the necessary fee. FIG. 1 is a perspective view of a first embodiment of the injection device of our new design;

FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side thereof;
FIG. 5 is a right side thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view of a second embodiment of the injection device of our new design;
FIG. 9 is a front view thereof;
FIG. 10 is a rear view thereof;
FIG. 11 is a left side thereof;
FIG. 12 is a right side thereof;
FIG. 13 is a top view thereof; and,
FIG. 14 is a bottom view thereof.

(Continued)



The broken lines illustrate portions of the drawings that form no part of the claimed design.

**1 Claim, 4 Drawing Sheets
(4 of 4 Drawing Sheet(s) Filed in Color)**

(56)

References Cited

U.S. PATENT DOCUMENTS

D696,771 S	*	12/2013	Schneider	D24/113
D703,315 S	*	4/2014	Sanders	D24/113
D703,809 S	*	4/2014	Sanders	D24/113
D703,810 S	*	4/2014	Sanders	D24/113
D717,940 S	*	11/2014	Magome	D24/113
D724,721 S	*	3/2015	Geert-Jensen	D24/113
D743,538 S	*	11/2015	Sanders	D24/113

* cited by examiner










FIG. 1

**FIG. 2****FIG. 3****FIG. 4****FIG. 5****FIG. 6****FIG. 7**




FIG. 8








FIG. 13




FIG. 14

FIG. 9

FIG. 10

FIG. 11

FIG. 12