



US00D862749S

(12) **United States Design Patent** (10) **Patent No.:** **US D862,749 S**
Finch (45) **Date of Patent:** **** Oct. 8, 2019**

(54) **CANOPY ILLUMINATION DEVICE**

(71) Applicant: **Brightz, Ltd.**, Ottawa Lake, MI (US)

(72) Inventor: **Ronald Finch**, Ottawa Lake, MI (US)

(73) Assignee: **Brightz, Ltd.**, Ottawa Lake, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/625,442**

(22) Filed: **Nov. 9, 2017**

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/25**

(58) **Field of Classification Search**

USPC D26/1, 24, 25, 27, 37, 39, 113, 118
CPC F21S 4/10; F21S 4/002; F21S 4/005; F21S
4/007; G02B 6/0006; G02B 6/0008;
G02B 6/4298; G02B 6/001; F21Y
2101/02; F21K 9/00; A44C 15/0015;
F21V 33/008; A01G 5/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,414,866	A *	1/1947	Glaser		F21S 4/10 135/121
D352,562	S *	11/1994	Horton		D26/25
5,488,549	A *	1/1996	Miller		A01G 5/04 211/195
D375,179	S *	10/1996	Wisdom		D26/25
D426,327	S *	6/2000	Guzik		D26/25
D458,699	S *	6/2002	Gilbert		D26/25
D459,501	S *	6/2002	Huang		D26/25
D624,671	S *	9/2010	Greene		D26/25
D825,793	S *	8/2018	Lentz		D26/25
D836,221	S *	12/2018	Sauppe		D26/25

* cited by examiner

Primary Examiner — Brian N. Vinson

(74) *Attorney, Agent, or Firm* — Lorraine Hernandez;
Kegler, Brown, Hill & Ritter Co.

(57) **CLAIM**

The ornamental design for an ornamental canopy illumination device, substantially as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of an ornamental canopy illumination device;

FIG. 2 is an isometric view of an ornamental canopy illumination device;

FIG. 3 is an isometric view of an ornamental canopy illumination device;

FIG. 4 is an isometric view of an ornamental canopy illumination device;

FIG. 5 is a side view of an ornamental canopy illumination device;

FIG. 6 is a side view of an ornamental canopy illumination device;

FIG. 7 is a side view of an ornamental canopy illumination device;

FIG. 8 is a side view of an ornamental canopy illumination device;

FIG. 9 is a front view of an ornamental canopy illumination device;



FIG. 10 is a close-up isometric view of an ornamental canopy illumination device;

FIG. 11 is a close-up isometric view of an ornamental canopy illumination device;

FIG. 12 is a close-up isometric view of an ornamental canopy illumination device; and,

FIG. 13 is a close-up isometric view of an ornamental canopy illumination device.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13