

US00D862766S

(12) **United States Design Patent** (10) **Patent No.:** **US D862,766 S**  
**Kim** (45) **Date of Patent:** **\*\* Oct. 8, 2019**

(54) **LIGHT FIXTURE**

(71) Applicant: **LMH KOREA CO., LTD.**, Hwaseong, Gyeonggi-do (KR)

(72) Inventor: **Hwa Ja Kim**, Gyeonggi-do (KR)

(73) Assignee: **LMH KOREA CO., LTD.**, Hwaseong, Gyeonggi-do (KR)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/638,810**

(22) Filed: **Mar. 1, 2018**

(30) **Foreign Application Priority Data**

Dec. 28, 2017 (KR) ..... 30-2017-0062335

(51) **LOC (12) Cl.** ..... **26-04**

(52) **U.S. Cl.**  
USPC ..... **D26/76**

(58) **Field of Classification Search**  
USPC ..... D26/76, 78, 79, 80, 81, 82, 83, 85, 86,  
D26/88, 90, 93, 111, 113, 118, 119, 120,  
D26/121, 122, 138, 139, 140, 141, 142,  
D26/152  
CPC ..... F21S 2/00; F21S 4/00; F21S 4/003; F21S  
4/005; F21S 4/006; F21S 4/007; F21S  
4/008; F21S 6/00; F21S 8/00; F21S  
8/024; F21S 8/026; F21S 8/031; F21S  
8/033; F21S 8/035–8/037; F21S 8/04;  
F21S 8/043; F21S 8/063  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D344,605 S \* 2/1994 Aspenwall ..... D26/76  
D577,138 S \* 9/2008 Kitagawa ..... D26/37

D603,079 S \* 10/2009 Toot ..... D26/118  
D607,598 S \* 1/2010 Xiao ..... D26/76  
D626,267 S \* 10/2010 Ng ..... D26/76  
D633,642 S \* 3/2011 Wauters ..... D26/76  
D663,065 S \* 7/2012 Beghelli ..... D26/76  
D671,254 S \* 11/2012 Miyatake ..... D26/75  
D693,048 S \* 11/2013 Ng ..... D26/76  
D735,390 S \* 7/2015 Yanping ..... D26/74  
D735,392 S \* 7/2015 Ng ..... D26/76  
D750,308 S \* 2/2016 Rodgers ..... D26/76  
D796,721 S \* 9/2017 Boorom ..... D26/72  
D799,733 S \* 10/2017 Recker ..... D26/76  
D804,082 S \* 11/2017 Boorom ..... D26/118  
D831,257 S \* 10/2018 Boulanger ..... D26/76

\* cited by examiner

*Primary Examiner* — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Mintz Levin Cohn Ferris  
Glovsky and Popeo, P.C.; Kongsik Kim; Jhongwoo Jay  
Peck

(57) **CLAIM**

I claim, the ornamental design for a light fixture, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a light fixture according to  
the present invention.

FIG. 2 is a front view of the light fixture of FIG. 1.

FIG. 3 is a rear view of the light fixture of FIG. 1.

FIG. 4 is a left side view of the light fixture of FIG. 1.


FIG. 5 is a right side view of the light fixture of FIG. 1.

FIG. 6 is a top view of the light fixture of FIG. 1; and,


FIG. 7 is a bottom view of the light fixture of FIG. 1.

The broken lines in the drawings illustrate the portions of the  
light fixture that form no part of the claim. The multi-circles  
element shown in the broken line in FIG. 3 forms no part of  
the claim.


**1 Claim, 6 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**

