

US00D862960S

(12) **United States Design Patent**  
**Bowling**

(10) **Patent No.:** **US D862,960 S**

(45) **Date of Patent:** **\*\* Oct. 15, 2019**

(54) **HYDRANT-SHAPED CONTAINER FOR  
STORING, DISPENSING, AND SERVING  
LIQUIDS**

(71) Applicant: **Robert William Bowling**, Knightstown,  
IN (US)

(72) Inventor: **Robert William Bowling**, Knightstown,  
IN (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/657,977**

(22) Filed: **Jul. 26, 2018**

D328,620	S	*	8/1992	Maple	.....	D21/483
D331,647	S	*	12/1992	Embree	.....	D30/124
5,803,110	A	*	9/1998	Segal	.....	E03B 9/02
						137/305
6,112,761	A	*	9/2000	Scotto	.....	E03B 9/06
						137/296
D489,930	S	*	5/2004	Tse	.....	D7/306
6,901,950	B1	*	6/2005	Burt	.....	E03B 9/02
						137/294
D538,097	S	*	3/2007	Godinger	.....	D7/301
D540,180	S	*	4/2007	Edwards	.....	D30/199
D581,105	S	*	11/2008	Niskanen	.....	D30/153
D618,555	S	*	6/2010	Adams	.....	D9/600
D631,134	S	*	1/2011	German	.....	D23/234
D633,659	S	*	3/2011	Lai	.....	D30/121
D734,585	S	*	7/2015	Brennan	.....	D34/4

(Continued)

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 16/042,490,  
filed on Jul. 23, 2018.

(51) **LOC (12) Cl.** ..... **07-01**

(52) **U.S. Cl.**  
USPC ..... **D7/301; D7/507; D7/515; D30/121;**  
**D9/600**

(58) **Field of Classification Search**

USPC ..... D7/507, 301, 306, 515, 599, 506, 619.2,  
D7/606; D23/234; D30/121, 129, 133,  
D30/124; 222/556; D9/600  
CPC ..... A01K 39/026; B65D 1/04; B65D 1/32  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,566,571	A	*	12/1925	Appleton	.....	A01K 39/026
						119/77
1,734,390	A	*	11/1929	Meredith	.....	A01K 39/026
						119/77
D231,306	S	*	4/1974	Breglis	.....	D7/599
D282,109	S	*	1/1986	Golden	.....	D23/234
D307,402	S	*	4/1990	Rouse, Jr.	.....	D11/157
D311,841	S	*	11/1990	Start	.....	D7/313

*Primary Examiner* — Marianne N Pandozzi


(57) **CLAIM**

The ornamental design for a hydrant-shaped container for  
storing, dispensing, and serving liquids, as shown and  
described.

**DESCRIPTION**

FIG. 1 is an exploded top left perspective view of a  
hydrant-shaped container for storing, dispensing, and serv-  
ing liquids showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is an exploded front elevational view thereof;  
FIG. 5 is an exploded rear elevational view thereof;  
FIG. 6 is an exploded right side elevational view thereof;  
FIG. 7 is an exploded left side elevational view thereof;  
FIG. 8 is an exploded sectional view thereof taken along line  
**8-8** of FIG. 7; and,  
FIG. 9 is a front elevational view thereof.  
The broken line showing the threads in FIGS. 1-9 are  
included for the purpose of showing environmental structure  
and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D739,196 S *	9/2015	Mohr	.....	D8/38
D783,217 S *	4/2017	Muir	.....	D34/4
D799,756 S *	10/2017	Fox	.....	D30/124
D814,715 S *	4/2018	Fox	.....	D30/124
D847,948 S *	5/2019	Goerd	.....	D23/215
D852,332 S *	6/2019	Burton	.....	D23/256

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9