



US00D863079S

(12) **United States Design Patent**
Cai

(10) **Patent No.:** **US D863,079 S**

(45) **Date of Patent:** **** Oct. 15, 2019**

(54) **CALIBRATION DEVICE FOR A RADAR AND AN IMAGING DEVICE OF A VEHICLE**

G01S 17/023; G01S 17/936; H04N 5/232;
H04N 5/33; H04N 7/183

See application file for complete search history.

(71) Applicant: **AUTEL INTELLIGENT TECHNOLOGY CORP., LTD.**,
Shenzhen, Guangdong (CN)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(72) Inventor: **Zhenyu Cai**, Guangdong (CN)

D411,473 S * 6/1999 Hampf D10/65

(73) Assignee: **AUTEL INTELLIGENT TECHNOLOGY CORP., LTD.**,
Shenzhen, Guangdong (CN)

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — Antoine Duval Davis

(21) Appl. No.: **29/654,146**

(74) *Attorney, Agent, or Firm* — Ladas & Parry LLP

(22) Filed: **Jun. 21, 2018**

(57) **CLAIM**

The ornamental design for a calibration device for a radar and an imaging device of a vehicle, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Dec. 21, 2017 (CN) 2017 3 0658756

FIG. 1 is a front elevational view of a calibration device for a radar and an imaging device of a vehicle showing our new design;

(51) **LOC (12) Cl.** **10-04**

FIG. 2 is a rear elevational view thereof;

(52) **U.S. Cl.**

FIG. 3 is a left side elevational view thereof;

USPC **D10/65**

FIG. 4 is a right side elevational view thereof;

(58) **Field of Classification Search**

USPC D10/65, 67

FIG. 5 is a top plan view thereof;

CPC G08G 1/16; G08G 1/161; G08G 1/162;

FIG. 6 is a bottom plan view thereof;



G08G 1/163; G08G 1/164; G08G 1/165;

FIG. 7 is a perspective view thereof; and,

G08G 1/166; G08G 1/167; G08G 1/168;

FIG. 8 is another perspective view thereof.

1 Claim, 8 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG. 8