



US00D863101S

(12) **United States Design Patent** (10) **Patent No.:** **US D863,101 S**
Chang (45) **Date of Patent:** **** Oct. 15, 2019**

(54) **BELT CONNECTOR**

(56) **References Cited**

(71) Applicant: **Teng-Yao Chang**, Taichung (TW)

U.S. PATENT DOCUMENTS

(72) Inventor: **Teng-Yao Chang**, Taichung (TW)

(**) Term: **15 Years**

D584,132	S	*	1/2009	Judd		D8/356
D646,556	S	*	10/2011	Kelleghan		D8/356
D704,594	S	*	5/2014	Cherin		D11/210
D729,619	S	*	5/2015	Cherin		D8/394
D732,422	S	*	6/2015	Fildan		D11/200
D784,798	S	*	4/2017	Logsdon		D8/394
D811,690	S	*	3/2018	Berte		D2/640
D815,982	S	*	4/2018	Chang		D11/218
D818,391	S	*	5/2018	Chang		D11/208
D818,392	S	*	5/2018	Chang		D11/218
D824,800	S	*	8/2018	Blume		D11/200
D845,168	S	*	4/2019	Paik		D11/216
D848,899	S	*	5/2019	Chang		D11/210

(21) Appl. No.: **29/640,741**

(22) Filed: **Mar. 16, 2018**

(51) **LOC (12) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/218**

(58) **Field of Classification Search**

USPC D2/624, 626, 627, 633, 639, 640, 853,
D2/923; D3/24, 213, 215, 216, 230;
D8/14, 331, 343, 349, 356, 358, 359, 360,
D8/363, 366, 371, 382, 394, 395;
D10/32, 38; D11/1, 2, 3, 12, 16, 86, 87,
D11/93, 200, 201, 206–210, 212–218,
D11/229–237; D12/195, 416;
D29/100–101.5, 122, 129, 130; D30/139,
D30/152, 153
CPC A44B 11/00; A44B 11/02; A44B 11/04;
A44B 11/05; A44B 11/06; A44B 11/10;
A44B 11/14; A44B 11/18; A44B 11/22;
A44B 11/25; A44B 11/26; A44B 11/125;
A44B 11/223; A44B 11/001; A44B
11/005; A44B 11/006; A44B 11/2503;
A44B 11/2507; A44B 11/2526; A44B
11/2553; A44B 11/2592; A41F 1/008;
A41F 9/002; A41F 9/007; A41F 11/06;
B60R 22/30; B60R 22/32; B60R 22/022;
B60R 2022/1806; B60R 2022/1812;
B60R 2022/281; B65D 63/16; A62B
35/00

* cited by examiner

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Richard Kearney

(74) *Attorney, Agent, or Firm* — Lynette Wylie; Apex
Juris, pllc.

(57) **CLAIM**

The ornamental design for a belt connector, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a belt connector showing the
new design;

FIG. 2 is a front view of the belt connector of FIG. 1;

FIG. 3 is a rear view of the belt connector of FIG. 1;

FIG. 4 is a left side view of the belt connector of FIG. 1;


FIG. 5 is a right side view of the belt connector of FIG. 1;

FIG. 6 is a top view of the belt connector of FIG. 1; and,

FIG. 7 is a bottom view of the belt connector of FIG. 1.

1 Claim, 5 Drawing Sheets

See application file for complete search history.






FIG. 1




FIG. 2




FIG. 3



FIG. 5




FIG. 4

