



US00D863424S

(12) **United States Design Patent**
Nicodemus

(10) **Patent No.:** **US D863,424 S**
(45) **Date of Patent:** **** Oct. 15, 2019**

(54) **FOLDER**

(71) Applicant: **The Nicodemus Company LLC**, Sun Prairie, WI (US)

(72) Inventor: **James Nicodemus**, Sun Prairie, WI (US)

(73) Assignee: **The Nicodemus Company LLC**, Sun Prairie, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/610,158**

(22) Filed: **Jul. 10, 2017**

(51) **LOC (12) Cl.** **19-04**

(52) **U.S. Cl.**
USPC **D19/26**

(58) **Field of Classification Search**
USPC D19/26, 27, 32, 33, 34, 34.1-34.5, 124, D19/100, 2, 3, 86, 91; D3/303, 227, 900, D3/248; D9/433, 634; D6/626
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,460,426 A * 7/1923 McSheehy B42D 5/006
281/31
1,742,993 A * 1/1930 Jettinger B42F 19/00
40/359

(Continued)

FOREIGN PATENT DOCUMENTS

CN 304257848 * 8/2017
CN 304753176 * 7/2018
CN 304869595 * 10/2018

OTHER PUBLICATIONS

CompanyFolders.com. Link: <https://www.companyfolders.com/portfolios>. Visited Nov. 1, 2018. Custom Portfolio Folders. (Year: 2018).*

(Continued)

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Lauren D McVey

(74) *Attorney, Agent, or Firm* — Boardman & Clark LLP

(57) **CLAIM**

The ornamental design for a folder, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of a folder showing my new design in a fully folded and closed state;

FIG. 2 is a top perspective view thereof, showing my new design in a fully unfolded and opened state;

FIG. 3 is a top, first, third side perspective view of FIG. 1; FIG. 4 is a top, first, and third side perspective view of FIG. 2;

FIG. 5 is a bottom perspective view of FIG. 1;

FIG. 6 is a bottom perspective view of FIG. 2;

FIG. 7 is a first side elevation view of FIG. 1;

FIG. 8 is a second side elevation view of FIG. 1;

FIG. 9 is a third side elevation view of FIG. 1;

FIG. 10 is a fourth side elevation view of FIG. 1;

FIG. 11 is a top perspective view of the folder shown in FIG. 1, shown with additional environment;

FIG. 12 is a top perspective view of FIG. 11, shown in a fully unfolded and opened state;

FIG. 13 is a top, first, and third side perspective view of FIG. 11;

FIG. 14 is a top, first, and third side perspective view of FIG. 12;

FIG. 15 is a bottom perspective view of FIG. 11;

FIG. 16 is a bottom perspective view of FIG. 12;

FIG. 17 is a first side elevation view of the design of FIG. 11;

FIG. 18 is a second side elevation view of FIG. 11;

FIG. 19 is a third side elevation view of FIG. 11;

FIG. 20 is a top perspective view of a second embodiment of a folder showing my new design in a fully folded and closed state;

FIG. 21 is a top perspective view thereof, showing my new design in a fully unfolded and opened state;

(Continued)





FIG. 22 is a top, first, third side perspective view of FIG. 20;
FIG. 23 is a top, first, and third side perspective view of FIG. 21;
FIG. 24 is a bottom perspective view of FIG. 20;
FIG. 25 is a bottom perspective view of FIG. 21;
FIG. 26 is a first side elevation view of FIG. 20;
FIG. 27 is a second side elevation view of FIG. 20;
FIG. 28 is a third side elevation view of FIG. 20;
FIG. 29 is a fourth side elevation view of FIG. 20;
FIG. 30 is a top perspective view of the folder shown in FIG. 20, shown with additional environment;
FIG. 31 is a top perspective view of FIG. 30, shown in a fully unfolded and opened state;
FIG. 32 is a top, first, and third side perspective view of FIG. 30;
FIG. 33 is a top, first, and third side perspective view of FIG. 31;
FIG. 34 is a bottom perspective view of FIG. 30;
FIG. 35 is a bottom perspective view of FIG. 31;
FIG. 36 is a first side elevation view of the design of FIG. 30;
FIG. 37 is a second side elevation view of FIG. 30;
FIG. 38 is a third side elevation view of FIG. 30;
FIG. 39 is a top perspective view of a third embodiment of a folder showing my new design in a fully folded and closed state;
FIG. 40 is a top perspective view thereof, showing my new design in a fully unfolded and opened state;
FIG. 41 is a top, first, third side perspective view of FIG. 39;
FIG. 42 is a top, first, and third side perspective view of FIG. 40;
FIG. 43 is a bottom perspective view of FIG. 39;
FIG. 44 is a bottom perspective view of FIG. 40;
FIG. 45 is a first side elevation view of FIG. 39;
FIG. 46 is a second side elevation view of FIG. 39;
FIG. 47 is a third side elevation view of FIG. 39;
FIG. 48 is a fourth side elevation view of FIG. 39;
FIG. 49 is a top perspective view of the folder shown in FIG. 39, shown with additional environment;
FIG. 50 is a top perspective view of FIG. 49, shown in a fully unfolded and opened state;
FIG. 51 is a top, first, and third side perspective view of FIG. 49;
FIG. 52 is a top, first, and third side perspective view of FIG. 50;
FIG. 53 is a bottom perspective view of FIG. 49;
FIG. 54 is a bottom perspective view of FIG. 50;
FIG. 55 is a first side elevation view of the design of FIG. 49;
FIG. 56 is a second side elevation view of FIG. 49;
FIG. 57 is a third side elevation view of FIG. 49;
FIG. 58 is a top perspective view of a fourth embodiment of a folder showing my new design a fully folded and closed state;
FIG. 59 is a top perspective view thereof, showing my new design in a fully unfolded and opened state;
FIG. 60 is a top, first, third side perspective view of FIG. 58;
FIG. 61 is a top, first, and third side perspective view of FIG. 59;
FIG. 62 is a bottom perspective view of FIG. 58;
FIG. 63 is a bottom perspective view of FIG. 59;
FIG. 64 is a first side elevation view of FIG. 58;
FIG. 65 is a second side elevation view of FIG. 58;
FIG. 66 is a third side elevation view of FIG. 58;
FIG. 67 is a fourth side elevation view of FIG. 58;

FIG. 68 is a top perspective view of the folder shown in FIG. 58, shown with additional environment;
FIG. 69 is a top perspective view of FIG. 68, shown in a fully unfolded and opened state;
FIG. 70 is a top, first, and third side perspective view of FIG. 68;
FIG. 71 is a top, first, and third side perspective view of FIG. 69;
FIG. 72 is a bottom perspective view of FIG. 68;
FIG. 73 is a bottom perspective view of FIG. 69;
FIG. 74 is a first side elevation view of the design of FIG. 68;
FIG. 75 is a second side elevation view of FIG. 68;
FIG. 76 is a third side elevation view of FIG. 68;
FIG. 77 is a top perspective view of a fifth embodiment of a folder showing my new design in a fully folded and closed state;
FIG. 78 is a top perspective view thereof, showing my new design in a fully unfolded and opened state;
FIG. 79 is a top, first, third side perspective view of FIG. 77;
FIG. 80 is a top, first, and third side perspective view of FIG. 78;
FIG. 81 is a bottom perspective view of FIG. 77;
FIG. 82 is a bottom perspective view of FIG. 78;
FIG. 83 is a first side elevation view of FIG. 77;
FIG. 84 is a second side elevation view of FIG. 77;
FIG. 85 is a third side elevation view of FIG. 77;
FIG. 86 is a fourth side elevation view of FIG. 77;
FIG. 87 is a top perspective view of the folder shown in FIG. 77, shown with additional environment;
FIG. 88 is a top perspective view of FIG. 87, shown in a fully unfolded and opened state;
FIG. 89 is a top, first, and third side perspective view of FIG. 87;
FIG. 90 is a top, first, and third side perspective view of FIG. 88;
FIG. 91 is a bottom perspective view of FIG. 87;
FIG. 92 is a bottom perspective view of FIG. 88;
FIG. 93 is a first side elevation view of the design of FIG. 87;
FIG. 94 is a second side elevation view of FIG. 87;
FIG. 95 is a third side elevation view of FIG. 87;
FIG. 96 is a top perspective view of a sixth embodiment of a folder showing my new design in a fully folded and closed state;
FIG. 97 is a top perspective view thereof, showing my new design in a fully unfolded and opened state;
FIG. 98 is a top, first, third side perspective view of FIG. 96;
FIG. 99 is a top, first, and third side perspective view of FIG. 97;
FIG. 100 is a bottom perspective view of FIG. 96;
FIG. 101 is a bottom perspective view of FIG. 97;
FIG. 102 is a first side elevation view of FIG. 96;
FIG. 103 is a second side elevation view of FIG. 96;
FIG. 104 is a third side elevation view of FIG. 96;
FIG. 105 is a fourth side elevation view of FIG. 96;
FIG. 106 is a top perspective view of the folder shown in FIG. 96, shown with additional environment;
FIG. 107 is a top perspective view of FIG. 106, shown in a fully unfolded and opened state;
FIG. 108 is a top, first, and third side perspective view of FIG. 106;
FIG. 109 is a top, first, and third side perspective view of FIG. 107;

FIG. 110 is a bottom perspective view of FIG. 106;
 FIG. 111 is a bottom perspective view of FIG. 107;
 FIG. 112 is a first side elevation view of the design of FIG. 106;
 FIG. 113 is a second side elevation view of FIG. 106; and,
 FIG. 114 is a third side elevation view of FIG. 106.
 The long evenly spaced broken lines depict the bounds of the claimed design and form no part of the claimed design. The short evenly spaced broken lines and dotted broken lines are directed to environment. The broken lines form no part of the claimed design.

1 Claim, 84 Drawing Sheets

(58) **Field of Classification Search**

CPC B42F 17/00; B42F 19/00; B42F 21/00;
 B42F 21/02; B42F 23/00; B42F 15/0011;
 B42F 15/0017; B42F 15/0023; B42F
 15/007; B42F 15/0082; B42F 15/0088;
 B42F 15/0094; B42F 13/02; B42F 13/04;
 B42F 13/06; B42F 13/08; B42F 13/10;
 B42F 13/14; B42F 13/65; G09F 5/00;
 G09F 5/02; G09F 5/04; G09F 2005/041;
 G09F 5/042

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,146,816 A * 9/1964 Osher B42F 7/06
 150/138
 3,281,975 A * 11/1966 Simone G01G 19/002
 177/264

3,680,969 A 8/1972 Gorman
 D233,654 S * 11/1974 Lawlor D19/26
 D261,485 S * 10/1981 Haubert D19/2
 D309,324 S * 7/1990 Callaghan D19/26
 5,639,016 A 6/1997 Ho
 5,692,670 A 12/1997 Ho
 6,942,092 B1 * 9/2005 Laarman B65D 85/546
 206/232
 6,986,455 B2 1/2006 Su
 D581,267 S * 11/2008 Tearle D9/432
 D625,362 S * 10/2010 Sarkissian D19/26
 D649,185 S 11/2011 Bakrania
 D651,239 S * 12/2011 Kendall D19/26
 8,684,259 B2 4/2014 Makofsky et al.
 D712,468 S 9/2014 Klosky
 D733,218 S * 6/2015 Baker D19/27
 D750,169 S 2/2016 Russell et al.
 D752,144 S 3/2016 Rowe et al.
 9,346,588 B2 5/2016 Gilbertson et al.
 D759,161 S * 6/2016 DeCarlo D19/90

OTHER PUBLICATIONS

Amazon. Link: <https://www.amazon.com/FHEAL-Expanding-Expandable-Accordion-Documents/dp/B01N7P8OPD?keywords=folder+with+cover&qid=1540834820&sr=8-16-spons&ref>. Jan. 6, 2017. FHEAL Expanding File Folders 5 Pockets Plastic Expandable File Jackets A4 Letter Size,4 Color Accordion Folder Document Holder. (Year: 2017).*

Staples. Link: https://www.staples.com/Five-Star-Advance-Wirebound-Notebook-5-Subject-College-Ruled-11-x-8-1-2-06326/product_2072015. Jul. 30, 2016. Five Star® Advance® Wirebound Notebook, 5 Subject, College Ruled.*

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19



FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26



FIG. 27



FIG. 28



FIG. 29



FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36



FIG. 37



FIG. 38



FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46



FIG. 47



FIG. 48



FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55



FIG. 56



FIG. 57



FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64



FIG. 65



FIG. 66



FIG. 67



FIG. 68




FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74



FIG. 75



FIG. 76



FIG. 77




FIG. 78




FIG. 79




FIG. 80




FIG. 81




FIG. 82




FIG. 83



FIG. 84



FIG. 85



FIG. 86



FIG. 87




FIG. 88




FIG. 89




FIG. 90




FIG. 91




FIG. 92




FIG. 93



FIG. 94



FIG. 95



FIG. 96




FIG. 97




FIG. 98




FIG. 99




FIG. 100




FIG. 101




FIG. 102



FIG. 103



FIG. 104



FIG. 105



FIG. 106




FIG. 107




FIG. 108




FIG. 109




FIG. 110




FIG. 111




FIG. 112



FIG. 113



FIG. 114

