

US00D863619S

(12) **United States Design Patent**
Hamasaki

(10) **Patent No.:** **US D863,619 S**
(45) **Date of Patent:** **** Oct. 15, 2019**

(54) **BICYCLE LIGHT HOUSING**

- (71) Applicant: **SSB Design, Inc.**, Irvine, CA (US)
- (72) Inventor: **Noriaki Hamasaki**, Lake Forest, CA (US)
- (73) Assignee: **SSB DESIGN, INC.**, Irvine, CA (US)
- (**) Term: **15 Years**

(21) Appl. No.: **29/628,518**

(22) Filed: **Dec. 5, 2017**

(51) **LOC (12) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**

USPC D12/86, 90-92, 114, 163, 169, 171-173,
D12/181, 190, 196, 197, 199, 400;
D26/28-36
CPC ... B62J 6/02; B62J 6/00; B60Q 3/0279; F21S
48/00; F21S 48/10; F21S 48/115; F21S
48/225; F21S 48/1233; F21S 48/1266;
F21S 48/1388; F21S 48/2268; F21V
21/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D390,678 S *	2/1998	Matthes	D26/37
D463,052 S *	9/2002	Shiu	D26/38
D475,195 S *	6/2003	Christianson	D3/209
D523,573 S *	6/2006	Lee	D26/28
D535,411 S *	1/2007	Lee	D26/28
D535,766 S *	1/2007	Lee	D26/28
D540,966 S *	4/2007	Ueda	D26/28
D560,834 S *	1/2008	Nagano	D26/28
D584,840 S *	1/2009	Okuda	D26/28
D608,485 S *	1/2010	Liao	D26/60
D611,173 S *	3/2010	McKechnie	D26/28
D611,174 S *	3/2010	McKechnie	D26/28
D667,581 S *	9/2012	Lee	D26/28

(Continued)

OTHER PUBLICATIONS

Sears | SSB Design, Inc. Cygolite Expilion 700, last updated on Apr. 6, 2018, © 2019 Transform SR Brands LLC [online], [site visited Jul. 22, 2019]. Available from Internet, <URL: https://www.sears.com/ssb-design-inc-cygolite-expilion-700-lumen-usb/p-SPM14625106332/>.*

Primary Examiner — Philip S Hyder
Assistant Examiner — Cary M Robinson


(57) **CLAIM**

I claim an ornamental design for a bicycle light housing, as shown and described.

DESCRIPTION

FIG. 1 is an upper front perspective view of the bicycle light housing;
 FIG. 2 is a lower bottom perspective view of the bicycle light housing;
 FIG. 3 is a rear lower side perspective view of the bicycle light housing;
 FIG. 4 is a front elevational view of the bicycle light housing;
 FIG. 5 is a rear elevational view of the bicycle light housing;
 FIG. 6 is right side view of the bicycle light housing;
 FIG. 7 is a left side view of the bicycle light housing;
 FIG. 8 is a top plan view of the bicycle light housing of FIG. 1;
 FIG. 9 is a bottom plan view of the bicycle light housing of FIG. 1; and,
 FIG. 10 is a right side bottom perspective view of the bicycle light housing.
 The broken-line disclosures, as shown through the openings in the housing, in FIG. 1 through FIG. 7 and FIG. 10, extending from the bottom surface, are understood to represent portions of the article in which the claimed design may be embodied, but which form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS

D690,854 S	*	10/2013	Janssen	D26/29
D746,501 S	*	12/2015	Chen	D26/28
D747,014 S	*	1/2016	Chen	D26/28
D751,739 S		3/2016	Hamasaki	
D752,252 S	*	3/2016	Ruthling	D26/28
D753,333 S		4/2016	Hamasaki	
D756,027 S		5/2016	Hamasaki	
D760,931 S	*	7/2016	Davies	D26/28
D800,361 S	*	10/2017	Robertson	D26/28
D821,623 S	*	6/2018	Grawemeyer	D26/60

* cited by examiner

FIG. 1






FIG. 2

FIG. 3




FIG. 5




FIG. 4




FIG. 6





FIG. 7






FIG. 8




FIG. 9




FIG. 10