



US00D863619S

(12) **United States Design Patent**  
**Hamasaki**

(10) **Patent No.:** **US D863,619 S**

(45) **Date of Patent:** **\*\* Oct. 15, 2019**

(54) **BICYCLE LIGHT HOUSING**

(71) Applicant: **SSB Design, Inc.**, Irvine, CA (US)

(72) Inventor: **Noriaki Hamasaki**, Lake Forest, CA (US)

(73) Assignee: **SSB DESIGN, INC.**, Irvine, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/628,518**

(22) Filed: **Dec. 5, 2017**

(51) **LOC (12) Cl.** ..... **26-05**

(52) **U.S. Cl.**  
USPC ..... **D26/28**

(58) **Field of Classification Search**

USPC ..... D12/86, 90-92, 114, 163, 169, 171-173,  
D12/181, 190, 196, 197, 199, 400;  
D26/28-36

CPC ... B62J 6/02; B62J 6/00; B60Q 3/0279; F21S  
48/00; F21S 48/10; F21S 48/115; F21S  
48/225; F21S 48/1233; F21S 48/1266;  
F21S 48/1388; F21S 48/2268; F21V  
21/04

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D390,678 S *	2/1998	Matthes	.....	D26/37
D463,052 S *	9/2002	Shiu	.....	D26/38
D475,195 S *	6/2003	Christianson	.....	D3/209
D523,573 S *	6/2006	Lee	.....	D26/28
D535,411 S *	1/2007	Lee	.....	D26/28
D535,766 S *	1/2007	Lee	.....	D26/28
D540,966 S *	4/2007	Ueda	.....	D26/28
D560,834 S *	1/2008	Nagano	.....	D26/28
D584,840 S *	1/2009	Okuda	.....	D26/28
D608,485 S *	1/2010	Liao	.....	D26/60
D611,173 S *	3/2010	McKechnie	.....	D26/28
D611,174 S *	3/2010	McKechnie	.....	D26/28
D667,581 S *	9/2012	Lee	.....	D26/28

(Continued)

**OTHER PUBLICATIONS**

Sears | SSB Design, Inc. Cygolite Expilion 700, last updated on Apr. 6, 2018, © 2019 Transform SR Brands LLC [online], [site visited Jul. 22, 2019]. Available from Internet, <URL: https://www.sears.com/ssb-design-inc-cygolite-expilion-700-lumen-usb/p-SPM14625106332/>.\*

*Primary Examiner* — Philip S Hyder

*Assistant Examiner* — Cary M Robinson

(57) **CLAIM**

I claim an ornamental design for a bicycle light housing, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper front perspective view of the bicycle light housing;

FIG. 2 is a lower bottom perspective view of the bicycle light housing;

FIG. 3 is a rear lower side perspective view of the bicycle light housing;

FIG. 4 is a front elevational view of the bicycle light housing;

FIG. 5 is a rear elevational view of the bicycle light housing;

FIG. 6 is right side view of the bicycle light housing;

FIG. 7 is a left side view of the bicycle light housing;


FIG. 8 is a top plan view of the bicycle light housing of FIG. 1;

FIG. 9 is a bottom plan view of the bicycle light housing of FIG. 1; and,

FIG. 10 is a right side bottom perspective view of the bicycle light housing.

The broken-line disclosures, as shown through the openings in the housing, in FIG. 1 through FIG. 7 and FIG. 10, extending from the bottom surface, are understood to represent portions of the article in which the claimed design may be embodied, but which form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**



(56)


**References Cited**

U.S. PATENT DOCUMENTS

D690,854 S	*	10/2013	Janssen .....	D26/29
D746,501 S	*	12/2015	Chen .....	D26/28
D747,014 S	*	1/2016	Chen .....	D26/28
D751,739 S		3/2016	Hamasaki	
D752,252 S	*	3/2016	Ruthling .....	D26/28
D753,333 S		4/2016	Hamasaki	
D756,027 S		5/2016	Hamasaki	
D760,931 S	*	7/2016	Davies .....	D26/28
D800,361 S	*	10/2017	Robertson .....	D26/28
D821,623 S	*	6/2018	Grawemeyer .....	D26/60

\* cited by examiner

FIG. 1






FIG. 2

FIG. 3




FIG. 5




FIG. 4




FIG. 6





FIG. 7








FIG. 8




FIG. 9




FIG. 10