



US00D863709S

(12) **United States Design Patent** (10) **Patent No.:** **US D863,709 S**
Hong (45) **Date of Patent:** **** Oct. 15, 2019**

(54) **TIRE DOLLY**

(71) Applicant: **SHANGHAI CARTEC INDUSTRIAL & TRADING CO., LTD.**, Shanghai (CN)

(72) Inventor: **Li Wei Hong**, Shanghai (CN)

(73) Assignee: **Shanghai Cartec Industrial & Trading Co., Ltd.**, Shanghai (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/654,179**

(22) Filed: **Jun. 21, 2018**

(51) **LOC (12) Cl.** **12-02**

(52) **U.S. Cl.**
USPC **D34/23**

(58) **Field of Classification Search**
USPC D34/12, 23
CPC B62B 2202/90; B62B 3/16; B62B 3/1476
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,445,396 A * 8/1995 Sebor B62B 3/16
108/53.3
D437,669 S * 2/2001 Blason D34/23

D456,972 S * 5/2002 Blason D34/23
D726,986 S * 4/2015 Hall D34/23
D822,934 S * 7/2018 Duarte D34/18
2011/0089654 A1 * 4/2011 Chen B62B 5/0093
280/79.11
2013/0154218 A1 * 6/2013 Tiilikainen B62B 3/16
280/79.11

* cited by examiner

Primary Examiner — Cynthia Ramirez

(74) *Attorney, Agent, or Firm* — M.J. Ram and Associates


(57) **CLAIM**

The ornamental design for a tire dolly, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a tire dolly showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines in the figures are to show environment and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7