

US00D863752S

(12) **United States Design Patent** (10) **Patent No.:** **US D863,752 S**
Taneva (45) **Date of Patent:** **** Oct. 22, 2019**

(54) **SHOE WITH SURFACE ORNAMENTATION**

(71) Applicant: **OBER ALP S.P.A.**, Bolzano (IT)

(72) Inventor: **Elitsa Taneva**, Bolzano (IT)

(73) Assignee: **OBER ALP S.p.A.**, Bolzano (IT)

(**) Term: **15 Years**

(21) Appl. No.: **35/504,073**

(22) Filed: **Aug. 29, 2017**

(80) **Hague Agreement Data**

Int. Filing Date: **Aug. 29, 2017**

Int. Reg. No.: **DM/098644**

Int. Reg. Date: **Aug. 29, 2017**

Int. Reg. Pub. Date: **Dec. 8, 2017**

(30) **Foreign Application Priority Data**

Mar. 24, 2017 (WO) DM/096589

(51) **LOC (12) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/972**

(58) **Field of Classification Search**
USPC D2/902, 905-907, 946, 947, 951,
D2/957-959, 969, 972, 976
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D227,821 S *	7/1973	Aksew	D2/908
D284,043 S *	6/1986	Lowe, Jr.	D2/902
D291,384 S *	8/1987	Campbell	D2/907
D295,577 S	5/1988	Selbiger		
D295,688 S	5/1988	Brown		
D296,721 S	7/1988	Brown		
D296,837 S	7/1988	Brown		
D298,882 S	12/1988	Selbiger		

D302,898 S *	8/1989	Greenberg	D2/969
D307,350 S	4/1990	Brown		
D334,275 S *	3/1993	Miller	D2/902
D366,561 S	1/1996	Shea		
D386,895 S	12/1997	Hatfield		
D414,026 S *	9/1999	Dolinsky	D2/976
D474,006 S *	5/2003	Schroeder	D2/969
D483,938 S	12/2003	Laberge		
D492,097 S *	6/2004	Magro	D2/902
D493,028 S *	7/2004	Len	D2/946
D494,350 S *	8/2004	Hillyer	D2/972
D511,882 S	11/2005	Robinson, Jr.		
D515,304 S *	2/2006	Wahoske	D2/972
D516,793 S	3/2006	Sedlbauer		

(Continued)

OTHER PUBLICATIONS

Non-final Office Action dated Nov. 14, 2018 in U.S. Appl. No. 35/504,157, 10 pages.

(Continued)

Primary Examiner — Jennifer L Watkins
(74) *Attorney, Agent, or Firm* — Thomas|Horstemeyer, LLP


(57) **CLAIM**

The ornamental design for a shoe with surface ornamentation, as shown and described.

DESCRIPTION

1.0 is a side view of a shoe with surface ornamentation, showing my new design.
The broken lines shown in the outer perimeter of the drawing of the shoe with surface ornamentation are for the purpose of illustrating the environment and form no part of the claimed design. The broken lines, circular element, and lines contiguous with the circular element of the surface ornamentation of the shoe with surface ornamentation inside the outer perimeter represent stitching and form part of the claimed design.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

D526,774 S * 8/2006 Dirsa D2/972
 D544,695 S * 6/2007 Rasmussen D2/972
 D547,045 S * 7/2007 Belley D2/916
 D547,937 S * 8/2007 Dolan D2/972
 D571,096 S * 6/2008 Hart D2/972
 D579,192 S * 10/2008 Pritchett D2/972
 D580,159 S * 11/2008 Clermont D2/946
 D583,134 S * 12/2008 Moore D2/946
 D591,493 S * 5/2009 Yi D2/946
 D591,497 S 5/2009 McDade
 D613,041 S * 4/2010 Thompson D2/902
 D620,690 S * 8/2010 Banik D2/946
 D636,575 S * 4/2011 Raysse D2/969
 D636,577 S 4/2011 Chung
 D636,578 S 4/2011 Young
 D642,780 S * 8/2011 Raysse D2/969
 D646,875 S * 10/2011 LaRusso D2/969
 D653,024 S * 1/2012 LaRusso D2/897
 D654,680 S 2/2012 Mochen
 D686,814 S 7/2013 Lam
 D702,931 S * 4/2014 Raysse D2/969
 D711,089 S 8/2014 Dolce

D725,365 S * 3/2015 Grenet D2/972
 D728,901 S 5/2015 McInerney
 D732,814 S * 6/2015 Carrier D2/972
 D756,099 S * 5/2016 Portzline D2/972
 D769,601 S * 10/2016 Hardman D2/972
 D778,579 S 2/2017 Williams, Jr.
 D796,181 S 9/2017 Nykreim
 D815,814 S * 4/2018 Scott D2/946
 D822,362 S * 7/2018 DeAlmeida D2/972
 2013/0025157 A1 * 1/2013 Wan A43B 7/06
 36/45
 2017/0042290 A1 * 2/2017 Hatfield A43B 3/242

OTHER PUBLICATIONS

[Online] https://www.backcountry.com/salewa-vultur-vertical-gtx-boot-mens?CMPSKU=SFW0060&MER=0406&skid=SFW0060-BLA-S11&mr:trackingCode=45817FDE-OBEE-E611-80FE-005056944E17&mr:referralID=NA&mr:device=c&mr:adType=pa&mr:rad=8823334153&mr:filter=1100200197867&CMP_ID=PLA_BNmyDeviceIndicator=cOO 1 &utm_source=Bing&utm_me
 (Retrieved Nov. 13, 2018), 4 pages.

* cited by examiner

