



US00D863764S

(12) **United States Design Patent** (10) **Patent No.:** **US D863,764 S**
Zemel (45) **Date of Patent:** **** Oct. 22, 2019**

(54) **CADDY**

(71) Applicant: **Mr. Bar-B-Q Products LLC**, Melville,
NY (US)

(72) Inventor: **Marc Zemel**, Melville, NY (US)

(73) Assignee: **MR. BAR-B-Q PRODUCTS LLC**,
Melville, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/650,381**

(22) Filed: **Jun. 6, 2018**

(51) **LOC (12) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/310**

(58) **Field of Classification Search**

USPC D3/304, 307, 310, 313, 315, 328;
D6/672, 673, 678, 682, 683, 683.1;
D7/550.1, 552.1, 553.1, 555
CPC B65D 1/24; B65D 2501/24; B65D 1/36;
B25F 5/029

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D168,277	S	*	11/1952	Roberts		211/1
3,032,230	A		5/1962	Gerber		
D283,457	S	*	4/1986	Smith		D3/307
D330,219	S	*	10/1992	Carlson		D19/75
D358,484	S	*	5/1995	Cautereels		D3/310
D361,664	S	*	8/1995	Brown		D3/315
D364,961	S	*	12/1995	Rehrig		D3/307
D369,242	S	*	4/1996	Tiramani		D3/308
D451,281	S	*	12/2001	Wodkowski		D3/307
6,336,584	B1		1/2002	Roch et al.		

D492,113	S	*	6/2004	Bayer		D3/310
D630,478	S	*	1/2011	Bell		D7/698
D642,870	S		8/2011	Whitlock et al.		
8,448,813	B2		5/2013	Vanderberg et al.		
9,687,064	B2		6/2017	Mellick et al.		
D795,584	S	*	8/2017	Walker, Jr.		D3/307
D826,509	S	*	8/2018	Foley		D34/14
D843,113	S	*	3/2019	Carter		D3/315

* cited by examiner

Primary Examiner — Kelley A Donnelly

(74) *Attorney, Agent, or Firm* — Carter, DeLuca & Farrell
LLP

(57) **CLAIM**

The ornamental design for a caddy, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a caddy in an open configuration in accordance with the present design;
FIG. 2 is an exploded top perspective view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a rear elevational view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a bottom perspective view of the caddy of FIG. 1 in a closed configuration in accordance with the present design;
FIG. 10 is an exploded bottom perspective view of the caddy of FIG. 9; and,
FIG. 11 is a further exploded bottom perspective view of the caddy of FIG. 10 in accordance with the present design.
The broken lines shown in the drawings illustrate portions of the caddy that form no part of the claimed design.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11