



US00D863880S

(12) **United States Design Patent** (10) **Patent No.:** **US D863,880 S**
Jooste (45) **Date of Patent:** **** Oct. 22, 2019**

(54) **BEVERAGE DISPENSING APPARATUS**

(71) Applicant: **Lowell Jooste**, La Jolla, CA (US)

(72) Inventor: **Lowell Jooste**, La Jolla, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/637,071**

(22) Filed: **Feb. 13, 2018**

Related U.S. Application Data

(62) Division of application No. 15/266,395, filed on Sep. 15, 2016, now Pat. No. 9,890,031.

(51) **LOC (12) Cl.** **07-99**

(52) **U.S. Cl.**

USPC **D7/398**; D7/397

(58) **Field of Classification Search**

USPC D7/313, 300, 306, 398, 397; D23/238,
D23/245, 247, 255, 249, 257; 222/505;
141/326; 99/275, 280; 251/331

CPC B67D 1/125; B67D 1/0418; B67D 1/1466;
B67D 1/0437; B67D 1/0829; B67D 1/06;
B67D 1/1405; B67D 3/04; F16K 41/103;
F16K 31/602

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

41,330 A	1/1864	Squarza	
205,302 A	6/1878	Rousseau	
327,401 A	9/1885	Low	
381,436 A	4/1888	Sherwood	
710,631 A	10/1902	Tietz	
850,070 A	4/1907	Spikes	
928,813 A	7/1909	Spikes	
1,024,094 A *	4/1912	Mueller	 F16K 31/602 251/246
1,303,814 A	5/1919	Crane	

1,304,390 A 5/1919 Semenow et al.

1,338,007 A 4/1920 Finley

2,083,281 A 12/1934 Spayd

2,162,842 A 2/1937 Dolison et al.

2,158,347 A 11/1937 Yirava

2,165,684 A 7/1939 Struck

2,348,238 A * 5/1944 Becke et al. E03C 1/0403
137/606

2,707,967 A 2/1950 Adams et al.

2,547,084 A 4/1950 Marcuse

3,115,150 A 12/1963 Sariotti et al.

3,141,690 A 7/1964 Greenfield

3,240,392 A 3/1966 Nicko

3,315,844 A 4/1967 Klasson et al.

3,403,820 A 10/1968 Landis et al.

D253,538 S * 11/1979 Brutsman D7/398

4,214,599 A 7/1980 Astrom

D273,453 S * 4/1984 Knopf D7/398

4,523,698 A 6/1985 Kienlein et al.

(Continued)

Primary Examiner — Marianne N Pandozzi

(74) *Attorney, Agent, or Firm* — Lewis Kohn & Walker
LLP; David M. Kohn; Kari Moyer-Henry

(57)

CLAIM

The ornamental design for a beverage dispensing apparatus,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the beverage dispensing
apparatus embodied in the present invention;

FIG. 2 is a rear view thereof;


FIG. 3 is another perspective view thereof;

FIG. 4 is a left side view of the beverage dispensing
apparatus embodied in the present invention; and,

FIG. 5 is a right side view of the beverage dispensing
apparatus embodied in the present invention.

The broken lines in the drawing depict environmental sub-
ject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D286,005	S	*	10/1986	Rutter		D23/259
4,699,298	A		10/1987	Grant et al.		
4,759,462	A		7/1988	Neglio		
4,784,299	A		11/1988	Stenger		
D553,714	S	*	10/2007	Demmer		D23/238
7,685,662	B2	*	3/2010	Viard		F16K 7/12
						137/625.33
D635,220	S	*	3/2011	Rubin		D23/238
D635,221	S	*	3/2011	Rubin		D23/238
9,340,403	B2	*	5/2016	Daly		B67D 1/0437
D759,206	S	*	6/2016	Moerman		D23/239
D769,064	S	*	10/2016	Crowell		D7/398
2013/0277396	A1		10/2013	Daly		
2014/0124094	A1	*	5/2014	Afghani		B67D 1/025
						141/263

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5