



US00D863907S

(12) **United States Design Patent**  
**Little**

(10) **Patent No.:** **US D863,907 S**

(45) **Date of Patent:** **\*\* Oct. 22, 2019**

(54) **INSERT FOR FINGER RING OF SHEARS**

(71) Applicant: **Emily Frances Little**, Chicago, IL (US)

(72) Inventor: **Emily Frances Little**, Chicago, IL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/619,658**

(22) Filed: **Sep. 29, 2017**

(51) **LOC (12) Cl.** ..... **08-03**

(52) **U.S. Cl.**  
USPC ..... **D8/57; D11/39**

(58) **Field of Classification Search**  
USPC ..... D8/4, 5, 51-58, 107; D11/26, 35, 38, 39  
CPC ..... B26B 13/10; B26B 13/20; B26B 13/12;  
B26B 13/06; B26B 13/04; B26B 13/24  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D378,043 S *	2/1997	Ogura	.....	D8/57
D380,130 S *	6/1997	Hauser	.....	D8/57
D382,785 S *	8/1997	Kobayashi	.....	D8/57
5,987,757 A *	11/1999	Schmidt	.....	B26B 13/20 30/341
D419,412 S *	1/2000	Chang	.....	D8/57
6,701,618 B2 *	3/2004	Gefen	.....	A44C 9/00 29/896.412
D522,902 S *	6/2006	Kaplan	.....	D11/26
D541,693 S *	5/2007	Skuzza	.....	D11/39
7,631,517 B2 *	12/2009	Kaplan	.....	A44C 9/00 63/15
D715,614 S *	10/2014	Teraguchi	.....	D8/57
D716,123 S *	10/2014	Teraguchi	.....	D8/57
9,044,076 B2 *	6/2015	Temple	.....	A45D 24/14
D835,540 S *	12/2018	Bellisha	.....	D11/39

2002/0170181 A1 *	11/2002	Schallenberg	.....	B26B 13/12 30/232
2009/0126202 A1 *	5/2009	Racamier	.....	B26B 13/20 30/232
2010/0242289 A1 *	9/2010	Roskam	.....	B26B 13/20 30/232
2012/0174415 A1 *	7/2012	Sataloff	.....	B26B 13/20 30/232
2017/0100845 A1 *	4/2017	Albano	.....	B26B 13/285

\* cited by examiner

*Primary Examiner* — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Richards Patent Law P.C.


(57) **CLAIM**

The ornamental design for an insert for finger ring of shears, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the insert for finger ring of shears as used in a pair of shears;  
 FIG. 2 is an isometric view of the insert for finger ring of shears;  
 FIG. 3 is a front elevational view of the insert for finger ring of shears;  
 FIG. 4 is a back elevational view of the insert for finger ring of shears;  
 FIG. 5 is a left elevational view of the insert for finger ring of shears; and,  
 FIG. 6 is a right elevational view of the insert for finger ring of shears.  
 The broken line showing of the shears in FIG. 1 illustrates the environment of the claimed design and forms no part thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 4




FIG. 3






FIG. 6




FIG. 5