

US00D864334S

(12) **United States Design Patent** (10) **Patent No.:** **US D864,334 S**  
**Wagner et al.** (45) **Date of Patent:** **\*\* Oct. 22, 2019**

|  |  |
|--|--|
| (54) <b>CANOPY WITH ANCHOR</b>   | 8,056,573 B2 11/2011 Panigot   |
| (71) Applicant: <b>Cabela's LLC</b> , Sidney, NE (US)  | 8,312,888 B2* 11/2012 Rees, Jr. .... E04H 15/02<br>135/117   |
| (72) Inventors: <b>John Wagner</b> , Sidney, NE (US); <b>Carl Hausmann</b> , Sidney, NE (US) | 8,418,711 B2 4/2013 Park et al.<br>8,439,058 B2 5/2013 Doell<br>8,714,174 B1* 5/2014 DeSousa ..... E04H 15/58<br>135/117   |
| (73) Assignee: <b>CABELA'S LLC</b> , Sidney, NE (US)   | 8,733,380 B1 5/2014 Roberts<br>8,997,769 B2 4/2015 Carpenter<br>9,010,348 B1 4/2015 Kite<br>9,124,148 B2 9/2015 Wood et al.<br>9,271,416 B2 2/2016 Carpenter<br>9,683,386 B1 6/2017 Morrison |
| (**) Term: <b>15 Years</b>   | 2011/0023922 A1 2/2011 Rees  |
| (21) Appl. No.: <b>29/679,029</b>  | 2015/0040957 A1* 2/2015 Mallookis ..... E04H 15/32<br>135/96   |
| (22) Filed: <b>Jan. 31, 2019</b>   | 2015/0322690 A1* 11/2015 Andrews ..... E04H 15/62<br>135/120.1   |

**Related U.S. Application Data**

- (62) Division of application No. 29/572,759, filed on Jul. 29, 2016, now Pat. No. Des. 846,055.
- (51) **LOC (12) Cl.** ..... **21-04**
- (52) **U.S. Cl.**  
USPC ..... **D21/837**
- (58) **Field of Classification Search**  
USPC ..... D21/839  
CPC ..... E04H 15/02; E04H 15/58; E04H 15/60;  
E04H 15/62; E04H 15/64  
See application file for complete search history.

\* cited by examiner

*Primary Examiner* — Cynthia M. Chin  
(74) *Attorney, Agent, or Firm* — Pillsbury Winthrop Shaw Pittman LLP

(57) **CLAIM**

The ornamental design for a canopy with anchor, as shown and described.


**DESCRIPTION**

FIG. 1 is a front perspective view of a canopy with anchor according to our new design;  
FIG. 2 is a front side elevational view thereof, of which the back side elevational view is a mirror image;  
FIG. 3 is a right side elevational view thereof, of which the left side elevational view is a mirror image;  
FIG. 4 is a top plan view thereof; and,  
FIG. 5 is a bottom plan view thereof.  
The broken lines are for the purpose of illustrating portions of the article that form no part of the claim.

**1 Claim, 5 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS

|              |         |               |
|--------------|---------|---------------|
| 2,353,220 A  | 7/1944  | Charlop       |
| 4,641,676 A  | 2/1987  | Lynch         |
| 4,886,083 A  | 12/1989 | Gamache       |
| D316,288 S   | 4/1991  | Lynch         |
| 5,241,977 A  | 9/1993  | Flores et al. |
| 5,944,040 A  | 8/1999  | Jang          |
| 6,739,095 B2 | 5/2004  | Glynos        |
| 7,753,064 B2 | 1/2010  | Sy-Facunda    |
| 7,784,480 B2 | 8/2010  | Sy-Facunda    |
| 7,798,162 B2 | 9/2010  | Sy-Facunda    |






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5