



US00D864468S

(12) **United States Design Patent** (10) **Patent No.:** **US D864,468 S**
Behnke et al. (45) **Date of Patent:** **** Oct. 22, 2019**

(54) **LIGHTING FIXTURE**

(71) Applicant: **USAI, LLC**, New Windsor, NY (US)

(72) Inventors: **Jaclyn Behnke**, Highland, NY (US);
Frank Cogliano, Pomona, NY (US)

(73) Assignee: **USAI, LLC**, New Windsor, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/695,017**

(22) Filed: **Jun. 14, 2019**

Related U.S. Application Data

(63) Continuation of application No. 15/972,881, filed on May 7, 2018.

(51) **LOC (12) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/142**

(58) **Field of Classification Search**

USPC D26/72, 74, 76, 78–83, 85, 86, 88, 90,
D26/93, 111, 113, 118, 119, 120, 121,
D26/122, 138, 139, 140, 141, 142, 152
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

825,445 A 7/1906 Benjamin
2,034,556 A 3/1936 Biller
(Continued)

OTHER PUBLICATIONS

Usai, LLC, BeveLED Block instruction sheet, 2 pages. (Jul. 1, 2016).

(Continued)

Primary Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — St. Onge Steward
Johnston & Reens LLC

(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, from the bottom, of a first embodiment of a lighting fixture in accordance with the new design;

FIG. 2 is a front view thereof, with the rear view being a mirror image;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof; and

FIG. 5 is a bottom view thereof, with the top forming no part of the claimed design;

FIG. 6 is a perspective view, from the bottom, of a second embodiment of a lighting fixture in accordance with the new design;

FIG. 7 is a front view thereof, wherein the rear view is a mirror image;

FIG. 8 is a left side view thereof, wherein the right side view is a mirror image;

FIG. 9 is a bottom view thereof, with the top forming no part of the claimed design.

FIG. 10 is a perspective view, from the bottom, of a third embodiment of a lighting fixture in accordance with the new design;

FIG. 11 is a front view thereof, with the rear view being a mirror image;

FIG. 12 is a left side view thereof;

FIG. 13 is a right side view thereof;

FIG. 14 is a bottom view thereof, with the top forming no part of the claimed design;

FIG. 15 is a perspective view, from the bottom, of a fourth embodiment of a lighting fixture in accordance with the new design;

FIG. 16 is a front view thereof, wherein the rear view is a mirror image;

FIG. 17 is a left side view thereof, wherein the right side view is a mirror image; and,

(Continued)




FIG. 18 is a bottom view thereof, with the top forming no part of the claimed design.

The broken lines in the drawings illustrate portions of the lighting fixture which form no part of the claimed design.

1 Claim, 16 Drawing Sheets

(58) Field of Classification Search

CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035-037; F21S 8/04; F21S 8/043; F21S 8/063

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D147,093	S	7/1947	Vorsanger	
4,303,968	A	12/1981	Goralnik	
D298,173	S	10/1988	Oosterheerd	
D339,651	S	9/1993	Vieyra	
D345,790	S	4/1994	Caldwell	
D377,843	S *	2/1997	Schering	D26/138
D382,663	S	8/1997	Barry	
D399,328	S	10/1998	Compton	
D400,287	S	10/1998	Littman et al.	
D422,745	S *	4/2000	Losole, III	D26/138
D443,942	S	6/2001	Dye et al.	
D445,527	S	7/2001	Nicholas	
D465,061	S *	10/2002	Guthrie	D23/269
D480,828	S	10/2003	Block	
D547,484	S	7/2007	Guercio	
D557,438	S	12/2007	Hsu	
D565,230	S	3/2008	Hetfield et al.	
D581,586	S *	11/2008	Conroy	D26/138
D603,552	S *	11/2009	Kampe	D26/88
D604,445	S	11/2009	Ko et al.	
D604,896	S *	11/2009	Chen	D26/142
D637,339	S	5/2011	Hasan et al.	
D637,340	S	5/2011	Hasan et al.	
D653,799	S *	2/2012	Baker	D26/138
D707,383	S	6/2014	Carraher	
D709,643	S *	7/2014	Kohler	D26/138

D710,536	S *	8/2014	Mollaghaffari	D26/138
D722,402	S	2/2015	Orozco	
D728,842	S *	5/2015	Arola Ferrer	D26/83
D735,933	S *	8/2015	Campagna	D26/142
D740,992	S	10/2015	Orozco	
D747,029	S	1/2016	Reynolds	
D753,328	S *	4/2016	Mathews	D26/63
9,435,353	B1	9/2016	Gretz	
D770,084	S *	10/2016	Salomon	D26/138
9,466,962	B1	10/2016	Gretz	
D785,227	S	4/2017	Guzzini	
D785,852	S *	5/2017	Rashidi Doust	D26/138
D791,384	S	7/2017	Park	
D799,099	S	10/2017	Gismondi	
D806,304	S	12/2017	Amato et al.	
D813,436	S	3/2018	Verelst	
D813,438	S	3/2018	Vyvey	
D818,185	S *	5/2018	Wilson	D26/138
D818,192	S *	5/2018	Price	D26/138
D818,625	S	5/2018	Hohaus et al.	
D821,627	S	6/2018	Ko	
D823,522	S	7/2018	Gambrel et al.	
D829,953	S	10/2018	Botti	
D829,959	S	10/2018	Amato et al.	
D834,235	S	11/2018	Gambrel et al.	
D841,220	S *	2/2019	Chen	D26/88
D843,642	S *	3/2019	Mathews	D26/142
D848,047	S	5/2019	Santoro et al.	
2015/0338071	A1	11/2015	Feit et al.	
2016/0319988	A1	11/2016	Mathews et al.	
2017/0009962	A1	1/2017	Feit et al.	
2017/0268736	A1	9/2017	Harpenau et al.	
2017/0363263	A1	12/2017	Ticktin et al.	
2018/0087750	A1	3/2018	Boulanger et al.	
2018/0119934	A1	5/2018	Schneider	
2018/0128446	A1	5/2018	Dietz	
2018/0328573	A1	11/2018	Behnke et al.	

OTHER PUBLICATIONS

Chinese Gold Supplier IP65 Surface Mounted Square Downlight LED spot light dimmable. USPTO found at alibaba.com visited Mar. 18, 2019 (Year: 2019).

COB Square mounted LED downlight No. 425557733. USPTO found at dhgate.com visited Mar. 18, 2019. (Year: 2019).
Surface Mount Square 1-Light LED Flush Mount fixture by Bruck Lighting. SKU: BBB3018. USPTO found at wayfair.com as early as Feb. 21, 2019. (Year: 2019).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18