



US00D864663S

(12) **United States Design Patent** (10) **Patent No.:** **US D864,663 S**  
**Meyers** (45) **Date of Patent:** **\*\* Oct. 29, 2019**

(54) **FLOW-THROUGH AGITATOR**  
(71) Applicant: **RUNWAY BLUE, LLC**, Alpine, UT (US)  
(72) Inventor: **David O. Meyers**, East Layton, UT (US)  
(73) Assignee: **Runway Blue, LLC**, Alpine, UT (US)  
(\*\*) Term: **15 Years**

3,924,807 A 12/1975 Morgan  
4,640,623 A 2/1987 Tornell  
4,668,442 A 5/1987 Lang  
D294,012 S \* 2/1988 Patricko ..... D11/123  
D362,793 S \* 10/1995 Khan ..... D32/35  
D374,638 S \* 10/1996 Jacobson ..... D10/116.1  
5,629,057 A \* 5/1997 Wang ..... B44C 5/00  
362/122  
D432,453 S \* 10/2000 Franzen ..... D11/131  
6,379,032 B1 4/2002 Sorensen  
(Continued)

(21) Appl. No.: **29/642,658**

(22) Filed: **Mar. 30, 2018**

(51) **LOC (12) Cl.** ..... **31-00**

(52) **U.S. Cl.**  
USPC ..... **D7/412**; D7/376; D7/377; D7/378;  
D7/379; D7/380

(58) **Field of Classification Search**  
USPC ..... D7/300.2, 372, 376-386, 412-413, 602,  
D7/620, 629, 665-666, 669, 679, 682,  
D7/688, 690, 693-694; D11/121, 125,  
D11/128, 131; D23/342; D30/124  
CPC ..... A01K 39/0113; A21C 1/02; A21C 1/04;  
A23N 1/00; A23N 1/02; A47G 19/16;  
A47J 43/04; A47J 43/10; A47J 43/22;  
A47J 43/25; A47J 43/27; A47J 43/042;  
A47J 43/044; A47J 43/046; A47J 43/075;  
A47J 43/0722; A47J 43/0727; B01F 3/00;  
B01F 3/0807; B01F 3/0853; B01F  
13/0059; B01F 13/0064; B02C 1/08;  
B02C 2/04; B02C 4/42; B02C 4/142;  
B02C 4/143; B02C 4/423; B02C 13/1835;  
B28C 5/10; B28C 5/12; B28C 5/14;  
B28C 5/16; B44C 5/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,060,419 A 4/1913 Benjamin  
1,649,874 A \* 11/1927 Taylor ..... A47J 43/22  
416/71

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/655,202, filed Jun. 30, 2018, 45 pgs.  
(Continued)

*Primary Examiner* — Ricky Pham  
(74) *Attorney, Agent, or Firm* — Sterne, Kessler,  
Goldstein & Fox P.L.L.C.


(57) **CLAIM**

The ornamental design for a flow-through agitator, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom front perspective view of an embodiment of a flow-through agitator;  
FIG. 2 is a front view of the flow-through agitator shown in FIG. 1;  
FIG. 3 is a rear view of the flow-through agitator shown in FIG. 1;  
FIG. 4 is a left side view of the flow-through agitator shown in FIG. 1;  
FIG. 5 is a right side view of the flow-through agitator shown in FIG. 1;  
FIG. 6 is a top view of the flow-through agitator shown in FIG. 1; and,  
FIG. 7 is a bottom view of the flow-through agitator shown in FIG. 1.

**1 Claim, 7 Drawing Sheets**









FIG. 1



**FIG. 2**







FIG. 3



**FIG. 4**






FIG. 5



**FIG. 6**





**FIG. 7**