



US00D865181S

(12) **United States Design Patent**
Chong

(10) **Patent No.:** **US D865,181 S**

(45) **Date of Patent:** **** Oct. 29, 2019**

(54) **MESSAGE PAD**

(71) Applicant: **On Chong**, Sunnyvale, CA (US)

(72) Inventor: **On Chong**, Sunnyvale, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/608,652**

(22) Filed: **Jun. 23, 2017**

(51) **LOC (12) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/184**

(58) **Field of Classification Search**

USPC D24/183-184, 158-159, 200, 212;
D6/367, 382, 596, 601

CPC A61B 5/05; A61B 5/055; A61B 5/0555;
A61B 6/032; A61B 6/035; A61B 6/037;
A61B 6/04; A61B 6/0407; A61B 6/0414;
A61B 6/0421; A61B 6/0442; A61B
6/0457; A61B 6/0464; A61B 6/102; A61B
6/12; A61B 6/14; A61B 6/4258; A61B
6/4417; A61B 6/4476; A61B 6/4494;
A61B 6/487; A61B 6/501; A61B 6/502;
A61B 6/5241; A61B 6/5264; A61B
6/5276; A61B 6/547; A61G 12/00; A61G
12/002; A61G 13/00; A61G 13/0009;
A61G 13/0018; A61G 13/0036; A61G
13/0045; A61G 13/0054; A61G 13/0063;
A61G 13/0072; A61G 13/009; A61G
13/02; A61G 13/04; A61G 13/06; A61G
13/08; A61G 13/10; A61G 13/101; A61G
13/104; A61G 13/105; A61G 13/12;
A61G 13/1205; A61G 13/121; A61G
13/122; A61G 13/123; A61G 13/1235;
A61G 13/1245; A61G 13/125; A61G
13/127; A61G 13/129; A61G 13/1295;
A61G 15/00; A61G 15/005; A61G
15/007; A61G 15/02; A61G 15/10; A61G
15/125; A61G 15/16; A61G 15/18; A61G
5/00; A61G 5/006; A61G 5/0833; A61G
5/1005; A61G 5/101; A61G 5/1091;
A61G 5/12; A61G 5/121; A61G 5/127;

A61G 5/128; A61G 5/14; A61G 7/1017;
A61G 7/1019; A61G 7/103; A61G
7/1034; A61G 7/1046; A61G 7/1057;
A61H 19/34; A61H 19/44; A61H 19/50;
A61H 23/02; A47C 7/383

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D275,322 S *	8/1984	Nakao	D24/183
5,050,591 A *	9/1991	Sandrin	A61H 33/025 4/541.5
D348,108 S *	6/1994	Kim	D24/212
D374,723 S *	10/1996	Brooks	D24/212
D408,539 S *	4/1999	Simpkins	D24/184
D438,623 S *	3/2001	Tantau	D24/183

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Samantha Q Lawrence

(57) **CLAIM**

The ornamental design for a massage pad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a massage pad showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;


FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof; and,

FIG. 6 is another perspective view of the massage pad shown in FIG. 1 in an environment as part of an inversion therapy table.

The broken lines seen in FIGS. 1-6 show portions of the massage pad that forms no part of the claimed design. The broken lines showing an inversion therapy table in FIG. 6 illustrate environment and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D461,900	S *	8/2002	Siepmann	D24/184
D471,636	S *	3/2003	Yu	D24/212
D475,792	S *	6/2003	Robbins, III	D24/212
D496,105	S *	9/2004	Walters	D24/183
D552,387	S *	10/2007	Wu	D6/601
D574,960	S *	8/2008	Parrish	D24/184
D621,194	S *	8/2010	Chiang	D6/601
D623,305	S *	9/2010	Tao	D24/200
8,888,808	B1 *	11/2014	Park	A61H 39/04 601/134
D782,750	S *	3/2017	Denney	D30/158
9,713,566	B2 *	7/2017	Lavigne	A61H 23/02
D806,441	S *	1/2018	Pan	D6/601
2010/0223731	A1 *	9/2010	Chang	A47C 7/383 5/657

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6