



US00D865250S

(12) **United States Design Patent**
Qiu

(10) **Patent No.:** **US D865,250 S**

(45) **Date of Patent:** **** Oct. 29, 2019**

(54) **FLASHLIGHT**

(71) Applicant: **Ningbo Futai Electric Limited,**
Ningbo, Zhejiang (CN)

(72) Inventor: **Fujun Qiu,** Ningbo (CN)

(73) Assignee: **Ningbo Futai Electric Limited,**
Ningbo (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/573,517**

(22) Filed: **Aug. 5, 2016**

(51) **LOC (12) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/49**

(58) **Field of Classification Search**
USPC D26/37-51
CPC F21L 2003/00; F21L 4/00; F21L 4/005;
F21L 4/02; F21L 4/025; F21L 4/027;
F21L 4/04; F21L 4/08; F21L 2005/00;
F21L 7/00; F21L 11/00; F21L 13/00;
F21L 13/04; F21L 13/08; F21L 14/02;
F21L 17/00; F21L 19/00; F21L 25/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D263,170 S *	2/1982	Maglica	D26/49
D348,112 S *	6/1994	Maglica	D26/49
D351,245 S *	10/1994	Maglica	D26/49
D353,216 S *	12/1994	Sharrah	D26/49
D353,217 S *	12/1994	Maglica	D26/49
D370,543 S *	6/1996	Huen	D26/49
D512,525 S *	12/2005	Yang	D26/49
D532,138 S *	11/2006	Wang	D26/49
7,258,582 B2 *	8/2007	Maglica	F21L 4/005 439/700
D551,366 S *	9/2007	Galli	D26/37
D557,836 S *	12/2007	Shiu	D26/37

D557,840 S *	12/2007	Shiu	D26/37
D576,757 S *	9/2008	Hesse	D26/49
D629,544 S *	12/2010	Deguglimo	D26/49
D668,804 S *	10/2012	Maglica	F21L 4/005 D26/49
D683,877 S *	6/2013	Brands	D26/49
D692,169 S *	10/2013	Kamm	D26/49
D698,961 S *	2/2014	Dalton	D26/49
D701,339 S *	3/2014	Opolka	D26/49
D703,852 S *	4/2014	Kamm	D26/49
D732,721 S *	6/2015	Popper	D26/49

(Continued)

Primary Examiner — Lakiya G Rogers

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Raymond Y. Chan;
David and Raymond Patent Firm

(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the flashlight according to a first embodiment of the present invention, showing my new design.

FIG. 2 is a bottom perspective view of the flashlight according to the first embodiment of the present invention.

FIG. 3 is a front plan view of the flashlight according to the first embodiment of the present invention.

FIG. 4 is a rear plan view of the flashlight according to the first embodiment of the present invention.


FIG. 5 is a right plan view of the flashlight according to the first embodiment of the present invention.

FIG. 6 is a left plan view of the flashlight according to the first embodiment of the present invention.

FIG. 7 is a top plan view of the flashlight according to the first embodiment of the present invention; and,

FIG. 8 is a bottom plan view of the flashlight according to the first embodiment of the present invention.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D743,599	S	*	11/2015	Robinson	D26/49
D743,600	S	*	11/2015	Robinson	D26/49
D745,987	S	*	12/2015	Nawaz	D22/117
D747,024	S	*	1/2016	Windom	D26/49
D750,306	S	*	2/2016	Windom	D26/49
D769,494	S	*	10/2016	Bertken	D26/49
D783,193	S	*	4/2017	Kao	D26/49
D785,842	S	*	5/2017	Huang	D26/49
D794,857	S	*	8/2017	Sharrah	D26/49
D798,482	S	*	9/2017	O'Doherty	D26/49
D803,444	S	*	11/2017	Green	D26/49
D803,446	S	*	11/2017	Green	D26/49
D814,088	S	*	3/2018	Cao	D26/49
D828,940	S	*	9/2018	Qiu	D26/49
D833,051	S	*	11/2018	Qiu	D26/49

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8